# NAG Library Routine Document

## E04FCF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### **1** Purpose

E04FCF is a comprehensive algorithm for finding an unconstrained minimum of a sum of squares of m nonlinear functions in n variables  $(m \ge n)$ . No derivatives are required.

The routine is intended for functions which have continuous first and second derivatives (although it will usually work even if the derivatives have occasional discontinuities).

## 2 Specification

```
SUBROUTINE E04FCF (M, N, LSQFUN, LSQMON, IPRINT, MAXCAL, ETA, XTOL,
STEPMX, X, FSUMSQ, FVEC, FJAC, LDFJAC, S, V, LDV,
NITER, NF, IW, LIW, W, LW, IFAIL)
INTEGER M, N, IPRINT, MAXCAL, LDFJAC, LDV, NITER, NF,
IW(LIW), LIW, LW, IFAIL
REAL (KIND=nag_wp) ETA, XTOL, STEPMX, X(N), FSUMSQ, FVEC(M),
FJAC(LDFJAC,N), S(N), V(LDV,N), W(LW)
EXTERNAL LSQFUN, LSQMON
```

## **3** Description

E04FCF is essentially identical to the subroutine LSQNDN in the NPL Algorithms Library. It is applicable to problems of the form

Minimize 
$$F(x) = \sum_{i=1}^{m} [f_i(x)]^2$$

where  $x = (x_1, x_2, ..., x_n)^T$  and  $m \ge n$ . (The functions  $f_i(x)$  are often referred to as 'residuals'.) You must supply LSOFUN to calculate the values of the  $f_i(x)$  at any point x.

From a starting point  $x^{(1)}$  supplied by you, the routine generates a sequence of points  $x^{(2)}, x^{(3)}, \ldots$ , which is intended to converge to a local minimum of F(x). The sequence of points is given by

$$x^{(k+1)} = x^{(k)} + \alpha^{(k)} p^{(k)}$$

where the vector  $p^{(k)}$  is a direction of search, and  $\alpha^{(k)}$  is chosen such that  $F(x^{(k)} + \alpha^{(k)}p^{(k)})$  is approximately a minimum with respect to  $\alpha^{(k)}$ .

The vector  $p^{(k)}$  used depends upon the reduction in the sum of squares obtained during the last iteration. If the sum of squares was sufficiently reduced, then  $p^{(k)}$  is an approximation to the Gauss–Newton direction; otherwise additional function evaluations are made so as to enable  $p^{(k)}$  to be a more accurate approximation to the Newton direction.

The method is designed to ensure that steady progress is made whatever the starting point, and to have the rapid ultimate convergence of Newton's method.

### 4 References

Gill P E and Murray W (1978) Algorithms for the solution of the nonlinear least squares problem *SIAM J. Numer. Anal.* **15** 977–992

**External** Procedure

## 5 Parameters

1:M - INTEGERInp2:N - INTEGERInp
----------------------------------

On entry: the number m of residuals,  $f_i(x)$ , and the number n of variables,  $x_j$ .

*Constraint*:  $1 \le N \le M$ .

3: LSQFUN – SUBROUTINE, supplied by the user.

LSQFUN must calculate the vector of values  $f_i(x)$  at any point x. (However, if you do not wish to calculate the residuals at a particular x, there is the option of setting a parameter to cause E04FCF to terminate immediately.)

The specification of LSQFUN is: SUBROUTINE LSQFUN (IFLAG, M, N, XC, FVEC, IW, LIW, W, LW) IFLAG, M, N, IW(LIW), LIW, LW INTEGER REAL (KIND=nag\_wp) XC(N), FVEC(M), W(LW) IFLAG - INTEGER 1: Input/Output On entry: has a non-negative value. On exit: if LSQFUN resets IFLAG to some negative number, E04FCF will terminate immediately, with IFAIL set to your setting of IFLAG. 2: M – INTEGER Input On entry: m, the numbers of residuals. N - INTEGER 3: Input On entry: n, the numbers of variables. XC(N) - REAL (KIND=nag wp) array 4: Input On entry: the point x at which the values of the  $f_i$  are required. FVEC(M) - REAL (KIND=nag\_wp) array 5: Output On exit: unless IFLAG is reset to a negative number, FVEC(i) must contain the value of  $f_i$  at the point x, for  $i = 1, 2, \ldots, m$ . IW(LIW) - INTEGER array Workspace 6: 7: LIW – INTEGER Input 8: W(LW) - REAL (KIND=nag wp) array Workspace LW – INTEGER 9: Input LSQFUN is called with these parameters as in the call to E04FCF, so you can pass quantities to LSQFUN from the subroutine which calls E04FCF by using partitions of IW and W beyond those used as workspace by E04FCF. However, because of the danger of mistakes in partitioning, it is recommended that this facility be used very selectively, e.g., for stable applications packages which need to pass their own variable dimension workspace to LSQFUN. It is recommended that the normal method for passing information from your subroutine to LSQFUN should be via COMMON global variables. In any case, you must not change LIW, LW or the elements of IW and W used as workspace by E04FCF.

LSQFUN must either be a module subprogram USEd by, or declared as EXTERNAL in, the (sub)program from which E04FCF is called. Parameters denoted as *Input* must **not** be changed by this procedure.

Note: LSQFUN should be tested separately before being used in conjunction with E04FCF.

4: LSQMON – SUBROUTINE, supplied by the NAG Library or the user. External Procedure If IPRINT  $\geq 0$ , you must supply LSQMON which is suitable for monitoring the minimization process. LSQMON must not change the values of any of its parameters.

If IPRINT $< 0$	the	dummy	routine	E04FDZ	can	he	used	as	LSOM	ON
$\Pi$ $\Pi$ $\Pi$ $\Pi$ $I$ $\sim$ 0	, une	uummy	routine		can	υc	uscu	as	LOQM	011.

The specification of LSQMON is: SUBROUTINE LSOMON (M, N, XC, FVEC, FJAC, LDFJAC, S, IGRADE, & NITER, NF, IW, LIW, W, LW) M, N, LDFJAC, IGRADE, NITER, NF, IW(LIW), INTEGER & LIW, LW REAL (KIND=naq\_wp) XC(N), FVEC(M), FJAC(LDFJAC,N), S(N), W(LW) Important: the dimension declaration for FJAC must contain the variable LDFJAC, not an integer constant. 1: M – INTEGER Input On entry: m, the numbers of residuals. N - INTEGER 2: Input On entry: n, the numbers of variables. 3: XC(N) - REAL (KIND=nag\_wp) array Input On entry: the coordinates of the current point x. FVEC(M) - REAL (KIND=nag wp) array 4: Input On entry: the values of the residuals  $f_i$  at the current point x. 5: FJAC(LDFJAC, N) - REAL (KIND=nag\_wp) array Input On entry: FJAC(i, j) contains the value of  $\frac{\partial f_i}{\partial x_i}$  at the current point x, for i = 1, 2, ..., mand j = 1, 2, ..., n. LDFJAC - INTEGER 6: Input On entry: the first dimension of the array FJAC as declared in the (sub)program from which E04FCF is called. 7: S(N) - REAL (KIND=nag wp) array Input On entry: the singular values of the current approximation to the Jacobian matrix. Thus S may be useful as information about the structure of your problem. IGRADE - INTEGER 8: Input On entry: E04FCF estimates the dimension of the subspace for which the Jacobian matrix can be used as a valid approximation to the curvature (see Gill and Murray (1978)). This estimate is called the grade of the Jacobian matrix, and IGRADE gives its current value. 9: NITER - INTEGER Input On entry: the number of iterations which have been performed in E04FCF.

NF – INTEGER 10: Input On entry: the number of times that LSOFUN has been called so far. (However, for intermediate calls of LSQMON, NF is calculated on the assumption that the latest linear search has been successful. If this is not the case, then the n evaluations allowed for approximating the Jacobian at the new point will not in fact have been made. NF will be accurate at the final call of LSQMON.) IW(LIW) – INTEGER array Workspace 11: LIW - INTEGER 12: Input 13: W(LW) - REAL (KIND=nag wp) array Workspace LW - INTEGER 14: Input

These parameters correspond to the parameters IW, LIW, W and LW of E04FCF. They are included in LSQMON's parameter list primarily for when E04FCF is called by other Library routines.

LSQMON must either be a module subprogram USEd by, or declared as EXTERNAL in, the (sub)program from which E04FCF is called. Parameters denoted as *Input* must **not** be changed by this procedure.

Note: you should normally print the sum of squares of residuals, so as to be able to examine the sequence of values of F(x) mentioned in Section 7. It is usually helpful to print XC, the estimated gradient of the sum of squares, NITER and NF.

### 5: IPRINT – INTEGER

On entry: the frequency with which LSQMON is to be called.

If IPRINT > 0, LSQMON is called once every IPRINT iterations and just before exit from E04FCF.

If IPRINT = 0, LSQMON is just called at the final point.

If IPRINT < 0, LSQMON is not called at all.

IPRINT should normally be set to a small positive number.

Suggested value: IPRINT = 1.

### 6: MAXCAL – INTEGER

*On entry*: the limit you set on the number of times that LSQFUN may be called by E04FCF. There will be an error exit (see Section 6) after MAXCAL calls of LSQFUN.

Suggested value: MAXCAL =  $400 \times n$ .

*Constraint*: MAXCAL  $\geq$  1.

### 7: ETA – REAL (KIND=nag\_wp)

Every iteration of E04FCF involves a linear minimization, i.e., minimization of  $F(x^{(k)} + \alpha^{(k)}p^{(k)})$  with respect to  $\alpha^{(k)}$ .

On entry: specifies how accurately the linear minimizations are to be performed. The minimum with respect to  $\alpha^{(k)}$  will be located more accurately for small values of ETA (say, 0.01) than for large values (say, 0.9). Although accurate linear minimizations will generally reduce the number of iterations performed by E04FCF, they will increase the number of calls of LSQFUN made each iteration. On balance it is usually more efficient to perform a low accuracy minimization.

Suggested value: ETA = 0.5 (ETA = 0.0 if N = 1).

Constraint:  $0.0 \leq \text{ETA} < 1.0$ .

Input

Input

### 8: XTOL – REAL (KIND=nag\_wp)

On entry: the accuracy in x to which the solution is required.

If  $x_{true}$  is the true value of x at the minimum, then  $x_{sol}$ , the estimated position before a normal exit, is such that

$$||x_{sol} - x_{true}|| < XTOL \times (1.0 + ||x_{true}||),$$

where  $||y|| = \sqrt{\sum_{j=1}^{n} y_j^2}$ . For example, if the elements of  $x_{sol}$  are not much larger than 1.0 in

modulus and if XTOL = 1.0E-5, then  $x_{sol}$  is usually accurate to about five decimal places. (For further details see Section 7.)

Suggested value: if F(x) and the variables are scaled roughly as described in Section 9 and  $\epsilon$  is the **machine precision**, then a setting of order  $\text{XTOL} = \sqrt{\epsilon}$  will usually be appropriate. If XTOL is set to 0.0 or some positive value less than  $10\epsilon$ , E04FCF will use  $10\epsilon$  instead of XTOL, since  $10\epsilon$  is probably the smallest reasonable setting.

*Constraint*: XTOL  $\geq$  0.0.

9: STEPMX – REAL (KIND=nag\_wp)

*On entry*: an estimate of the Euclidean distance between the solution and the starting point supplied by you. (For maximum efficiency, a slight overestimate is preferable.) E04FCF will ensure that, for each iteration,

$$\sum_{j=1}^{n} \left( x_{j}^{(k)} - x_{j}^{(k-1)} \right)^{2} \le (\text{STEPMX})^{2},$$

where k is the iteration number. Thus, if the problem has more than one solution, E04FCF is most likely to find the one nearest to the starting point. On difficult problems, a realistic choice can prevent the sequence  $x^{(k)}$  entering a region where the problem is ill-behaved and can help avoid overflow in the evaluation of F(x). However, an underestimate of STEPMX can lead to inefficiency.

Suggested value: STEPMX = 100000.0.

*Constraint*: STEPMX  $\geq$  XTOL.

10: X(N) - REAL (KIND=nag wp) array

On entry: X(j) must be set to a guess at the *j*th component of the position of the minimum, for j = 1, 2, ..., n.

*On exit:* the final point  $x^{(k)}$ . Thus, if IFAIL = 0 on exit, X(j) is the *j*th component of the estimated position of the minimum.

11: FSUMSQ – REAL (KIND=nag\_wp)

On exit: the value of F(x), the sum of squares of the residuals  $f_i(x)$ , at the final point given in X.

12: FVEC(M) – REAL (KIND=nag\_wp) array Output On exit: the value of the residual  $f_i(x)$  at the final point given in X, for i = 1, 2, ..., m.

### 13: FJAC(LDFJAC, N) – REAL (KIND=nag\_wp) array Output

On exit: the estimate of the first derivative  $\frac{\partial f_i}{\partial x_j}$  at the final point given in X, for i = 1, 2, ..., mand j = 1, 2, ..., n.

*Input* point

Input/Output

Output

### 14: LDFJAC - INTEGER

On entry: the first dimension of the array FJAC as declared in the (sub)program from which E04FCF is called.

*Constraint*: LDFJAC > M.

15: S(N) - REAL (KIND=nag wp) array

> On exit: the singular values of the estimated Jacobian matrix at the final point. Thus S may be useful as information about the structure of your problem.

V(LDV, N) – REAL (KIND=nag\_wp) array 16:

On exit: the matrix V associated with the singular value decomposition

 $J = USV^{T}$ 

of the estimated Jacobian matrix at the final point, stored by columns. This matrix may be useful for statistical purposes, since it is the matrix of orthonormalized eigenvectors of  $J^{T}J$ .

LDV - INTEGER 17:

> On entry: the first dimension of the array V as declared in the (sub)program from which E04FCF is called.

*Constraint*:  $LDV \ge N$ .

### NITER – INTEGER 18:

On exit: the number of iterations which have been performed in E04FCF.

NF - INTEGER 19:

> On exit: the number of times that the residuals have been evaluated (i.e., number of calls of LSQFUN).

- IW(LIW) INTEGER array 20:
- 21: LIW – INTEGER

On entry: the dimension of the array IW as declared in the (sub)program from which E04FCF is called.

*Constraint*: LIW  $\geq$  1.

- W(LW) REAL (KIND=nag wp) array 22:
- LW INTEGER 23:

On entry: the dimension of the array W as declared in the (sub)program from which E04FCF is called.

Constraints:

if N > 1, LW >  $6 \times N + M \times N + 2 \times M + N \times (N - 1)/2$ ; if N = 1,  $LW > 7 + 3 \times M$ .

### IFAIL – INTEGER 24:

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, because for this routine the values of the output parameters may be useful even if IFAIL  $\neq 0$  on exit, the recommended value is -1. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.

Input/Output

### Mark 25

NAG Library Manual

Input

Output

Output

Output

Input

Output

Input

Input

Communication Array

Communication Array

### 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Note: E04FCF may return useful information for one or more of the following detected errors or warnings.

Errors or warnings detected by the routine:

IFAIL < 0

A negative value of IFAIL indicates an exit from E04FCF because you have set IFLAG negative in LSQFUN. The value of IFAIL will be the same as your setting of IFLAG.

IFAIL = 1

On entry, N < 1, M < N. or or MAXCAL < 1.ETA < 0.0,or  $ETA \ge 1.0$ , or XTOL < 0.0,or STEPMX < XTOL, or LDFJAC < M, or LDV < N, or LIW < 1, or  $LW < 6 \times N + M \times N + 2 \times M + N \times (N - 1)/2$ , when N > 1, or  $LW < 7 + 3 \times M$ , when N = 1. or

When this exit occurs, no values will have been assigned to FSUMSQ, or to the elements of FVEC, FJAC, S or V.

### IFAIL = 2

There have been MAXCAL calls of LSQFUN. If steady reductions in the sum of squares, F(x), were monitored up to the point where this exit occurred, then the exit probably occurred simply because MAXCAL was set too small, so the calculations should be restarted from the final point held in X. This exit may also indicate that F(x) has no minimum.

### IFAIL = 3

The conditions for a minimum have not all been satisfied, but a lower point could not be found. This could be because XTOL has been set so small that rounding errors in the evaluation of the residuals make attainment of the convergence conditions impossible.

### IFAIL = 4

The method for computing the singular value decomposition of the estimated Jacobian matrix has failed to converge in a reasonable number of sub-iterations. It may be worth applying E04FCF again starting with an initial approximation which is not too close to the point at which the failure occurred.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.8 in the Essential Introduction for further information.

### IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.7 in the Essential Introduction for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.6 in the Essential Introduction for further information.

The values IFAIL = 2, 3 or 4 may also be caused by mistakes in LSQFUN, by the formulation of the problem or by an awkward function. If there are no such mistakes it is worth restarting the calculations from a different starting point (not the point at which the failure occurred) in order to avoid the region which caused the failure.

### 7 Accuracy

A successful exit (IFAIL = 0) is made from E04FCF when (B1, B2 and B3) or B4 or B5 hold, where

and where  $\|.\|$  and  $\epsilon$  are as defined in Section 5, and  $F^{(k)}$  and  $g^{(k)}$  are the values of F(x) and its vector of estimated first derivatives at  $x^{(k)}$ . If IFAIL = 0 then the vector in X on exit,  $x_{sol}$ , is almost certainly an estimate of  $x_{true}$ , the position of the minimum to the accuracy specified by XTOL.

If IFAIL = 3, then  $x_{sol}$  may still be a good estimate of  $x_{true}$ , but to verify this you should make the following checks. If

- (a) the sequence  $\{F(x^{(k)})\}$  converges to  $F(x_{sol})$  at a superlinear or a fast linear rate, and
- (b)  $g(x_{sol})^T g(x_{sol}) < 10\epsilon$ , where T denotes transpose, then it is almost certain that  $x_{sol}$  is a close approximation to the minimum. When (b) is true, then usually  $F(x_{sol})$  is a close approximation to  $F(x_{true})$ . The values of  $F(x^{(k)})$  can be calculated in LSQMON, and the vector  $g(x_{sol})$  can be calculated from the contents of FVEC and FJAC on exit from E04FCF.

Further suggestions about confirmation of a computed solution are given in the E04 Chapter Introduction.

## 8 Parallelism and Performance

E04FCF is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

E04FCF makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The number of iterations required depends on the number of variables, the number of residuals, the behaviour of F(x), the accuracy demanded and the distance of the starting point from the solution. The number of multiplications performed per iteration of E04FCF varies, but for  $m \gg n$  is approximately

 $n \times m^2 + O(n^3)$ . In addition, each iteration makes at least n + 1 calls of LSQFUN. So, unless the residuals can be evaluated very quickly, the run time will be dominated by the time spent in LSQFUN.

Ideally, the problem should be scaled so that, at the solution, F(x) and the corresponding values of the  $x_j$  are each in the range (-1,+1), and so that at points one unit away from the solution, F(x) differs from its value at the solution by approximately one unit. This will usually imply that the Hessian matrix of F(x) at the solution is well-conditioned. It is unlikely that you will be able to follow these recommendations very closely, but it is worth trying (by guesswork), as sensible scaling will reduce the difficulty of the minimization problem, so that E04FCF will take less computer time.

When the sum of squares represents the goodness-of-fit of a nonlinear model to observed data, elements of the variance-covariance matrix of the estimated regression coefficients can be computed by a subsequent call to E04YCF, using information returned in the arrays S and V. See E04YCF for further details.

### 10 Example

This example finds least squares estimates of  $x_1, x_2$  and  $x_3$  in the model

$$y = x_1 + \frac{t_1}{x_2 t_2 + x_3 t_3}$$

using the 15 sets of data given in the following table.

y	$t_1$	$t_2$	$t_3$
0.14	1.0	15.0	1.0
0.18	2.0	14.0	2.0
0.22	3.0	13.0	3.0
0.25	4.0	12.0	4.0
0.29	5.0	11.0	5.0
0.32	6.0	10.0	6.0
0.35	7.0	9.0	7.0
0.39	8.0	8.0	8.0
0.37	9.0	7.0	7.0
0.58	10.0	6.0	6.0
0.73	11.0	5.0	5.0
0.96	12.0	4.0	4.0
1.34	13.0	3.0	3.0
2.10	14.0	2.0	2.0
4.39	15.0	1.0	1.0

The program uses (0.5, 1.0, 1.5) as the initial guess at the position of the minimum.

### 10.1 Program Text

```
E04FCF Example Program Text
1
   Mark 25 Release. NAG Copyright 2014.
1
    Module e04fcfe_mod
1
      EO4FCF Example Program Module:
1
             Parameters and User-defined Routines
1
      .. Use Statements .
      Use nag_library, Only: nag_wp
1
      .. Implicit None Statement ..
      Implicit None
!
      .. Accessibility Statements ..
      Private
      Public
                                             :: lsqfun, lsqgrd, lsqmon
1
      .. Parameters ..
      Real (Kind=nag_wp), Parameter
Real (Kind=nag_wp), Parameter
                                             :: one = 1.0 mag wp
                                             :: two = 2.0_nag_wp
                                             :: zero = 0.0_nag_wp
      Real (Kind=nag_wp), Parameter
      Integer, Parameter
                                             :: inc1 = 1
      Integer, Parameter, Public
                                             :: liw = 1, m = 15, n = 3, nin = 5, &
```

```
nout = 6, nt = 3
      Integer, Parameter, Public
Integer, Parameter, Public
Integer, Parameter, Public
                                              :: ldfjac = m
:: ldv = n
:: lw = 6*n + m*n + 2*m + n*(n-1)/2
:: trans = 'T'
      Character (1), Parameter
      .. Local Arrays ..
1
      Real (Kind=nag_wp), Public, Save
                                               :: t(m,nt), y(m)
    Contains
      Subroutine lsqgrd(m,n,fvec,fjac,ldfjac,g)
!
        Routine to evaluate gradient of the sum of squares
         .. Use Statements ..
1
        Use nag_library, Only: dgemv
1
         .. Scalar Arguments ..
        Integer, Intent (In)
                                                  :: ldfjac, m, n
        .. Array Arguments ..
Real (Kind=nag_wp), Intent (In)
Real (Kind=nag_wp), Intent (Out)
1
                                              :: fjac(ldfjac,n), fvec(m)
:: g(n)
1
         .. Executable Statements ..
        The NAG name equivalent of dgemv is f06paf
1
        Call dgemv(trans,m,n,one,fjac,ldfjac,fvec,inc1,zero,g,inc1)
        g(1:n) = two*g(1:n)
        Return
      End Subroutine lsqgrd
      Subroutine lsqfun(iflag,m,n,xc,fvec,iw,liw,w,lw)
1
        Routine to evaluate the residuals
        .. Scalar Arguments ..
!
        Integer, Intent (Inout)
                                                  :: iflag
        Integer, Intent (In)
                                                  :: liw, lw, m, n
        .. Array Arguments ..
Real (Kind=nag_wp), Intent (Out)
!
        Real (Kind=nag_wp), Intent (Out) :: fvec(m)
Real (Kind=nag_wp), Intent (Inout) :: w(lw)
Deal (Wind=nag_wp)
        Real (Kind=nag_wp), Intent (In) :: xc(n)
        Integer, Intent (Inout)
                                                  :: iw(liw)
1
         .. Executable Statements ..
        fvec(1:m) = xc(1) + t(1:m,1)/(xc(2)*t(1:m,2)+xc(3)*t(1:m,3)) - y(1:m)
        Return
      End Subroutine lsqfun
      Subroutine lsqmon(m,n,xc,fvec,fjac,ldfjac,s,igrade,niter,nf,iw,liw,w,lw)
1
        Monitoring routine
         .. Use Statements ..
1
        Use nag_library, Only: ddot
1
        .. Parameters ..
                                                  :: ndec = 3
        Integer, Parameter
        .. Scalar Arguments ..
!
        Integer, Intent (In)
                                                  :: igrade, ldfjac, liw, lw, m, n, &
                                                      nf, niter
        .. Array Arguments ..
Real (Kind=nag_wp), Intent (In) :: fjac(ldfjac,n), fvec(m), s(n), &
1
                                                      xc(n)
        Real (Kind=nag_wp), Intent (Inout) :: w(lw)
        Integer, Intent (Inout)
                                                  :: iw(liw)
        .. Local Scalars ..
1
        Real (Kind=nag_wp)
                                                   :: fsumsq, gtg
        Integer
                                                   :: j
1
         .. Local Arrays ..
        Real (Kind=nag_wp)
                                                   :: g(ndec)
!
         .. Executable Statements ..
        The NAG name equivalent of ddot is f06eaf
1
        fsumsq = ddot(m,fvec,inc1,fvec,inc1)
        Call lsqgrd(m,n,fvec,fjac,ldfjac,g)
```

```
gtg = ddot(n,g,incl,g,incl)
        Write (nout,*)
        Write (nout,*) &
         ′ Itn
                     F evals
                                     SUMSQ
                                                        GTG
                                                                   Grade'
        Write (nout,99999) niter, nf, fsumsq, gtg, igrade
        Write (nout,*)
        Write (nout,*) &
                                        G
                                                    Singular values'
                  Х
        Write (nout,99998)(xc(j),g(j),s(j),j=1,n)
        Return
99999
        Format (1X, I4, 6X, I5, 6X, 1P, E13.5, 6X, 1P, E9.1, 6X, I3)
99998
        Format (1X,1P,E13.5,10X,1P,E9.1,10X,1P,E9.1)
     End Subroutine lsqmon
    End Module eO4fcfe_mod
    Program e04fcfe
!
     E04FCF Example Main Program
!
      .. Use Statements ..
      Use nag_library, Only: e04fcf, nag_wp, x02ajf
     Use eO4fcfe_mod, Only: ldfjac, ldv, liw, lsqfun, lsqgrd, lsqmon, lw, m, &
                             n, nin, nout, nt, t, y
1
      .. Implicit None Statement ..
     Implicit None
1
      .. Local Scalars ..
      Real (Kind=nag_wp)
                                            :: eta, fsumsq, stepmx, xtol
      Integer
                                            :: i, ifail, iprint, maxcal, nf,
                                                                                 &
                                               niter
      .. Local Arrays ..
ŗ
     Real (Kind=nag_wp)
                                            :: fjac(m,n), fvec(m), g(n), s(n), &
                                               v(ldv,n), w(lw), x(n)
     Integer
                                            :: iw(liw)
1
      .. Intrinsic Procedures ..
     Intrinsic
                                            :: sqrt
1
      .. Executable Statements ..
      Write (nout,*) 'EO4FCF Example Program Results'
!
      Skip heading in data file
     Read (nin,*)
     Observations of TJ (J = 1, 2, ..., nt) are held in T(I, J)
1
!
     (I = 1, 2, ..., m)
      Do i = 1, m
       Read (nin,*) y(i), t(i,1:nt)
     End Do
     Set IPRINT to 1 to obtain output from LSQMON at each iteration
1
     iprint = -1
     maxcal = 400*n
      eta = 0.5_nag_wp
      xtol = 10.0_nag_wp*sqrt(x02ajf())
     We estimate that the minimum will be within 10 units of the
1
1
     starting point
     stepmx = 10.0_nag_wp
     Set up the starting point
1
      x(1:nt) = (/0.5_nag_wp,1.0_nag_wp,1.5_nag_wp/)
      ifail = -1
      Call e04fcf(m,n,lsqfun,lsqmon,iprint,maxcal,eta,xtol,stepmx,x,fsumsq, &
        fvec,fjac,ldfjac,s,v,ldv,niter,nf,iw,liw,w,lw,ifail)
```

```
Select Case (ifail)
Case (0,2:)
Write (nout,*)
Write (nout,99999) 'On exit, the sum of squares is', fsumsq
Write (nout,99999) 'at the point', x(1:n)
Call lsqgrd(m,n,fvec,fjac,ldfjac,g)
Write (nout,99998) 'The estimated gradient is', g(1:n)
Write (nout,*) ' (machine dependent)'
Write (nout,*) 'and the residuals are'
Write (nout,99997) fvec(1:m)
End Select
99999 Format (1X,A,3F12.4)
99998 Format (1X,A,1P,3E12.3)
99997 Format (1X,1P,E9.1)
End Program e04fcfe
```

### **10.2 Program Data**

		-	-	<b>.</b> .
E04FCF		-	Program	Data
0.14	1.0	15.0	1.0	
0.18	2.0	14.0	2.0	
0.22	3.0	13.0	3.0	
0.25	4.0	12.0	4.0	
0.29	5.0	11.0	5.0	
0.32	6.0	10.0	6.0	
0.35	7.0	9.0	7.0	
0.39	8.0	8.0	8.0	
0.37	9.0	7.0	7.0	
0.58	10.0	6.0	6.0	
0.73	11.0	5.0	5.0	
0.96	12.0	4.0	4.0	
1.34	13.0	3.0	3.0	
2.10	14.0	2.0	2.0	
4.39	15.0	1.0	1.0	

### **10.3 Program Results**

E04FCF Example Program Results

```
On exit, the sum of squares is 0.0082
at the point 0.0824 1.1330 2.3437
The estimated gradient is -1.607E-09 -7.436E-11 6.130E-10
(machine dependent)
and the residuals are
 -5.9E-03
 -2.7E-04
 2.7E-04
 6.5E-03
 -8.2E-04
 -1.3E-03
 -4.5E-03
 -2.0E-02
 8.2E-02
 -1.8E-02
 -1.5E-02
 -1.5E-02
 -1.1E-02
 -4.2E-03
  6.8E-03
```