

# NAG Library Function Document

## **nag\_conjugate\_hermitian (c06gbc)**

### 1 Purpose

nag\_conjugate\_hermitian (c06gbc) forms the complex conjugate of a Hermitian sequence of  $n$  data values.

### 2 Specification

```
#include <nag.h>
#include <nagc06.h>
void nag_conjugate_hermitian (Integer n, double x[], NagError *fail)
```

### 3 Description

This is a utility function for use in conjunction with nag\_fft\_real (c06eac) and nag\_fft\_hermitian (c06ebc), to calculate inverse discrete Fourier transforms.

### 4 References

None.

### 5 Arguments

- |    |   |                     |
|----|---|---------------------|
| 1: | <b>n</b> – Integer  | <i>Input</i>        |
|    | <i>On entry</i> : the number of data values, $n$ .  |                     |
|    | <i>Constraint</i> : $n \geq 1$ .  |                     |
| 2: | <b>x[n]</b> – double  | <i>Input/Output</i> |
|    | <i>On entry</i> : if the data values $z_j$ are written as $x_j + iy_j$ , then for $0 \leq j \leq n/2$ , <b>x[j]</b> must contain $x_j (= x_{n-j})$ , while for $n/2 < j \leq n - 1$ , <b>x[j]</b> must contain $-y_j (= y_{n-j})$ . In other words, <b>x</b> must contain the Hermitian sequence in Hermitian form. |                     |
|    | <i>On exit</i> : the imaginary parts $y_j$ are negated. The real parts $x_j$ are not referenced.  |                     |
| 3: | <b>fail</b> – NagError *  | <i>Input/Output</i> |
|    | The NAG error argument (see Section 3.6 in the Essential Introduction).   |                     |

### 6 Error Indicators and Warnings

#### NE\_INT\_ARG\_LT

*On entry*, **n** =  $\langle value \rangle$ .  
*Constraint*:  $n \geq 1$ .

### 7 Accuracy

Exact.

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

The time taken is negligible.

## 10 Example

This program reads in a sequence of real data values, calls nag\_fft\_real (c06eac) followed by nag\_conjugate\_hermitian (c06gbc) to compute their inverse discrete Fourier transform, and prints this after expanding it from Hermitian form into a full complex sequence.

### 10.1 Program Text

```
/* nag_conjugate_hermitian (c06gbc) Example Program.
*
* Copyright 1990 Numerical Algorithms Group.
*
* Mark 1, 1990.
* Mark 8 revised, 2004.
*/
#include <nag.h>
#include <stdio.h>
#include <nag_stdlb.h>
#include <nagc06.h>

int main(void)
{
    Integer exit_status = 0, j, n, n2, nj;
    NagError fail;
    double *a = 0, *b = 0, *x = 0;

    INIT_FAIL(fail);

    printf("nag_conjugate_hermitian (c06gbc) Example Program Results\n");
    /* Skip heading in data file */
    scanf("%*[^\n]");
    while (scanf("%ld", &n) != EOF)
    {
        if (n > 1)
        {
            if (!(a = NAG_ALLOC(n, double)) ||
                !(b = NAG_ALLOC(n, double)) ||
                !(x = NAG_ALLOC(n, double)))
            {
                printf("Allocation failure\n");
                exit_status = -1;
                goto END;
            }
        }
        else
        {
            printf("Invalid n.n");
            exit_status = 1;
            return exit_status;
        }
        for (j = 0; j < n; j++)
            scanf("%lf", &x[j]);
        /* Calculate the Fourier transform of data */
        /* nag_fft_real (c06eac).
         * Single one-dimensional real discrete Fourier transform
         */
        nag_fft_real(n, x, &fail);
        if (fail.code != NE_NOERROR)
```

```

{
    printf("Error from nag_fft_real (c06eac).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

/* Calculate conjugates of Hermitian result to */
/* give inverse tranform */
/* nag_conjugate_hermitian (c06gbc). */
/* Complex conjugate of Hermitian sequence */
/*
nag_conjugate_hermitian(n, x, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_conjugate_hermitian (c06gbc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

/* Expand conjugated Hermitian sequence to full complex */
a[0] = x[0];
b[0] = 0.0;
n2 = (n-1)/2;
for (j = 1; j <= n2; j++)
{
    nj = n - j;
    a[j] = x[j];
    a[nj] = x[j];
    b[j] = x[nj];
    b[nj] = -x[nj];
}
if (n % 2 == 0)
{
    a[n2+1] = x[n2+1];
    b[n2+1] = 0.0;
}
printf("\nComponents of inverse discrete Fourier transform\n");
printf("n          Real      Imag \n\n");
for (j = 0; j < n; j++)
    printf("%3ld %10.5f %10.5f\n", j, a[j], b[j]);
END:
NAG_FREE(a);
NAG_FREE(b);
NAG_FREE(x);
}
return exit_status;
}

```

## 10.2 Program Data

```

nag_conjugate_hermitian (c06gbc) Example Program Data
7
0.34907
0.54890
0.74776
0.94459
1.13850
1.32850
1.51370

```

## 10.3 Program Results

```

nag_conjugate_hermitian (c06gbc) Example Program Results
Components of inverse discrete Fourier transform

```

Real	Imag
------	------

0	2.48361	0.00000
1	-0.26599	-0.53090
2	-0.25768	-0.20298
3	-0.25636	-0.05806
4	-0.25636	0.05806
5	-0.25768	0.20298
6	-0.26599	0.53090

---