

## NAG Library Function Document

### nag\_mesh2d\_renum (d06ccc)

## 1 Purpose

nag\_mesh2d\_renum (d06ccc) renumbers the vertices of a given mesh using a Gibbs method, in order to reduce the bandwidth of Finite Element matrices associated with that mesh.

## 2 Specification

```
#include <nag.h>
#include <nagd06.h>
void nag_mesh2d_renum (Integer nv, Integer nelt, Integer nedge,
    Integer nnzmax, Integer *nnz, double coor[], Integer edge[],
    Integer conn[], Integer irow[], Integer icol[], Integer itrace,
    const char *outfile, NagError *fail)
```

## 3 Description

nag\_mesh2d\_renum (d06ccc) uses a Gibbs method to renumber the vertices of a given mesh in order to reduce the bandwidth of the associated finite element matrix  $A$ . This matrix has elements  $a_{ij}$  such that:

$$a_{ij} \neq 0 \Rightarrow i \text{ and } j \text{ are vertices belonging to the same triangle.}$$

This function reduces the bandwidth  $m$ , which is the smallest integer such that  $a_{ij} \neq 0$  whenever  $|i - j| > m$  (see Gibbs *et al.* (1976) for details about that method). nag\_mesh2d\_renum (d06ccc) also returns the sparsity structure of the matrix associated with the renumbered mesh.

This function is derived from material in the MODULEF package from INRIA (Institut National de Recherche en Informatique et Automatique).

## 4 References

Gibbs N E, Poole W G Jr and Stockmeyer P K (1976) An algorithm for reducing the bandwidth and profile of a sparse matrix *SIAM J. Numer. Anal.* **13** 236–250

## 5 Arguments

- |  |              |
|--|--------------|
| 1: <b>nv</b> – Integer   | <i>Input</i> |
| <i>On entry:</i> the total number of vertices in the input mesh. |              |
| <i>Constraint:</i> <b>nv</b> $\geq 3$ .                          |              |
| 2: <b>nelt</b> – Integer   | <i>Input</i> |
| <i>On entry:</i> the number of triangles in the input mesh.      |              |
| <i>Constraint:</i> <b>nelt</b> $\leq 2 \times \mathbf{nv} - 1$ . |              |
| 3: <b>nedge</b> – Integer  | <i>Input</i> |
| <i>On entry:</i> the number of boundary edges in the input mesh. |              |
| <i>Constraint:</i> <b>nedge</b> $\geq 1$ .                       |              |

4:	<b>nnzmax</b> – Integer	<i>Input</i>
<i>On entry:</i> the maximum number of nonzero entries in the matrix based on the input mesh. It is the dimension of the arrays <b>irow</b> and <b>icol</b> as declared in the function from which nag_mesh2d_renum (d06ccc) is called.		
	<i>Constraint:</i> $4 \times \text{nelt} + \text{nv} \leq \text{nnzmax} \leq \text{nv}^2$ .	
5:	<b>nnz</b> – Integer *	<i>Output</i>
<i>On exit:</i> the number of nonzero entries in the matrix based on the input mesh.		
6:	<b>coor</b> [ $2 \times \text{nv}$ ] – double	<i>Input/Output</i>
<b>Note:</b> the $(i, j)$ th element of the matrix is stored in <b>coor</b> [( $j - 1$ ) $\times 2 + i - 1$ ].		
<i>On entry:</i> <b>coor</b> [( $i - 1$ ) $\times 2$ ] contains the $x$ coordinate of the $i$ th input mesh vertex, for $i = 1, 2, \dots, \text{nv}$ ; while <b>coor</b> [( $i - 1$ ) $\times 2 + 1$ ] contains the corresponding $y$ coordinate.		
<i>On exit:</i> <b>coor</b> [( $i - 1$ ) $\times 2$ ] will contain the $x$ coordinate of the $i$ th renumbered mesh vertex, for $i = 1, 2, \dots, \text{nv}$ ; while <b>coor</b> [( $i - 1$ ) $\times 2 + 1$ ] will contain the corresponding $y$ coordinate.		
7:	<b>edge</b> [ $3 \times \text{nedge}$ ] – Integer	<i>Input/Output</i>
<b>Note:</b> the $(i, j)$ th element of the matrix is stored in <b>edge</b> [( $j - 1$ ) $\times 3 + i - 1$ ].		
<i>On entry:</i> the specification of the boundary or interface edges. <b>edge</b> [( $j - 1$ ) $\times 3$ ] and <b>edge</b> [( $j - 1$ ) $\times 3 + 1$ ] contain the vertex numbers of the two end points of the $j$ th boundary edge. <b>edge</b> [( $j - 1$ ) $\times 3 + 2$ ] is a user-supplied tag for the $j$ th boundary or interface edge: <b>edge</b> [( $j - 1$ ) $\times 3 + 2$ ] = 0 for an interior edge and has a nonzero tag otherwise. Note that the edge vertices are numbered from 1 to <b>nv</b> .		
<i>Constraint:</i> $1 \leq \text{edge}[(j - 1) \times 3 + i - 1] \leq \text{nv}$ and <b>edge</b> [( $j - 1$ ) $\times 3$ ] $\neq$ <b>edge</b> [( $j - 1$ ) $\times 3 + 1$ ], for $i = 1, 2$ and $j = 1, 2, \dots, \text{nedge}$ .		
<i>On exit:</i> the renumbered specification of the boundary or interface edges.		
8:	<b>conn</b> [ $3 \times \text{nelt}$ ] – Integer	<i>Input/Output</i>
<b>Note:</b> the $(i, j)$ th element of the matrix is stored in <b>conn</b> [( $j - 1$ ) $\times 3 + i - 1$ ].		
<i>On entry:</i> the connectivity of the mesh between triangles and vertices. For each triangle $j$ , <b>conn</b> [( $j - 1$ ) $\times 3 + i - 1$ ] gives the indices of its three vertices (in anticlockwise order), for $i = 1, 2, 3$ and $j = 1, 2, \dots, \text{nelt}$ . Note that the mesh vertices are numbered from 1 to <b>nv</b> .		
<i>Constraint:</i> $1 \leq \text{conn}[(j - 1) \times 3 + i - 1] \leq \text{nv}$ and <b>conn</b> [( $j - 1$ ) $\times 3$ ] $\neq$ <b>conn</b> [( $j - 1$ ) $\times 3 + 1$ ] and <b>conn</b> [( $j - 1$ ) $\times 3$ ] $\neq$ <b>conn</b> [( $j - 1$ ) $\times 3 + 2$ ] and <b>conn</b> [( $j - 1$ ) $\times 3 + 1$ ] $\neq$ <b>conn</b> [( $j - 1$ ) $\times 3 + 2$ ], for $i = 1, 2, 3$ and $j = 1, 2, \dots, \text{nelt}$ .		
<i>On exit:</i> the renumbered connectivity of the mesh between triangles and vertices.		
9:	<b>irow</b> [ <b>nnzmax</b> ] – Integer	<i>Output</i>
10:	<b>icol</b> [ <b>nnzmax</b> ] – Integer	<i>Output</i>
<i>On exit:</i> the first <b>nnz</b> elements contain the row and column indices of the nonzero elements supplied in the finite element matrix $A$ .		
11:	<b>itrace</b> – Integer	<i>Input</i>
<i>On entry:</i> the level of trace information required from nag_mesh2d_renum (d06ccc).		
<b>itrace</b> $\leq 0$ No output is generated.		

**itrace** = 1

Information about the effect of the renumbering on the finite element matrix are output. This information includes the half bandwidth and the sparsity structure of this matrix before and after renumbering.

**itrace** > 1

The output is similar to that produced when **itrace** = 1 but the sparsities (for each row of the matrix, indices of nonzero entries) of the matrix before and after renumbering are also output.

12: **outfile** – const char \**Input*

*On entry:* the name of a file to which diagnostic output will be directed. If **outfile** is **NULL** the diagnostic output will be directed to standard output.

13: **fail** – NagError \**Input/Output*

The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_FAIL\_SPARSITY

An error has occurred during the computation of the compact sparsity of the finite element matrix. Check the Triangle/Vertices connectivity.

### NE\_INT

On entry, **nedge** =  $\langle value \rangle$ .

Constraint: **nedge**  $\geq 1$ .

On entry, **nv** =  $\langle value \rangle$ .

Constraint: **nv**  $\geq 3$ .

### NE\_INT\_2

On entry, **nelt** =  $\langle value \rangle$  and **nv** =  $\langle value \rangle$ .

Constraint: **nelt**  $\leq 2 \times \mathbf{nv} - 1$ .

On entry, the endpoints of the edge  $J$  have the same index  $I$ :  $J = \langle value \rangle$  and  $I = \langle value \rangle$ .

On entry, vertices 1 and 2 of the triangle  $K$  have the same index  $I$ :  $K = \langle value \rangle$  and  $I = \langle value \rangle$ .

On entry, vertices 1 and 3 of the triangle  $K$  have the same index  $I$ :  $K = \langle value \rangle$  and  $I = \langle value \rangle$ .

On entry, vertices 2 and 3 of the triangle  $K$  have the same index  $I$ :  $K = \langle value \rangle$  and  $I = \langle value \rangle$ .

### NE\_INT\_3

On entry, **nnzmax** =  $\langle value \rangle$ , **nelt** =  $\langle value \rangle$  and **nv** =  $\langle value \rangle$ .

Constraint: **nnzmax**  $\geq (4 \times \mathbf{nelt} + \mathbf{nv})$  and **nnzmax**  $\leq \mathbf{nv}^2$ .

### NE\_INT\_4

On entry, **CONN**( $I, J$ ) =  $\langle value \rangle$ ,  $I = \langle value \rangle$ ,  $J = \langle value \rangle$  and **nv** =  $\langle value \rangle$ .

Constraint: **CONN**( $I, J$ )  $\geq 1$  and **CONN**( $I, J$ )  $\leq \mathbf{nv}$ , where **CONN**( $I, J$ ) denotes **conn**[ $(J - 1) \times 3 + I - 1$ ].

On entry,  $\text{EDGE}(I, J) = \langle \text{value} \rangle$ ,  $I = \langle \text{value} \rangle$ ,  $J = \langle \text{value} \rangle$  and  $\text{nv} = \langle \text{value} \rangle$ .  
 Constraint:  $\text{EDGE}(I, J) \geq 1$  and  $\text{EDGE}(I, J) \leq \text{nv}$ , where  $\text{EDGE}(I, J)$  denotes  
 $\text{edge}[(J - 1) \times 3 + I - 1]$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

A serious error has occurred in an internal call to the renumbering function. Check the input mesh especially the connectivity. Seek expert help.

### NE\_NOT\_CLOSE\_FILE

Cannot close file  $\langle \text{value} \rangle$ .

### NE\_NOT\_WRITE\_FILE

Cannot open file  $\langle \text{value} \rangle$  for writing.

## 7 Accuracy

Not applicable.

## 8 Parallelism and Performance

`nag_mesh2d_renum` (d06ccc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

None.

## 10 Example

In this example, a geometry with two holes (two interior circles inside an exterior one) is considered. The geometry has been meshed using the simple incremental method (`nag_mesh2d_inc` (d06aac)) and it has 250 vertices and 402 triangles (see Figure 1). The function `nag_mesh2d_bound` (d06bac) is used to renumber the vertices, and one can see the benefit in terms of the sparsity of the finite element matrix based on the renumbered mesh (see Figure 2).

### 10.1 Program Text

```
/* nag_mesh2d_renum (d06ccc) Example Program.
*
* Copyright 2001 Numerical Algorithms Group.
*
* Mark 7, 2001.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stlplib.h>
#include <nagd06.h>

#define EDGE(I, J) edge[3*((J)-1)+(I)-1]
#define CONN(I, J) conn[3*((J)-1)+(I)-1]
#define COOR(I, J) coor[2*((J)-1)+(I)-1]

int main(void)
```

```
{
    Integer exit_status, i, itrace, nedge, nelt, nnz, nnzmax, nv, reftk;
    NagError fail;
    char pmesh[2];
    double *coor = 0;
    Integer *conn = 0, *edge = 0, *icol = 0, *irrow = 0;

    INIT_FAIL(fail);

    exit_status = 0;

    printf(" nag_mesh2d_renum (d06ccc) Example Program Results\n\n");
    fflush(stdout);

    /* Skip heading in data file */
    scanf("%*[^\n] ");

    /* Reading of the geometry */
    scanf("%ld", &nv);
    scanf("%ld", &nelt);
    scanf("%ld", &nedge);
    scanf("%*[^\n] ");

    nnzmax = 10*nv;

    /* Allocate memory */

    if (!(coor = NAG_ALLOC(2*nv, double)) ||
        !(conn = NAG_ALLOC(3*nelt, Integer)) ||
        !(edge = NAG_ALLOC(3*nedge, Integer)) ||
        !(irrow = NAG_ALLOC(nnzmax, Integer)) ||
        !(icol = NAG_ALLOC(nnzmax, Integer)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    for (i = 1; i <= nv; ++i)
    {
        scanf("%lf", &COOR(1, i));
        scanf("%lf", &COOR(2, i));
        scanf("%*[^\n] ");
    }

    for (i = 1; i <= nelt; ++i)
    {
        scanf("%ld", &CONN(1, i));
        scanf("%ld", &CONN(2, i));
        scanf("%ld", &CONN(3, i));
        scanf("%ld", &reftk);
        scanf("%*[^\n] ");
    }

    for (i = 1; i <= nedge; ++i)
    {
        scanf("%ld", &reftk);
        scanf("%ld", &EDGE(1, i));
        scanf("%ld", &EDGE(2, i));
        scanf("%ld", &EDGE(3, i));
        scanf("%*[^\n] ");
    }

    scanf(" ' %ls ''", pmesh);
    scanf("%*[^\n] ");

    /* Compute the sparsity of the FE matrix */
    /* from the input geometry */

    /* nag_mesh2d_sparse (d06cbc).
     * Generates a sparsity pattern of a Finite Element matrix
     * associated with a given mesh
}
```

```

/*
nag_mesh2d_sparse(nv, nelt, nnzmax, conn, &nnz, irow, icol, &fail);

if (fail.code == NE_NOERROR)
{
    if (pmesh[0] == 'N')
    {
        printf(" The Matrix Sparsity characteristics\n");
        printf(" before the renumbering\n");
        printf(" nv   =%6ld\n", nv);
        printf(" nnz  =%6ld\n", nnz);
    }
    else if (pmesh[0] == 'Y')
    {
        /* Output the sparsity of the mesh to view */
        /* it using the NAG Graphics Library */

        printf(" %10ld%10ld\n", nv, nnz);

        for (i = 0; i < nnz; ++i)
            printf(" %10ld%10ld\n", irow[i], icol[i]);
    }
    else
    {
        printf("Problem with the printing option Y or N\n");
        exit_status = -1;
        goto END;
    }
}
else
{
    printf("Error from nag_mesh2d_sparse (d06cbc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

/* Call the renumbering routine and get the new sparsity */

itrace = 1;

/* nag_mesh2d_renum (d06ccc).
 * Renumbers a given mesh using Gibbs method
 */
fflush(stdout);
nag_mesh2d_renum(nv, nelt, nedge, nnzmax, &nnz, coor, edge, conn, irow, icol,
                 itrace, 0, &fail);
if (fail.code == NE_NOERROR)
{
    if (pmesh[0] == 'N')
    {
        printf("\n The Matrix Sparsity characteristics\n");
        printf(" after the renumbering\n");
        printf(" nv   =%6ld\n", nv);
        printf(" nnz  =%6ld\n", nnz);
        printf(" nelt =%6ld\n", nelt);
    }
    else if (pmesh[0] == 'Y')
    {
        /* Output the sparsity of the renumbered mesh */
        /* to view it using the NAG Graphics Library */

        printf("%10ld%10ld\n", nv, nnz);

        for (i = 0; i < nnz; ++i)
            printf(" %10ld%10ld\n", irow[i], icol[i]);

        /* Output the renumbered mesh to view */
        /* it using the NAG Graphics Library */

        printf(" %10ld%10ld\n", nv, nelt);
    }
}

```

```

        for (i = 1; i <= nv; ++i)
            printf(" %15.6e %15.6e \n",
                   COOR(1, i), COOR(2, i));

        reftk = 0;
        for (i = 1; i <= nelt; ++i)
            printf(" %10ld%10ld%10ld%10ld\n",
                   CONN(1, i), CONN(2, i), CONN(3, i), reftk);
    }
}
else
{
    printf("Error from nag_mesh2d_renum (d06ccc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

END:
NAG_FREE(coor);
NAG_FREE(conn);
NAG_FREE(edge);
NAG_FREE(irow);
NAG_FREE(icol);

return exit_status;
}

```

## 10.2 Program Data

**Note 1:** since the data file for this example is quite large only a section of it is reproduced in this document. The full data file is distributed with your implementation.

```

nag_mesh2d_renum (d06ccc) Example Program Data
      250       402       100      :NV NELT NEDGE
 0.100000E+01  0.000000E+00
 0.987688E+00  0.156434E+00
 0.951057E+00  0.309017E+00
 0.891007E+00  0.453990E+00
 0.809017E+00  0.587785E+00
 0.707107E+00  0.707107E+00
 0.587785E+00  0.809017E+00
 0.453990E+00  0.891007E+00
 0.309017E+00  0.951057E+00
 0.156434E+00  0.987688E+00
 0.612303E-16  0.100000E+01
 - .156434E+00  0.987688E+00
 -.309017E+00  0.951057E+00
 -.453990E+00  0.891007E+00
 -.587785E+00  0.809017E+00
 -.707107E+00  0.707107E+00
 -.809017E+00  0.587785E+00
 -.891007E+00  0.453990E+00
 -.951057E+00  0.309017E+00
 -.987688E+00  0.156434E+00
 -.100000E+01  0.122461E-15
 -.987688E+00  -.156434E+00
 -.951057E+00  -.309017E+00
 -.891007E+00  -.453990E+00
 -.809017E+00  -.587785E+00
 -.707107E+00  -.707107E+00
 -.587785E+00  -.809017E+00
 -.453990E+00  -.891007E+00
 -.309017E+00  -.951057E+00
 -.156434E+00  -.987688E+00
 -.183691E-15  -.100000E+01
 0.156434E+00  -.987688E+00
 0.309017E+00  -.951057E+00
 0.453990E+00  -.891007E+00

```

```
0.587785E+00 -.809017E+00
0.707107E+00 -.707107E+00
0.809017E+00 -.587785E+00
0.891007E+00 -.453990E+00
0.951057E+00 -.309017E+00
0.987688E+00 -.156434E+00
-.100000E-01 0.000000E+00
-.207077E-01 -.101877E+00
-.523627E-01 -.199301E+00
-.103582E+00 -.288015E+00
-.172126E+00 -.364141E+00
-.255000E+00 -.424352E+00
-.348582E+00 -.466018E+00
-.448781E+00 -.487316E+00
-.551219E+00 -.487316E+00
-.651418E+00 -.466018E+00
-.745000E+00 -.424352E+00
-.827874E+00 -.364141E+00
-.896418E+00 -.288015E+00
-.947637E+00 -.199301E+00
-.979292E+00 -.101877E+00
-.990000E+00 -.600057E-16
-.979292E+00 0.101877E+00
-.947637E+00 0.199301E+00
-.896418E+00 0.288015E+00
-.827874E+00 0.364141E+00
-.745000E+00 0.424352E+00
-.651418E+00 0.466018E+00
-.551219E+00 0.487316E+00
-.448781E+00 0.487316E+00
-.348582E+00 0.466018E+00
-.255000E+00 0.424352E+00
-.172126E+00 0.364141E+00
-.103582E+00 0.288015E+00
-.523627E-01 0.199301E+00
-.207077E-01 0.101877E+00
-.350000E+00 0.650000E+00
-.353278E+00 0.618813E+00
-.362968E+00 0.588990E+00
-.378647E+00 0.561832E+00
-.399630E+00 0.538528E+00
-.425000E+00 0.520096E+00
-.453647E+00 0.507342E+00
-.484321E+00 0.500822E+00
-.515679E+00 0.500822E+00
-.546353E+00 0.507342E+00
-.575000E+00 0.520096E+00
-.600370E+00 0.538528E+00
-.621353E+00 0.561832E+00
-.637032E+00 0.588990E+00
-.646722E+00 0.618813E+00
-.650000E+00 0.650000E+00
-.646722E+00 0.681187E+00
-.637032E+00 0.711010E+00
-.621353E+00 0.738168E+00
-.600370E+00 0.761472E+00
-.575000E+00 0.779904E+00
-.546353E+00 0.792658E+00
-.515679E+00 0.799178E+00
-.484321E+00 0.799178E+00
-.453647E+00 0.792658E+00
-.425000E+00 0.779904E+00
-.399630E+00 0.761472E+00
-.378647E+00 0.738168E+00
-.362968E+00 0.711010E+00
-.353278E+00 0.681187E+00
-.956089E+00 -.230370E+00
-.937770E+00 0.256699E+00
-.883606E+00 -.345647E+00
-.887487E+00 0.341109E+00
-.956121E+00 0.230243E+00
```

```

-.822777E+00 -.412480E+00
-.817996E+00 0.416854E+00
-.855587E+00 -.384073E+00
-.892227E+00 0.373670E+00
-.773267E+00 -.488008E+00
-.726484E+00 0.502542E+00
-.725231E+00 -.575236E+00
-.602781E+00 0.507127E+00
-.726703E+00 -.474435E+00
-.811237E+00 0.458137E+00
-.642004E+00 -.515653E+00
-.657296E+00 0.554235E+00
-.683312E+00 0.585866E+00
-.684897E+00 0.549035E+00
-.532743E+00 -.604318E+00
-.679026E+00 0.643799E+00
-.629779E+00 -.554290E+00
-.709261E+00 0.615629E+00
-.457237E+00 -.642375E+00
-.405478E+00 0.503111E+00
-.326542E+00 0.503173E+00
-.278515E+00 -.827042E+00
-.394319E+00 -.758942E+00
-.264390E+00 0.496138E+00
-.298359E+00 0.472495E+00
-.320709E+00 0.544904E+00
-.428352E+00 -.549588E+00
-.329737E+00 -.863799E+00
-.321314E+00 -.611999E+00
0.241817E-01 0.516892E+00
-.494322E+00 -.591405E+00
-.742355E+00 0.573809E+00
-.630648E+00 0.745293E+00
-.596882E+00 -.556800E+00
-.695894E+00 -.626810E+00
-.190165E+00 0.636670E+00
-.735093E+00 0.626685E+00
-.117140E+00 0.546818E+00
-.240672E+00 -.500057E+00
-.527531E+00 -.525526E+00
0.432372E-01 0.269690E+00
-.683440E+00 0.515823E+00
-.713830E+00 0.540385E+00
-.348979E+00 0.766001E+00
0.108745E+00 -.781322E+00
0.224298E+00 0.387771E+00
-.685077E+00 -.503895E+00
-.610711E+00 -.499689E+00
0.400866E+00 -.767548E+00
0.414938E+00 0.115869E+00
0.401302E+00 -.477101E+00
-.392997E+00 -.676467E+00
-.507962E+00 0.819646E+00
0.109821E+00 -.917500E+00
-.393191E+00 0.823936E+00
-.734269E+00 -.624011E+00
-.181713E+00 -.593922E+00
-.678737E+00 -.543121E+00
-.267152E+00 0.734268E+00
-.713192E+00 0.474779E+00
-.120008E+00 -.449576E+00
-.811122E+00 0.512425E+00
-.296046E+00 0.829124E+00
-.822793E+00 -.453084E+00
0.502770E-01 -.536928E+00
-.780735E+00 -.444067E+00
-.160004E+00 0.866397E+00
-.867902E+00 0.368547E+00
0.253845E+00 -.703146E+00
0.310887E-01 0.824703E+00
0.685429E+00 -.565692E+00

```

```
0.176656E+00 0.667501E+00
-.792326E+00 0.425863E+00
0.259813E+00 -.132696E+00
-.864353E+00 0.395698E+00
0.337358E+00 0.799966E+00
-.813146E+00 -.503876E+00
0.560499E+00 -.149591E+00
0.455341E+00 0.786195E+00
0.719755E+00 -.349992E+00
0.439775E+00 0.649733E+00
0.826871E+00 -.144892E+00
0.589606E+00 0.389410E+00
-.887266E+00 -.382046E+00
0.895071E-01 -.288937E+00
0.778392E+00 0.470947E+00
0.742697E+00 0.953286E-01
0.859885E+00 0.384343E+00
0.818251E+00 0.301063E+00
0.103511E-01 0.184473E+00
-.937762E+00 -.256864E+00
-.392448E-02 0.384783E+00
-.505369E+00 -.512943E+00
-.842361E+00 0.417785E+00
-.175436E+00 -.801078E+00
-.283950E+00 -.480225E+00
-.217608E+00 0.546482E+00
-.794087E+00 -.411204E+00
-.334275E-01 0.656052E+00
-.758602E+00 0.466834E+00
-.855969E+00 -.417043E+00
-.302687E+00 0.641793E+00
-.769554E+00 -.534987E+00
-.636154E+00 0.523972E+00
-.650081E+00 -.638369E+00
-.581606E+00 -.674515E+00
-.726686E+00 -.519913E+00
-.557572E+00 -.549267E+00
-.763666E+00 0.514416E+00
-.601791E+00 -.595417E+00
-.663690E+00 -.588820E+00
-.781475E+00 0.547136E+00
-.461495E+00 -.591849E+00
-.490838E+00 -.616460E+00
-.539847E-01 0.312225E+00
0.201811E+00 0.845927E+00
-.452118E-01 -.716454E+00
-.365587E+00 -.545250E+00
-.289703E+00 -.882622E+00
-.462033E+00 -.801846E+00
-.371130E+00 -.884959E+00
-.398175E+00 -.511898E+00
-.404759E+00 -.602550E+00
-.707548E+00 0.648164E+00
-.193724E+00 0.471118E+00
-.509470E+00 -.650706E+00
-.271842E+00 0.583669E+00
-.391386E+00 -.833837E+00
-.483869E+00 -.716019E+00
-.241859E+00 -.889815E+00
-.264020E-01 -.866908E+00
-.297361E+00 -.724815E+00
-.928668E-01 0.456584E+00
-.268381E+00 0.542930E+00
-.494685E+00 -.551610E+00
-.331937E+00 0.590142E+00
-.338743E+00 -.801578E+00
-.290178E+00 -.533561E+00
-.317392E-01 0.250295E+00
-.598252E+00 -.526993E+00
-.123884E+00 0.743799E+00
-.458827E+00 0.825051E+00
```

```

-.237766E+00  0.463959E+00
-.194011E+00  -.466058E+00
0.112781E+00  0.103479E+00  :COOR(1:2,1:NV)
   21      55      56      1
   17     217     137      1
   54      55      22      1
  148     119     118      1
   57      21      56      1
   58      20      57      1
   22      55      21      1
  205     165     111      1
   20      21      57      1
  147     119     148      1
   70     250     195      1
   23      53     196      1
  146     151     197      1
   59      19     102      1
  245     213      49      1
   52      53     103      1
  145     240     198      1
  180      60     199      1
  101     196      54      1
  127     224     235      1
   19      20     105      1
  144      46     201      1
  129     230     202      1
   51      52     203      1
  143     135     204      1
   61     165     205      1
   24     169     206      1
  137     142      17      1
   18      19     109      1
  142      16      17      1
   72      73     241      1
  182      25     208      1
  207     100      71      1
   62     113     209      1
  211     215     210      1
  210      26     211      1
  140     112     161      1
   63      81     113      1
  114     110     212      1
  145      49     213      1
  111     148     214      1
  139     122     215      1
   90     138      89      1
  122     163     216      1
  138      16      88      1
  118     137     148      1
  209      83     117      1
  214     137     217      1
  113      82     209      1
  132     240     218      1
   83      84     117      1
  136     120     219      1
   80      81      63      1
   68     244     220      1
  117      84     118      1
  175     177     221      1
   79      80      63      1
  200      30     236      1
  117     118     119      1
  134     243     223      1
   78      79      63      1
   64      77      78      1
  127     133     224      1
   27      28     225      1
   64      78      63      1
  133     127     242      1
   86      87     121      1
   48     132     227      1

```

134	223	228	1
129	131	126	1
116	163	122	1
131	241	74	1
121	16	229	1
66	130	65	1
87	16	121	1
130	126	65	1
76	77	64	1
125	75	76	1
88	16	87	1
89	138	88	1
67	197	238	1
219	120	231	1
65	75	125	1
130	129	126	1
131	129	239	1
126	75	65	1
226	133	233	1
90	15	138	1
225	128	234	1
126	131	75	1
30	200	235	1
222	200	236	1
127	200	237	1
230	67	238	1
66	129	130	1
91	15	90	1
75	131	74	1
129	202	239	1
65	125	64	1
125	76	64	1
132	48	240	1
131	232	241	1
127	237	242	1
144	201	243	1
121	123	118	1
68	69	244	1
240	48	198	1
123	142	137	1
15	16	138	1
49	153	245	1
92	15	91	1
93	158	92	1
216	112	140	1
164	141	246	1
85	121	118	1
94	95	247	1
123	121	229	1
129	66	248	1
245	122	139	1
166	45	249	1
213	120	240	1
70	41	250	1
62	209	147	1
160	247	95	1
137	118	123	1
207	164	100	1
111	147	148	1
160	95	96	1
121	85	86	1
13	14	160	1
147	117	119	1
33	34	154	1
118	84	85	1
188	6	186	1
212	110	208	1
149	160	97	1
116	122	245	1
149	97	98	1
178	115	107	1

34	35	154	1
115	18	199	1
183	187	192	1
171	114	51	1
154	35	156	1
228	223	132	1
114	50	51	1
14	15	158	1
63	113	62	1
32	33	159	1
113	81	82	1
149	168	160	1
26	140	161	1
150	174	170	1
112	216	163	1
141	143	204	1
62	147	165	1
44	45	166	1
115	205	214	1
149	164	168	1
24	25	182	1
166	162	170	1
110	114	171	1
246	141	204	1
60	107	199	1
154	156	174	1
109	19	104	1
135	151	177	1
23	189	103	1
37	38	176	1
108	52	103	1
181	186	184	1
61	205	178	1
155	250	179	1
173	60	180	1
177	151	186	1
25	112	208	1
185	39	187	1
106	52	108	1
181	177	186	1
102	105	58	1
38	39	185	1
105	20	58	1
151	155	188	1
60	104	59	1
1	2	192	1
104	19	59	1
155	192	188	1
24	206	189	1
179	42	190	1
103	53	23	1
188	192	194	1
59	102	58	1
155	183	192	1
102	19	105	1
191	188	194	1
23	101	22	1
193	191	194	1
101	54	22	1
149	98	99	1
100	164	99	1
162	166	249	1
33	150	159	1
151	135	197	1
195	250	146	1
152	116	50	1
114	152	50	1
153	49	50	1
116	153	50	1
176	35	36	1
33	154	174	1

250	151	146	1
42	179	250	1
176	36	37	1
44	170	190	1
157	124	234	1
242	237	128	1
158	15	92	1
94	158	93	1
236	150	222	1
32	159	31	1
160	14	247	1
97	160	96	1
161	112	25	1
26	161	25	1
162	144	243	1
157	237	134	1
163	116	152	1
114	212	152	1
168	172	13	1
99	164	149	1
165	147	111	1
62	165	61	1
249	45	46	1
222	170	162	1
167	17	18	1
115	167	18	1
168	164	172	1
160	168	13	1
169	110	171	1
108	206	106	1
190	156	179	1
166	170	44	1
171	51	203	1
169	171	106	1
172	11	12	1
13	172	12	1
173	109	104	1
60	173	104	1
174	156	170	1
33	174	150	1
175	10	11	1
172	175	11	1
40	187	39	1
35	176	156	1
221	181	9	1
204	177	175	1
178	107	60	1
61	178	60	1
190	42	43	1
176	185	156	1
180	18	109	1
173	180	109	1
181	8	9	1
10	221	9	1
182	110	169	1
24	182	169	1
183	155	179	1
156	183	179	1
184	7	8	1
181	184	8	1
185	183	156	1
38	185	176	1
186	6	7	1
184	186	7	1
187	183	185	1
1	187	40	1
188	191	6	1
151	188	186	1
189	108	103	1
24	189	23	1
190	43	44	1

156	190	170	1
191	4	5	1
6	191	5	1
192	187	1	1
3	194	2	1
193	3	4	1
191	193	4	1
194	192	2	1
193	194	3	1
195	146	244	1
70	195	69	1
196	53	54	1
23	196	101	1
238	135	143	1
68	220	67	1
198	48	49	1
145	198	49	1
199	107	115	1
180	199	18	1
236	30	31	1
134	237	162	1
201	46	47	1
223	243	47	1
202	143	141	1
207	232	141	1
203	52	106	1
171	203	106	1
204	135	177	1
172	246	175	1
205	111	214	1
178	205	115	1
206	169	106	1
189	206	108	1
207	141	164	1
72	207	71	1
212	112	163	1
182	208	110	1
209	82	83	1
147	209	117	1
210	140	26	1
27	211	26	1
234	27	225	1
215	211	120	1
212	208	112	1
152	212	163	1
213	139	215	1
136	240	120	1
214	148	137	1
115	214	167	1
215	122	216	1
213	215	120	1
216	140	210	1
215	216	210	1
217	17	167	1
214	217	167	1
218	136	219	1
157	228	124	1
231	120	211	1
218	219	124	1
220	146	197	1
67	220	197	1
221	177	181	1
175	221	10	1
222	150	170	1
200	222	162	1
223	47	227	1
218	228	132	1
224	133	29	1
235	224	29	1
225	28	233	1
157	234	128	1

226	28	29	1
133	226	29	1
227	132	223	1
48	227	47	1
228	218	124	1
134	228	157	1
229	16	142	1
123	229	142	1
230	143	202	1
67	230	66	1
234	211	27	1
219	231	124	1
232	202	141	1
72	241	207	1
233	128	225	1
226	233	28	1
234	124	231	1
211	234	231	1
235	200	127	1
30	235	29	1
236	31	159	1
150	236	159	1
237	200	162	1
128	237	157	1
238	197	135	1
230	238	143	1
239	202	232	1
131	239	232	1
240	145	213	1
218	240	136	1
241	232	207	1
74	241	73	1
242	128	233	1
133	242	233	1
243	201	47	1
162	243	134	1
244	69	195	1
220	244	146	1
245	153	116	1
213	245	139	1
246	204	175	1
164	246	172	1
247	14	158	1
94	247	158	1
248	66	230	1
129	248	230	1
249	46	144	1
162	249	144	1
250	41	42	1
151	250	155	1   : (CONN(:, K), REFT, K=1, ..., NELT)
1	1	2	1
2	2	3	1
3	3	4	1
4	4	5	1
5	5	6	1
6	6	7	1
7	7	8	1
8	8	9	1
9	9	10	1
10	10	11	1
11	11	12	1
12	12	13	1
13	13	14	1
14	14	15	1
15	15	16	1
16	16	17	1
17	17	18	1
18	18	19	1
19	19	20	1
20	20	21	1
21	21	22	1

22	22	23	1
23	23	24	1
24	24	25	1
25	25	26	1
26	26	27	1
27	27	28	1
28	28	29	1
29	29	30	1
30	30	31	1
31	31	32	1
32	32	33	1
33	33	34	1
34	34	35	1
35	35	36	1
36	36	37	1
37	37	38	1
38	38	39	1
39	39	40	1
40	40	1	1
41	41	42	1
42	42	43	1
43	43	44	1
44	44	45	1
45	45	46	1
46	46	47	1
47	47	48	1
48	48	49	1
49	49	50	1
50	50	51	1
51	51	52	1
52	52	53	1
53	53	54	1
54	54	55	1
55	55	56	1
56	56	57	1
57	57	58	1
58	58	59	1
59	59	60	1
60	60	61	1
61	61	62	1
62	62	63	1
63	63	64	1
64	64	65	1
65	65	66	1
66	66	67	1
67	67	68	1
68	68	69	1
69	69	70	1
70	70	41	1
71	71	72	1
72	72	73	1
73	73	74	1
74	74	75	1
75	75	76	1
76	76	77	1
77	77	78	1
78	78	79	1
79	79	80	1
80	80	81	1
81	81	82	1
82	82	83	1
83	83	84	1
84	84	85	1
85	85	86	1
86	86	87	1
87	87	88	1
88	88	89	1
89	89	90	1
90	90	91	1
91	91	92	1
92	92	93	1

```

93  93  94   1
94  94  95   1
95  95  96   1
96  96  97   1
97  97  98   1
98  98  99   1
99  99  100  1
100 100  71   1  :(I1, EDGE(:,I), I=1,NEDGE)
'N'                      :Printing option 'Y' or 'N'

```

### 10.3 Program Results

```

nag_mesh2d_renum (d06ccc) Example Program Results

The Matrix Sparsity characteristics
before the renumbering
nv   =    250
nnz  =  1556

INITIAL HALF-BAND-WIDTH:   234      INITIAL PROFILE: 18233
FINAL HALF-BAND-WIDTH   :     28      FINAL PROFILE   :  4038


```

The Matrix Sparsity characteristics  
after the renumbering

```

nv   =    250
nnz  =  1556
nelt =   402

```



**Figure 1**  
Mesh of the geometry



**Figure 2**  
Sparsity of the matrix before (top) and after (bottom) the renumbering

---