

NAG Library Function Document

nag_opt_sparse_nlp_init (e04vgc)

1 Purpose

`nag_opt_sparse_nlp_init (e04vgc)` is used to initialize the function `nag_opt_sparse_nlp_solve (e04vhc)`.

2 Specification

```
#include <nag.h>
#include <nage04.h>
void nag_opt_sparse_nlp_init (Nag_E04State *state, NagError *fail)
```

3 Description

`nag_opt_sparse_nlp_init (e04vgc)` initializes the structure `state` for the function `nag_opt_sparse_nlp_solve (e04vhc)`.

4 References

None.

5 Arguments

- | | |
|--|--------------------------------|
| 1: <code>state</code> – Nag_E04State * | <i>Communication Structure</i> |
| <code>state</code> contains internal information required for functions in this suite. It must not be modified in any way. | |
| 2: <code>fail</code> – NagError * | <i>Input/Output</i> |
| The NAG error argument (see Section 3.6 in the Essential Introduction). | |

6 Error Indicators and Warnings

NE_BAD_PARAM

On entry, argument $\langle\text{value}\rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

7 Accuracy

Not applicable.

8 Parallelism and Performance

Not applicable.

9 Further Comments

The time taken by nag_opt_sparse_nlp_init (e04vgc) is negligible.

10 Example

See Section 10 in nag_opt_sparse_nlp_solve (e04vhc) and nag_opt_sparse_nlp_option_set_file (e04vkc).
