

NAG Library Function Document

nag_zhpevx (f08gpc)

1 Purpose

nag_zhpevx (f08gpc) computes selected eigenvalues and, optionally, eigenvectors of a complex n by n Hermitian matrix A in packed storage. Eigenvalues and eigenvectors can be selected by specifying either a range of values or a range of indices for the desired eigenvalues.

2 Specification

```
#include <nag.h>
#include <nagf08.h>

void nag_zhpevx (Nag_OrderType order, Nag_JobType job, Nag_RangeType range,
                Nag_UploType uplo, Integer n, Complex ap[], double vl, double vu,
                Integer il, Integer iu, double abstol, Integer *m, double w[],
                Complex z[], Integer pdz, Integer jfail[], NagError *fail)
```

3 Description

The Hermitian matrix A is first reduced to real tridiagonal form, using unitary similarity transformations. The required eigenvalues and eigenvectors are then computed from the tridiagonal matrix; the method used depends upon whether all, or selected, eigenvalues and eigenvectors are required.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Demmel J W and Kahan W (1990) Accurate singular values of bidiagonal matrices *SIAM J. Sci. Statist. Comput.* **11** 873–912

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **job** – Nag_JobType *Input*

On entry: indicates whether eigenvectors are computed.

job = Nag_EigVals
Only eigenvalues are computed.

job = Nag_DoBoth
Eigenvalues and eigenvectors are computed.

Constraint: **job** = Nag_EigVals or Nag_DoBoth.

- 3: **range** – Nag_RangeType *Input*
On entry: if **range** = Nag_AllValues, all eigenvalues will be found.
 If **range** = Nag_Interval, all eigenvalues in the half-open interval (**vl**, **vu**] will be found.
 If **range** = Nag_Indices, the **ilth** to **iuth** eigenvalues will be found.
Constraint: **range** = Nag_AllValues, Nag_Interval or Nag_Indices.
- 4: **uplo** – Nag_UploType *Input*
On entry: if **uplo** = Nag_Upper, the upper triangular part of A is stored.
 If **uplo** = Nag_Lower, the lower triangular part of A is stored.
Constraint: **uplo** = Nag_Upper or Nag_Lower.
- 5: **n** – Integer *Input*
On entry: n , the order of the matrix A .
Constraint: $n \geq 0$.
- 6: **ap**[*dim*] – Complex *Input/Output*
Note: the dimension, *dim*, of the array **ap** must be at least $\max(1, n \times (n + 1)/2)$.
On entry: the upper or lower triangle of the n by n Hermitian matrix A , packed by rows or columns.
 The storage of elements A_{ij} depends on the **order** and **uplo** arguments as follows:
 if **order** = 'Nag_ColMajor' and **uplo** = 'Nag_Upper',
 A_{ij} is stored in **ap**[($j - 1$) \times $j/2 + i - 1$], for $i \leq j$;
 if **order** = 'Nag_ColMajor' and **uplo** = 'Nag_Lower',
 A_{ij} is stored in **ap**[($2n - j$) \times ($j - 1$)/2 + $i - 1$], for $i \geq j$;
 if **order** = 'Nag_RowMajor' and **uplo** = 'Nag_Upper',
 A_{ij} is stored in **ap**[($2n - i$) \times ($i - 1$)/2 + $j - 1$], for $i \leq j$;
 if **order** = 'Nag_RowMajor' and **uplo** = 'Nag_Lower',
 A_{ij} is stored in **ap**[($i - 1$) \times $i/2 + j - 1$], for $i \geq j$.
On exit: **ap** is overwritten by the values generated during the reduction to tridiagonal form. The elements of the diagonal and the off-diagonal of the tridiagonal matrix overwrite the corresponding elements of A .
- 7: **vl** – double *Input*
 8: **vu** – double *Input*
On entry: if **range** = Nag_Interval, the lower and upper bounds of the interval to be searched for eigenvalues.
 If **range** = Nag_AllValues or Nag_Indices, **vl** and **vu** are not referenced.
Constraint: if **range** = Nag_Interval, **vl** < **vu**.
- 9: **il** – Integer *Input*
 10: **iu** – Integer *Input*
On entry: if **range** = Nag_Indices, the indices (in ascending order) of the smallest and largest eigenvalues to be returned.
 If **range** = Nag_AllValues or Nag_Interval, **il** and **iu** are not referenced.
Constraints:
 if **range** = Nag_Indices and $n = 0$, **il** = 1 and **iu** = 0;
 if **range** = Nag_Indices and $n > 0$, $1 \leq \mathbf{il} \leq \mathbf{iu} \leq n$.

- 11: **abstol** – double *Input*
On entry: the absolute error tolerance for the eigenvalues. An approximate eigenvalue is accepted as converged when it is determined to lie in an interval $[a, b]$ of width less than or equal to
$$\mathbf{abstol} + \epsilon \max(|a|, |b|),$$
where ϵ is the *machine precision*. If **abstol** is less than or equal to zero, then $\epsilon \|T\|_1$ will be used in its place, where T is the tridiagonal matrix obtained by reducing A to tridiagonal form. Eigenvalues will be computed most accurately when **abstol** is set to twice the underflow threshold $2 \times \text{nag_real_safe_small_number}$, not zero. If this function returns with **fail.code** = NE_CONVERGENCE, indicating that some eigenvectors did not converge, try setting **abstol** to $2 \times \text{nag_real_safe_small_number}$. See Demmel and Kahan (1990).
- 12: **m** – Integer * *Output*
On exit: the total number of eigenvalues found. $0 \leq \mathbf{m} \leq \mathbf{n}$.
If **range** = Nag_AllValues, **m** = **n**.
If **range** = Nag_Indices, **m** = **iu** – **il** + 1.
- 13: **w[n]** – double *Output*
On exit: the selected eigenvalues in ascending order.
- 14: **z[dim]** – Complex *Output*
Note: the dimension, *dim*, of the array **z** must be at least
$$\max(1, \mathbf{pdz} \times \mathbf{n}) \text{ when } \mathbf{job} = \text{Nag_DoBoth};$$
1 otherwise.
The (i, j) th element of the matrix Z is stored in
$$\mathbf{z}[(j - 1) \times \mathbf{pdz} + i - 1] \text{ when } \mathbf{order} = \text{Nag_ColMajor};$$

$$\mathbf{z}[(i - 1) \times \mathbf{pdz} + j - 1] \text{ when } \mathbf{order} = \text{Nag_RowMajor}.$$
On exit: if **job** = Nag_DoBoth, then
 - if **fail.code** = NE_NOERROR, the first **m** columns of Z contain the orthonormal eigenvectors of the matrix A corresponding to the selected eigenvalues, with the i th column of Z holding the eigenvector associated with **w** $[i - 1]$;
 - if an eigenvector fails to converge (**fail.code** = NE_CONVERGENCE), then that column of Z contains the latest approximation to the eigenvector, and the index of the eigenvector is returned in **jfail**.
If **job** = Nag_EigVals, **z** is not referenced.
- 15: **pdz** – Integer *Input*
On entry: the stride separating row or column elements (depending on the value of **order**) in the array **z**.
Constraints:
 - if **job** = Nag_DoBoth, **pdz** \geq $\max(1, \mathbf{n})$;
 - otherwise **pdz** \geq 1.
- 16: **jfail[dim]** – Integer *Output*
Note: the dimension, *dim*, of the array **jfail** must be at least $\max(1, \mathbf{n})$.
On exit: if **job** = Nag_DoBoth, then

if **fail.code** = NE_NOERROR, the first **m** elements of **jfail** are zero;

if **fail.code** = NE_CONVERGENCE, **jfail** contains the indices of the eigenvectors that failed to converge.

If **job** = Nag_EigVals, **jfail** is not referenced.

17: **fail** – NagError *

Input/Output

The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

NE_BAD_PARAM

On entry, argument *⟨value⟩* had an illegal value.

NE_CONVERGENCE

The algorithm failed to converge; *⟨value⟩* eigenvectors did not converge.

NE_ENUM_INT_2

On entry, **job** = *⟨value⟩*, **pdz** = *⟨value⟩* and **n** = *⟨value⟩*.

Constraint: if **job** = Nag_DoBoth, **pdz** ≥ max(1, **n**);

otherwise **pdz** ≥ 1.

NE_ENUM_INT_3

On entry, **range** = *⟨value⟩*, **il** = *⟨value⟩*, **iu** = *⟨value⟩* and **n** = *⟨value⟩*.

Constraint: if **range** = Nag_Indices and **n** = 0, **il** = 1 and **iu** = 0;

if **range** = Nag_Indices and **n** > 0, 1 ≤ **il** ≤ **iu** ≤ **n**.

NE_ENUM_REAL_2

On entry, **range** = *⟨value⟩*, **vl** = *⟨value⟩* and **vu** = *⟨value⟩*.

Constraint: if **range** = Nag_Interval, **vl** < **vu**.

NE_INT

On entry, **n** = *⟨value⟩*.

Constraint: **n** ≥ 0.

On entry, **pdz** = *⟨value⟩*.

Constraint: **pdz** > 0.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

7 Accuracy

The computed eigenvalues and eigenvectors are exact for a nearby matrix ($A + E$), where

$$\|E\|_2 = O(\epsilon)\|A\|_2,$$

and ϵ is the *machine precision*. See Section 4.7 of Anderson *et al.* (1999) for further details.

8 Parallelism and Performance

nag_zhpevx (f08gpc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

nag_zhpevx (f08gpc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The total number of floating-point operations is proportional to n^3 .

The real analogue of this function is nag_dspevx (f08gbc).

10 Example

This example finds the eigenvalues in the half-open interval $(-2, 2]$, and the corresponding eigenvectors, of the Hermitian matrix

$$A = \begin{pmatrix} 1 & 2 - i & 3 - i & 4 - i \\ 2 + i & 2 & 3 - 2i & 4 - 2i \\ 3 + i & 3 + 2i & 3 & 4 - 3i \\ 4 + i & 4 + 2i & 4 + 3i & 4 \end{pmatrix}.$$

10.1 Program Text

```

/* nag_zhpevx (f08gpc) Example Program.
 *
 * Copyright 2011 Numerical Algorithms Group.
 *
 * Mark 23, 2011.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <naga02.h>
#include <nagf08.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    double          abstol, vl, vu;
    Integer         exit_status = 0, i, il = 0, iu = 0, j, m, n, pdz;
    /* Arrays */
    char            nag_enum_arg[40];
    Complex         *ap = 0, *z = 0;
    double          *w = 0;
    Integer         *index = 0;
    /* Nag Types */
    Nag_OrderType  order;
    Nag_UploType   uplo;
    NagError       fail, fail_print;

#ifdef NAG_COLUMN_MAJOR
#define AP_UPPER(I, J) ap[J * (J - 1) / 2 + I - 1]
#define AP_LOWER(I, J) ap[(2 * n - J) * (J - 1) / 2 + I - 1]
#define Z(I, J) z[(J - 1) * pdz + I - 1]
    order = Nag_ColMajor;
#else
#define AP_LOWER(I, J) ap[I * (I - 1) / 2 + J - 1]
#define AP_UPPER(I, J) ap[(2 * n - I) * (I - 1) / 2 + J - 1]
#endif
}

```

```

#define Z(I, J) z[(I - 1) * pdz + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_zhpevx (f08gpc) Example Program Results\n\n");

    /* Skip heading in data file */
    scanf("%*[\n]");
    scanf("%ld%*[\n]", &n);

    /* Read uplo */
    scanf("%39s%*[\n]", nag_enum_arg);
    /* nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_arg);

    /* Allocate memory */
    if (!(ap = NAG_ALLOC(n*(n+1)/2, Complex)) ||
        !(z = NAG_ALLOC(n*n, Complex)) ||
        !(w = NAG_ALLOC(n, double)) ||
        !(index = NAG_ALLOC(n, Integer)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    pdz = n;

    /* Read the lower and upper bounds of the interval to be searched, and
     * read the upper or lower triangular part of the matrix A from data file.
     */
    scanf("%lf%lf%*[\n]", &vl, &vu);
    if (uplo == Nag_Upper) {
        for (i = 1; i <= n; ++i)
            for (j = i; j <= n; ++j)
                scanf(" ( %lf , %lf )", &AP_UPPER(i, j).re, &AP_UPPER(i, j).im);
        scanf("%*[\n]");
    }
    else if (uplo == Nag_Lower) {
        for (i = 1; i <= n; ++i)
            for (j = 1; j <= i; ++j)
                scanf(" ( %lf , %lf )", &AP_LOWER(i, j).re, &AP_LOWER(i, j).im);
        scanf("%*[\n]");
    }

    /* Set the absolute error tolerance for eigenvalues.
     * With abstol set to zero, the default value is used instead.
     */
    abstol = 0.0;

    /* nag_zhpevx (f08gpc).
     * Solve the Hermitian eigenvalue problem.
     */
    nag_zhpevx(order, Nag_DoBoth, Nag_Interval, uplo, n, ap, vl, vu, il, iu,
               abstol, &m, w, z, pdz, index, &fail);
    if (fail.code != NE_NOERROR && fail.code != NE_CONVERGENCE)
    {
        printf("Error from nag_zhpevx (f08gpc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    /* nag_complex_divide (a02cdc).
     * Normalize the eigenvectors.
     */
    for(j=1; j<=m; j++)
        for(i=n; i>=1; i--)
            z(i, j) = nag_complex_divide(z(i, j), z(1, j));

```

```

/* Print solution */
printf("Number of eigenvalues found =%5ld\n", m);

printf("\nEigenvalues\n");
for (j = 0; j < m; ++j)
    printf("%8.4f%s", w[j], (j+1)%8 == 0?"\n":" ");
printf("\n\n");

/* nag_gen_complx_mat_print (x04dac).
 * Print selected eigenvectors.
 */
INIT_FAIL(fail_print);
fflush(stdout);
nag_gen_complx_mat_print(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, m, z,
                        pdz, "Selected eigenvectors", 0, &fail_print);
if (fail_print.code != NE_NOERROR)
{
    printf("Error from nag_gen_complx_mat_print (x04dac).\n%s\n",
          fail_print.message);
    exit_status = 1;
    goto END;
}
if (fail.code == NE_CONVERGENCE)
{
    printf("eigenvectors failed to converge\n");
    printf("Indices of eigenvectors that did not converge\n");
    for (j = 0; j < m; ++j)
        printf("%8ld%s", index[j], (j+1)%8 == 0?"\n":" ");
}

END:
NAG_FREE(ap);
NAG_FREE(z);
NAG_FREE(w);
NAG_FREE(index);

return exit_status;
}

#undef AP_UPPER
#undef AP_LOWER
#undef Z

```

10.2 Program Data

nag_zhpevx (f08gpc) Example Program Data

```

4                                     :Value of n
Nag_Lower                             :Value of uplo
-2.0      2.0                         :Values of vl and vu

(1.0, 0.0)
(2.0, 1.0) (2.0, 0.0)
(3.0, 1.0) (3.0, 2.0) (3.0, 0.0)
(4.0, 1.0) (4.0, 2.0) (4.0, 3.0) (4.0, 0.0) :End of matrix A

```

10.3 Program Results

nag_zhpevx (f08gpc) Example Program Results

Number of eigenvalues found = 2

Eigenvalues
-0.6886 1.1412

```

Selected eigenvectors
1      1      2
1      1.0000 1.0000
      0.0000 -0.0000

```

2	-0.7703	0.0516
	-0.1746	1.2795
3	0.4559	-1.1962
	0.4892	-0.2954
4	-0.3464	0.7876
	-0.4448	-0.5075
