

## NAG Library Function Document

### nag\_ztrsv (f16sjc)

#### 1 Purpose

nag\_ztrsv (f16sjc) solves a system of equations given as a complex triangular matrix.

#### 2 Specification

```
#include <nag.h>
#include <nagf16.h>

void nag_ztrsv (Nag_OrderType order, Nag_UploType uplo, Nag_TransType trans,
               Nag_DiagType diag, Integer n, Complex alpha, const Complex a[],
               Integer pda, Complex x[], Integer incx, NagError *fail)
```

#### 3 Description

nag\_ztrsv (f16sjc) performs one of the matrix-vector operations

$$x \leftarrow \alpha A^{-1}x, \quad x \leftarrow \alpha A^{-T}x \quad \text{or} \quad x \leftarrow A^{-H}x,$$

where  $A$  is an  $n$  by  $n$  complex triangular matrix,  $x$  is an  $n$ -element complex vector and  $\alpha$  is a complex scalar.  $A^{-T}$  denotes  $A^{-T}$  or equivalently  $A^{-T}$ ;  $A^{-H}$  denotes  $(A^H)^{-1}$  or equivalently  $(A^{-1})^H$ .

#### 4 References

Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001) *Basic Linear Algebra Subprograms Technical (BLAST) Forum Standard* University of Tennessee, Knoxville, Tennessee <http://www.netlib.org/blas/blast-forum/blas-report.pdf>

#### 5 Arguments

- 1: **order** – Nag\_OrderType *Input*  
*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag\_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.  
*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.
- 2: **uplo** – Nag\_UploType *Input*  
*On entry:* specifies whether  $A$  is upper or lower triangular.  
**uplo** = Nag\_Upper  
 $A$  is upper triangular.  
**uplo** = Nag\_Lower  
 $A$  is lower triangular.  
*Constraint:* **uplo** = Nag\_Upper or Nag\_Lower.

- 3: **trans** – Nag\_TransType *Input*  
*On entry:* specifies the operation to be performed.  
**trans** = Nag\_NoTrans  
 $x \leftarrow A^{-1}x$ .  
**trans** = Nag\_Trans  
 $x \leftarrow A^{-T}x$ .  
**trans** = Nag\_ConjTrans  
 $x \leftarrow A^{-H}x$ .  
*Constraint:* **trans** = Nag\_NoTrans, Nag\_Trans or Nag\_ConjTrans.
- 4: **diag** – Nag\_DiagType *Input*  
*On entry:* specifies whether  $A$  has nonunit or unit diagonal elements.  
**diag** = Nag\_NonUnitDiag  
The diagonal elements are stored explicitly.  
**diag** = Nag\_UnitDiag  
The diagonal elements are assumed to be 1 and are not referenced.  
*Constraint:* **diag** = Nag\_NonUnitDiag or Nag\_UnitDiag.
- 5: **n** – Integer *Input*  
*On entry:*  $n$ , the order of the matrix  $A$ .  
*Constraint:*  $n \geq 0$ .
- 6: **alpha** – Complex *Input*  
*On entry:* the scalar  $\alpha$ .
- 7: **a**[*dim*] – const Complex *Input*  
**Note:** the dimension, *dim*, of the array **a** must be at least  $\max(1, \mathbf{pda} \times \mathbf{n})$ .  
*On entry:* the  $n$  by  $n$  triangular matrix  $A$ .  
If **order** = 'Nag-ColMajor',  $A_{ij}$  is stored in **a**[( $j - 1$ )  $\times$  **pda** +  $i - 1$ ].  
If **order** = 'Nag-RowMajor',  $A_{ij}$  is stored in **a**[( $i - 1$ )  $\times$  **pda** +  $j - 1$ ].  
If **uplo** = 'Nag-Upper', the upper triangular part of  $A$  must be stored and the elements of the array below the diagonal are not referenced.  
If **uplo** = 'Nag-Lower', the lower triangular part of  $A$  must be stored and the elements of the array above the diagonal are not referenced.  
If **diag** = 'Nag\_UnitDiag', the diagonal elements of  $A$  are assumed to be 1, and are not referenced.
- 8: **pda** – Integer *Input*  
*On entry:* the stride separating row or column elements (depending on the value of **order**) of the matrix  $A$  in the array **a**.  
*Constraint:* **pda**  $\geq$   $\max(1, \mathbf{n})$ .
- 9: **x**[*dim*] – Complex *Input/Output*  
**Note:** the dimension, *dim*, of the array **x** must be at least  $\max(1, 1 + (\mathbf{n} - 1)|\mathbf{incx}|)$ .  
*On entry:* the vector  $x$ .  
*On exit:* the solution vector  $x$ .

- 10: **incx** – Integer *Input*  
*On entry:* the increment in the subscripts of **x** between successive elements of *x*.  
*Constraint:* **incx**  $\neq$  0.
- 11: **fail** – NagError \* *Input/Output*  
The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INT

On entry, **incx** =  $\langle value \rangle$ .

Constraint: **incx**  $\neq$  0.

On entry, **n** =  $\langle value \rangle$ .

Constraint: **n**  $\geq$  0.

### NE\_INT\_2

On entry, **pda** =  $\langle value \rangle$ , **n** =  $\langle value \rangle$ .

Constraint: **pda**  $\geq$   $\max(1, \mathbf{n})$ .

## 7 Accuracy

The BLAS standard requires accurate implementations which avoid unnecessary over/underflow (see Section 2.7 of Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001)).

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

No test for singularity or near-singularity of *A* is included in nag\_ztrsv (f16sjc). Such tests must be performed before calling this function.

## 10 Example

Solves complex triangular system of linear equations,  $Ax = y$ , where *A* is a complex triangular 4 by 4 matrix given by

$$A = \begin{pmatrix} 4.78 + 4.56i & & & \\ 2.00 - 0.30i & -4.11 + 1.25i & & \\ 2.89 - 1.34i & 2.36 - 4.25i & 4.15 + 0.80i & \\ -1.89 + 1.15i & 0.04 - 3.69i & -0.02 + 0.46i & 0.33 - 0.26i \end{pmatrix},$$

and

$$y = \begin{pmatrix} -14.78 - 32.36i \\ 2.98 - 2.14i \\ -20.96 + 17.06i \\ 9.54 + 9.91i \end{pmatrix}.$$

## 10.1 Program Text

```

/* nag_ztrsv (f16sjc) Example Program.
 *
 * Copyright 2005 Numerical Algorithms Group.
 *
 * Mark 8, 2005.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf16.h>

int main(void)
{
    /* Scalars */
    Complex      alpha;
    Integer      exit_status, i, incx, j, n, pda, xlen;

    /* Arrays */
    Complex      *a = 0, *x = 0;
    char         nag_enum_arg[40];

    /* Nag Types */
    NagError     fail;
    Nag_OrderType order;
    Nag_TransType trans;
    Nag_UploType  uplo;
    Nag_DiagType  diag;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J - 1]
    order = Nag_RowMajor;
#endif

    exit_status = 0;
    INIT_FAIL(fail);

    printf("nag_ztrsv (f16sjc) Example Program Results\n\n");

    /* Skip heading in data file */
    scanf("%*[\n] ");

    /* Read the problem dimensions */
    scanf("%ld%*[\n] ", &n);

    /* Read the uplo storage parameter */
    scanf("%39s%*[\n] ", nag_enum_arg);
    /* nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_arg);
    /* Read the transpose parameter */
    scanf("%39s%*[\n] ", nag_enum_arg);
    /* nag_enum_name_to_value (x04nac), see above. */
    trans = (Nag_TransType) nag_enum_name_to_value(nag_enum_arg);
    /* Read the unit-diagonal parameter */
    scanf("%39s%*[\n] ", nag_enum_arg);

```

```

/* nag_enum_name_to_value (x04nac), see above. */
diag = (Nag_DiagType) nag_enum_name_to_value(nag_enum_arg);

/* Read scalar parameters */
scanf(" ( %lf , %lf )%*[\n] ", &alpha.re, &alpha.im);
/* Read increment parameter */
scanf("%ld%*[\n] ", &incx);

pda = n;
xlen = MAX(1, 1 + (n - 1)*ABS(incx));

if (n > 0)
{
  /* Allocate memory */
  if (!(a = NAG_ALLOC(pda*n, Complex)) ||
      !(x = NAG_ALLOC(xlen, Complex)))
  {
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
  }
}
else
{
  printf("Invalid n\n");
  exit_status = 1;
  return exit_status;
}

/* Input matrix A and vector x*/
if (uplo == Nag_Upper)
{
  for (i = 1; i <= n; ++i)
  {
    if (diag == Nag_NonUnitDiag)
      scanf(" ( %lf , %lf )", &A(i, i).re, &A(i, i).im);
    for (j = i+1; j <= n; ++j)
      scanf(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
  }
  scanf("%*[\n] ");
}
else
{
  for (i = 1; i <= n; ++i)
  {
    for (j = 1; j < i; ++j)
      scanf(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
    if (diag == Nag_NonUnitDiag)
      scanf(" ( %lf , %lf )", &A(i, i).re, &A(i, i).im);
  }
  scanf("%*[\n] ");
}
for (i = 0; i < xlen; ++i)
  scanf(" ( %lf , %lf )%*[\n] ", &x[i].re, &x[i].im);

/* nag_ztrsv (f16sjc).
 * Solution of complex triangular system of linear equations.
 */
nag_ztrsv(order, uplo, trans, diag, n, alpha, a, pda, x, incx,
          &fail);
if (fail.code != NE_NOERROR)
{
  printf("Error from nag_ztrsv (f16sjc).\n%s\n", fail.message);
  exit_status = 1;
  goto END;
}

/* Print output vector x */
printf("%s\n", " Solution x:");

```

```

for (i = 0; i < xlen; ++i)
{
    printf("( %11f , %11f )\n", x[i].re, x[i].im);
}

END:
NAG_FREE(a);
NAG_FREE(x);

return exit_status;
}

```

## 10.2 Program Data

```

nag_ztrsv (f16sjc) Example Program Data
4                               :Value of n
Nag_Lower                       :Storage of A
Nag_NoTrans                      :Transpose A?
Nag_NonUnitDiag                 :Unit diagonal elements?
( 1.0, 0.0)                     :Value of alpha
1                               :Value of incx
( 4.78, 4.56)
( 2.00,-0.30) (-4.11, 1.25)
( 2.89,-1.34) ( 2.36,-4.25) ( 4.15, 0.80)
(-1.89, 1.15) ( 0.04,-3.69) (-0.02, 0.46) ( 0.33,-0.26) :End of matrix A
(-14.78,-32.36)
( 2.98, -2.14)
(-20.96, 17.06)
( 9.54, 9.91)                  :End of vector x

```

## 10.3 Program Results

```

nag_ztrsv (f16sjc) Example Program Results

```

```

Solution x:
( -5.000000 , -2.000000 )
( -3.000000 , -1.000000 )
( 2.000000 , 1.000000 )
( 4.000000 , 3.000000 )

```

---