

## NAG Library Function Document

### nag\_deviates\_gamma\_vector (g01tfc)

## 1 Purpose

nag\_deviates\_gamma\_vector (g01tfc) returns a number of deviates associated with given probabilities of the gamma distribution.

## 2 Specification

```
#include <nag.h>
#include <nagg01.h>
void nag_deviates_gamma_vector (Integer ltail,
                                const Nag_TailProbability tail[], Integer lp, const double p[],
                                Integer la, const double a[], Integer lb, const double b[], double tol,
                                double g[], Integer ivalid[], NagError *fail)
```

## 3 Description

The deviate,  $g_{p_i}$ , associated with the lower tail probability,  $p_i$ , of the gamma distribution with shape parameter  $\alpha_i$  and scale parameter  $\beta_i$ , is defined as the solution to

$$P(G_i \leq g_{p_i} : \alpha_i, \beta_i) = p_i = \frac{1}{\beta_i^{\alpha_i} \Gamma(\alpha_i)} \int_0^{g_{p_i}} e_i^{-G_i/\beta_i} G_i^{\alpha_i-1} dG_i, \quad 0 \leq g_{p_i} < \infty; \alpha_i, \beta_i > 0.$$

The method used is described by Best and Roberts (1975) making use of the relationship between the gamma distribution and the  $\chi^2$ -distribution.

Let  $y_i = 2\frac{g_{p_i}}{\beta_i}$ . The required  $y_i$  is found from the Taylor series expansion

$$y_i = y_0 + \sum_r \frac{C_r(y_0)}{r!} \left( \frac{E_i}{\phi(y_0)} \right)^r,$$

where  $y_0$  is a starting approximation

$$C_1(u_i) = 1,$$

$$C_{r+1}(u_i) = \left( r\Psi + \frac{d}{du_i} \right) C_r(u_i),$$

$$\Psi_i = \frac{1}{2} - \frac{\alpha_i - 1}{u_i},$$

$$E_i = p_i - \int_0^{y_0} \phi_i(u_i) du_i,$$

$$\phi_i(u_i) = \frac{1}{2^{\alpha_i} \Gamma(\alpha_i)} e_i^{-u_i/2} u_i^{\alpha_i-1}.$$

For most values of  $p_i$  and  $\alpha_i$  the starting value

$$y_{01} = 2\alpha_i \left( z_i \sqrt{\frac{1}{9\alpha_i}} + 1 - \frac{1}{9\alpha_i} \right)^3$$

is used, where  $z_i$  is the deviate associated with a lower tail probability of  $p_i$  for the standard Normal distribution.

For  $p_i$  close to zero,

$$y_{02} = (p_i \alpha_i 2^{\alpha_i} \Gamma(\alpha_i))^{1/\alpha_i}$$

is used.

For large  $p_i$  values, when  $y_{01} > 4.4\alpha_i + 6.0$ ,

$$y_{03} = -2[\ln(1 - p_i) - (\alpha_i - 1) \ln(\frac{1}{2}y_{01}) + \ln(\Gamma(\alpha_i))]$$

is found to be a better starting value than  $y_{01}$ .

For small  $\alpha_i$  ( $\alpha_i \leq 0.16$ ),  $p_i$  is expressed in terms of an approximation to the exponential integral and  $y_{04}$  is found by Newton–Raphson iterations.

Seven terms of the Taylor series are used to refine the starting approximation, repeating the process if necessary until the required accuracy is obtained.

The input arrays to this function are designed to allow maximum flexibility in the supply of vector arguments by re-using elements of any arrays that are shorter than the total number of evaluations required. See Section 2.6 in the g01 Chapter Introduction for further information.

## 4 References

Best D J and Roberts D E (1975) Algorithm AS 91. The percentage points of the  $\chi^2$  distribution *Appl. Statist.* **24** 385–388

## 5 Arguments

- 1: **Itail** – Integer *Input*  
*On entry:* the length of the array **tail**.  
*Constraint:* **Itail** > 0.
- 2: **tail[Itail]** – const Nag\_TailProbability *Input*  
*On entry:* indicates which tail the supplied probabilities represent. For  $j = (i - 1) \bmod \text{Itail}$ , for  $i = 1, 2, \dots, \max(\text{Itail}, \text{lp}, \text{la}, \text{lb})$ :  
**tail[j] = Nag\_LowerTail**  
The lower tail probability, i.e.,  $p_i = P(G_i \leq g_{p_i} : \alpha_i, \beta_i)$ .  
**tail[j] = Nag\_UpperTail**  
The upper tail probability, i.e.,  $p_i = P(G_i \geq g_{p_i} : \alpha_i, \beta_i)$ .  
*Constraint:* **tail[j - 1] = Nag\_LowerTail** or **Nag\_UpperTail**, for  $j = 1, 2, \dots, \text{Itail}$ .
- 3: **lp** – Integer *Input*  
*On entry:* the length of the array **p**.  
*Constraint:* **lp** > 0.
- 4: **p[lp]** – const double *Input*  
*On entry:*  $p_i$ , the probability of the required gamma distribution as defined by **tail** with  $p_i = \mathbf{p}[j]$ ,  $j = (i - 1) \bmod \text{lp}$ .  
*Constraints:*  
if **tail[k] = Nag\_LowerTail**,  $0.0 \leq \mathbf{p}[j] < 1.0$ ;  
otherwise  $0.0 < \mathbf{p}[j] \leq 1.0$ .  
Where  $k = (i - 1) \bmod \text{Itail}$  and  $j = (i - 1) \bmod \text{lp}$ .

5:	<b>la</b> – Integer	<i>Input</i>
<i>On entry:</i> the length of the array <b>a</b> .		
<i>Constraint:</i> <b>la</b> > 0.		
6:	<b>a[la]</b> – const double	<i>Input</i>
<i>On entry:</i> $\alpha_i$ , the first parameter of the required gamma distribution with $\alpha_i = \mathbf{a}[j]$ , $j = (i - 1) \bmod \mathbf{la}$ .		
<i>Constraint:</i> $0.0 < \mathbf{a}[j - 1] \leq 10^6$ , for $j = 1, 2, \dots, \mathbf{la}$ .		
7:	<b>lb</b> – Integer	<i>Input</i>
<i>On entry:</i> the length of the array <b>b</b> .		
<i>Constraint:</i> <b>lb</b> > 0.		
8:	<b>b[lb]</b> – const double	<i>Input</i>
<i>On entry:</i> $\beta_i$ , the second parameter of the required gamma distribution with $\beta_i = \mathbf{b}[j]$ , $j = (i - 1) \bmod \mathbf{lb}$ .		
<i>Constraint:</i> $\mathbf{b}[j - 1] > 0.0$ , for $j = 1, 2, \dots, \mathbf{lb}$ .		
9:	<b>tol</b> – double	<i>Input</i>
<i>On entry:</i> the relative accuracy required by you in the results. If nag_deviates_gamma_vector (g01tfc) is entered with <b>tol</b> greater than or equal to 1.0 or less than $10 \times \mathbf{machine precision}$ (see nag_machine_precision (X02AJC)), then the value of $10 \times \mathbf{machine precision}$ is used instead.		
10:	<b>g[dim]</b> – double	<i>Output</i>
<b>Note:</b> the dimension, <i>dim</i> , of the array <b>g</b> must be at least $\max(\mathbf{ltail}, \mathbf{lp}, \mathbf{la}, \mathbf{lb})$ .		
<i>On exit:</i> $g_{p_i}$ , the deviates for the gamma distribution.		
11:	<b>invalid[dim]</b> – Integer	<i>Output</i>
<b>Note:</b> the dimension, <i>dim</i> , of the array <b>invalid</b> must be at least $\max(\mathbf{ltail}, \mathbf{lp}, \mathbf{la}, \mathbf{lb})$ .		
<i>On exit:</i> <b>invalid</b> [ <i>i</i> – 1] indicates any errors with the input arguments, with		
<b>invalid</b> [ <i>i</i> – 1] = 0 No error.		
<b>invalid</b> [ <i>i</i> – 1] = 1 <i>On entry</i> , invalid value supplied in <b>tail</b> when calculating $g_{p_i}$ .		
<b>invalid</b> [ <i>i</i> – 1] = 2 <i>On entry</i> , invalid value for $p_i$ .		
<b>invalid</b> [ <i>i</i> – 1] = 3 <i>On entry</i> , $\alpha_i \leq 0.0$ , or $\alpha_i > 10^6$ , or $\beta_i \leq 0.0$ .		
<b>invalid</b> [ <i>i</i> – 1] = 4 $p_i$ is too close to 0.0 or 1.0 to enable the result to be calculated.		
<b>invalid</b> [ <i>i</i> – 1] = 5 The solution has failed to converge. The result may be a reasonable approximation.		

12: **fail** – NagError \*

*Input/Output*

The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

### NE\_ARRAY\_SIZE

On entry, array size =  $\langle value \rangle$ .

Constraint: **la** > 0.

On entry, array size =  $\langle value \rangle$ .

Constraint: **lb** > 0.

On entry, array size =  $\langle value \rangle$ .

Constraint: **lp** > 0.

On entry, array size =  $\langle value \rangle$ .

Constraint: **ltail** > 0.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

### NW\_INVALID

On entry, at least one value of **tail**, **p**, **a**, or **b** was invalid.

Check **invalid** for more information.

## 7 Accuracy

In most cases the relative accuracy of the results should be as specified by **tol**. However, for very small values of  $\alpha_i$  or very small values of  $p_i$  there may be some loss of accuracy.

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

None.

## 10 Example

This example reads lower tail probabilities for several gamma distributions, and calculates and prints the corresponding deviates until the end of data is reached.

## 10.1 Program Text

```
/* nag_deviates_gamma_vector (g01tfc) Example Program.
*
* Copyright 2011, Numerical Algorithms Group.
*
* Mark 23, 2011.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg01.h>

int main(void)
{
    /* Integer scalar and array declarations */
    Integer ltail, lp, la, lb, i, lout;
    Integer *invalid = 0;
    Integer exit_status = 0;

    /* NAG structures */
    NagError fail;
    Nag_TailProbability *tail = 0;

    /* Double scalar and array declarations */
    double tol;
    double *p = 0, *a = 0, *b = 0, *g = 0;

    /* Character scalar and array declarations */
    char ctail[40];

    /* Initialise the error structure to print out any error messages */
    INIT_FAIL(fail);

    printf("nag_deviates_gamma_vector (g01tfc) Example Program Results\n\n");

    /* Skip heading in data file*/
    scanf("%*[^\n] ");

    /* Read in the tolerance */
    scanf("%lf%*[^\n] ", &tol);

    /* Read in the input vectors */
    scanf("%ld%*[^\n] ", &ltail);
    if (!(tail = NAG_ALLOC(ltail, Nag_TailProbability))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    for (i = 0; i < ltail; i++) {
        scanf("%39s", ctail);
        tail[i] = (Nag_TailProbability) nag_enum_name_to_value(ctail);
    }
    scanf("%*[^\n] ");
    scanf("%ld%*[^\n] ", &lp);
    if (!(p = NAG_ALLOC(lp, double))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    for (i = 0; i < lp; i++)
        scanf("%lf", &p[i]);
    scanf("%*[^\n] ");
    scanf("%ld%*[^\n] ", &la);
    if (!(a = NAG_ALLOC(la, double))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    for (i = 0; i < la; i++)
        scanf("%lf", &a[i]);
}
```

```

scanf("%*[^\n] ");
scanf("%ld%*[^\n] ", &lb);
if (!(b = NAG_ALLOC(lb, double))) {
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}
for (i = 0; i < lb; i++)
    scanf("%lf", &b[i]);
scanf("%*[^\n] ");

/* Allocate memory for output */
lout = MAX(ltail, MAX(lp, MAX(la, lb)));
if (!(g = NAG_ALLOC(lout, double)) ||
    !(invalid = NAG_ALLOC(lout, Integer))) {
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

/* Calculate probability */
nag_deviates_gamma_vector(ltail, tail, lp, p, la, a, lb, b, tol, g,
                           invalid, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_deviates_gamma_vector (g01tfc).\n%s\n",
           fail.message);
    exit_status = 1;
    if (fail.code != NW_INVALID) goto END;
}

/* Display title */
printf("      tail          p          a          b          g      invalid\n");
printf("-----\n");

/* Display results */
for (i = 0; i < lout; i++)
    printf(" %15s  %6.3f    %6.2f    %6.2f    %7.3f    %3ld\n",
           nag_enum_value_to_name(tail[i%ltail]), p[i%lp], a[i%la],
           b[i%lb], g[i], invalid[i]);

END:
NAG_FREE(tail);
NAG_FREE(p);
NAG_FREE(a);
NAG_FREE(b);
NAG_FREE(g);
NAG_FREE(invalid);

return(exit_status);
}

```

## 10.2 Program Data

nag_deviates_gamma_vector (g01tfc) Example Program Data	
0.0	:: tol
1	:: ltail
Nag_LowerTail	:: tail
3	:: lp
0.01 0.428 0.869	:: p
3	:: la
1.0 7.5 45.0	:: a
3	:: lb
20.0 0.1 10.0	:: b

### 10.3 Program Results

nag\_deviates\_gamma\_vector (g01tfc) Example Program Results

tail	p	a	b	g	iinvalid
<hr/>					
Nag_LowerTail	0.010	1.00	20.00	0.201	0
Nag_LowerTail	0.428	7.50	0.10	0.670	0
Nag_LowerTail	0.869	45.00	10.00	525.839	0