

NAG Library Function Document

nag_robust_m_corr_user_fn_no_derr (g02hmc)

1 Purpose

nag_robust_m_corr_user_fn_no_derr (g02hmc) computes a robust estimate of the covariance matrix for user-supplied weight functions. The derivatives of the weight functions are not required.

2 Specification

```
#include <nag.h>
#include <nagg02.h>

void nag_robust_m_corr_user_fn_no_derr (Nag_OrderType order,
    void (*ucv)(double t, double *u, double *w, Nag_Comm *comm),
    Integer indm, Integer n, Integer m, const double x[], Integer pdx,
    double cov[], double a[], double wt[], double theta[], double bl,
    double bd, Integer maxit, Integer nitmon, const char *outfile,
    double tol, Integer *nit, Nag_Comm *comm, NagError *fail)
```

3 Description

For a set of n observations on m variables in a matrix X , a robust estimate of the covariance matrix, C , and a robust estimate of location, θ , are given by

$$C = \tau^2 (A^T A)^{-1},$$

where τ^2 is a correction factor and A is a lower triangular matrix found as the solution to the following equations.

$$z_i = A(x_i - \theta)$$

$$\frac{1}{n} \sum_{i=1}^n w(\|z_i\|_2) z_i = 0$$

and

$$\frac{1}{n} \sum_{i=1}^n u(\|z_i\|_2) z_i z_i^T - v(\|z_i\|_2) I = 0,$$

where x_i is a vector of length m containing the elements of the i th row of X ,

z_i is a vector of length m ,

I is the identity matrix and 0 is the zero matrix.

and w and u are suitable functions.

nag_robust_m_corr_user_fn_no_derr (g02hmc) covers two situations:

- (i) $v(t) = 1$ for all t ,
- (ii) $v(t) = u(t)$.

The robust covariance matrix may be calculated from a weighted sum of squares and cross-products matrix about θ using weights $wt_i = u(\|z_i\|)$. In case (i) a divisor of n is used and in case (ii) a divisor of

$\sum_{i=1}^n wt_i$ is used. If $w(\cdot) = \sqrt{u(\cdot)}$, then the robust covariance matrix can be calculated by scaling each row of X by $\sqrt{wt_i}$ and calculating an unweighted covariance matrix about θ .

In order to make the estimate asymptotically unbiased under a Normal model a correction factor, τ^2 , is needed. The value of the correction factor will depend on the functions employed (see Huber (1981) and Marazzi (1987)).

nag_robust_m_corr_user_fn_no_derr (g02hmc) finds A using the iterative procedure as given by Huber; see Huber (1981).

$$A_k = (S_k + I)A_{k-1}$$

and

$$\theta_{jk} = \frac{b_j}{D_1} + \theta_{jk-1},$$

where $S_k = (s_{jl})$, for $j = 1, 2, \dots, m$ and $l = 1, 2, \dots, m$ is a lower triangular matrix such that

$$s_{jl} = \begin{cases} -\min[\max(h_{jl}/D_2, -BL), BL], & j > l \\ -\min[\max(\frac{1}{2}(h_{jj}/D_2 - 1), -BD), BD], & j = l \end{cases},$$

where

$$D_1 = \sum_{i=1}^n w(\|z_i\|_2)$$

$$D_2 = \sum_{i=1}^n u(\|z_i\|_2)$$

$$h_{jl} = \sum_{i=1}^n u(\|z_i\|_2) z_{ij} z_{il}, \text{ for } j \geq l$$

$$b_j = \sum_{i=1}^n w(\|z_i\|_2) (x_{ij} - b_j)$$

and BD and BL are suitable bounds.

The value of τ may be chosen so that C is unbiased if the observations are from a given distribution.

nag_robust_m_corr_user_fn_no_derr (g02hmc) is based on routines in ROBETH; see Marazzi (1987).

4 References

Huber P J (1981) *Robust Statistics* Wiley

Marazzi A (1987) Weights for bounded influence regression in ROBETH *Cah. Rech. Doc. IUMSP, No. 3 ROB 3* Institut Universitaire de Médecine Sociale et Préventive, Lausanne

5 Arguments

1: **order** – Nag_OrderType

Input

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

- 2: **ucv** – function, supplied by the user *External Function*
ucv must return the values of the functions u and w for a given value of its argument.

The specification of **ucv** is:

```
void ucv (double t, double *u, double *w, Nag_Comm *comm)
```

1: **t** – double *Input*

On entry: the argument for which the functions u and w must be evaluated.

2: **u** – double * *Output*

On exit: the value of the u function at the point **t**.

Constraint: $u \geq 0.0$.

3: **w** – double * *Output*

On exit: the value of the w function at the point **t**.

Constraint: $w \geq 0.0$.

4: **comm** – Nag_Comm * *Communication Structure*

Pointer to structure of type Nag_Comm; the following members are relevant to **ucv**.

user – double *

iuser – Integer *

p – Pointer

The type Pointer will be void *. Before calling nag_robust_m_corr_user_fn_no_derr (g02hmc) you may allocate memory and initialize these pointers with various quantities for use by **ucv** when called from nag_robust_m_corr_user_fn_no_derr (g02hmc) (see Section 3.2.1.1 in the Essential Introduction).

- 3: **indm** – Integer *Input*

On entry: indicates which form of the function v will be used.

indm = 1

$v = 1$.

indm \neq 1

$v = u$.

- 4: **n** – Integer *Input*

On entry: n , the number of observations.

Constraint: $n > 1$.

- 5: **m** – Integer *Input*

On entry: m , the number of columns of the matrix X , i.e., number of independent variables.

Constraint: $1 \leq m \leq n$.

- 6: **x[*dim*]** – const double *Input*

Note: the dimension, *dim*, of the array **x** must be at least

$\max(1, \mathbf{pdx} \times \mathbf{m})$ when **order** = Nag_ColMajor;

$\max(1, \mathbf{n} \times \mathbf{pdx})$ when **order** = Nag_RowMajor.

Where $\mathbf{X}(i, j)$ appears in this document, it refers to the array element

$$\begin{aligned} &\mathbf{x}[(j-1) \times \mathbf{pdx} + i - 1] \text{ when } \mathbf{order} = \text{Nag_ColMajor}; \\ &\mathbf{x}[(i-1) \times \mathbf{pdx} + j - 1] \text{ when } \mathbf{order} = \text{Nag_RowMajor}. \end{aligned}$$

On entry: $\mathbf{X}(i, j)$ must contain the i th observation on the j th variable, for $i = 1, 2, \dots, n$ and $j = 1, 2, \dots, m$.

7: **pdx** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **x**.

Constraints:

if **order** = Nag_ColMajor, **pdx** \geq **n**;
if **order** = Nag_RowMajor, **pdx** \geq **m**.

8: **cov**[**m** \times (**m** + 1)/2] – double *Output*

On exit: a robust estimate of the covariance matrix, C . The upper triangular part of the matrix C is stored packed by columns (lower triangular stored by rows), that is C_{ij} is returned in **cov**[$j \times (j-1)/2 + i - 1$], $i \leq j$.

9: **a**[**m** \times (**m** + 1)/2] – double *Input/Output*

On entry: an initial estimate of the lower triangular real matrix A . Only the lower triangular elements must be given and these should be stored row-wise in the array.

The diagonal elements must be $\neq 0$, and in practice will usually be > 0 . If the magnitudes of the columns of X are of the same order, the identity matrix will often provide a suitable initial value for A . If the columns of X are of different magnitudes, the diagonal elements of the initial value of A should be approximately inversely proportional to the magnitude of the columns of X .

Constraint: **a**[$j \times (j-1)/2 + j$] \neq 0.0, for $j = 0, 1, \dots, m-1$.

On exit: the lower triangular elements of the inverse of the matrix A , stored row-wise.

10: **wt**[**n**] – double *Output*

On exit: **wt**[$i-1$] contains the weights, $wt_i = u(\|z_i\|_2)$, for $i = 1, 2, \dots, n$.

11: **theta**[**m**] – double *Input/Output*

On entry: an initial estimate of the location argument, θ_j , for $j = 1, 2, \dots, m$.

In many cases an initial estimate of $\theta_j = 0$, for $j = 1, 2, \dots, m$, will be adequate. Alternatively medians may be used as given by nag_median_1var (g07dac).

On exit: contains the robust estimate of the location argument, θ_j , for $j = 1, 2, \dots, m$.

12: **bl** – double *Input*

On entry: the magnitude of the bound for the off-diagonal elements of S_k , BL .

Suggested value: **bl** = 0.9.

Constraint: **bl** $>$ 0.0.

13: **bd** – double *Input*

On entry: the magnitude of the bound for the diagonal elements of S_k , BD .

Suggested value: **bd** = 0.9.

Constraint: **bd** $>$ 0.0.

- 14: **maxit** – Integer *Input*
On entry: the maximum number of iterations that will be used during the calculation of A .
Suggested value: **maxit** = 150.
Constraint: **maxit** > 0.
- 15: **nitmon** – Integer *Input*
On entry: indicates the amount of information on the iteration that is printed.
nitmon > 0
The value of A , θ and δ (see Section 7) will be printed at the first and every **nitmon** iterations.
nitmon ≤ 0
No iteration monitoring is printed.
- 16: **outfile** – const char * *Input*
On entry: a null terminated character string giving the name of the file to which results should be printed. If **outfile** = **NULL** or an empty string then the `stdout` stream is used. Note that the file will be opened in the append mode.
- 17: **tol** – double *Input*
On entry: the relative precision for the final estimate of the covariance matrix. Iteration will stop when maximum δ (see Section 7) is less than **tol**.
Constraint: **tol** > 0.0.
- 18: **nit** – Integer * *Output*
On exit: the number of iterations performed.
- 19: **comm** – Nag_Comm * *Communication Structure*
The NAG communication argument (see Section 3.2.1.1 in the Essential Introduction).
- 20: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_CONST_COL

Column $\langle value \rangle$ of \mathbf{x} has constant value.

NE_CONVERGENCE

Iterations to calculate weights failed to converge.

NE_FUN_RET_VAL

u value returned by **ucv** < 0.0: $u(\langle value \rangle) = \langle value \rangle$.

w value returned by **ucv** < 0.0: $w(\langle value \rangle) = \langle value \rangle$.

NE_INT

On entry, **m** = $\langle value \rangle$.

Constraint: **m** \geq 1.

On entry, **maxit** = $\langle value \rangle$.

Constraint: **maxit** > 0.

On entry, **n** = $\langle value \rangle$.

Constraint: **n** > 1.

On entry, **pdx** = $\langle value \rangle$.

Constraint: **pdx** > 0.

NE_INT_2

On entry, **m** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: $1 \leq \mathbf{m} \leq \mathbf{n}$.

On entry, **n** = $\langle value \rangle$ and **m** = $\langle value \rangle$.

Constraint: **n** \geq **m**.

On entry, **pdx** = $\langle value \rangle$ and **m** = $\langle value \rangle$.

Constraint: **pdx** \geq **m**.

On entry, **pdx** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: **pdx** \geq **n**.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_NOT_CLOSE_FILE

Cannot close file $\langle value \rangle$.

NE_NOT_WRITE_FILE

Cannot open file $\langle value \rangle$ for writing.

NE_REAL

On entry, **bd** = $\langle value \rangle$.

Constraint: **bd** > 0.0.

On entry, **bl** = $\langle value \rangle$.

Constraint: **bl** > 0.0.

On entry, **tol** = $\langle value \rangle$.

Constraint: **tol** > 0.0.

NE_ZERO_DIAGONAL

On entry, diagonal element $\langle value \rangle$ of **a** is 0.0.

NE_ZERO_SUM

Sum of u 's ($D2$) is zero.

Sum of w 's ($D1$) is zero.

7 Accuracy

On successful exit the accuracy of the results is related to the value of **tol**; see Section 5. At an iteration let

- (i) $d1 =$ the maximum value of $|s_{jl}|$
- (ii) $d2 =$ the maximum absolute change in $wt(i)$
- (iii) $d3 =$ the maximum absolute relative change in θ_j

and let $\delta = \max(d1, d2, d3)$. Then the iterative procedure is assumed to have converged when $\delta < \mathbf{tol}$.

8 Parallelism and Performance

nag_robust_m_corr_user_fn_no_derr (g02hmc) is not threaded by NAG in any implementation.

nag_robust_m_corr_user_fn_no_derr (g02hmc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The existence of A will depend upon the function u (see Marazzi (1987)); also if X is not of full rank a value of A will not be found. If the columns of X are almost linearly related, then convergence will be slow.

If derivatives of the u and w functions are available then the method used in nag_robust_m_corr_user_fn (g02hlc) will usually give much faster convergence.

10 Example

A sample of 10 observations on three variables is read in along with initial values for A and θ and argument values for the u and w functions, c_u and c_w . The covariance matrix computed by nag_robust_m_corr_user_fn_no_derr (g02hmc) is printed along with the robust estimate of θ .

ucv computes the Huber's weight functions:

$$u(t) = 1, \quad \text{if } t \leq c_u^2$$

$$u(t) = \frac{c_u}{t^2}, \quad \text{if } t > c_u^2$$

and

$$w(t) = 1, \quad \text{if } t \leq c_w$$

$$w(t) = \frac{c_w}{t}, \quad \text{if } t > c_w.$$

10.1 Program Text

```

/* nag_robust_m_corr_user_fn_no_derr (g02hmc) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 * Mark 7b revised, 2004.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>

```

```

#include <nagg02.h>

#ifdef __cplusplus
extern "C" {
#endif
static void NAG_CALL ucv(double t, double *u, double *w, Nag_Comm *comm);
#ifdef __cplusplus
}
#endif

int main(void)
{
    /* Scalars */
    double      bd, bl, tol;
    Integer      exit_status, i, indm, j, k, l1, l2, m, maxit, mm, n, nit,
                nitmon;
    Integer      pdx;
    NagError     fail;
    Nag_OrderType order;
    Nag_Comm     comm;

    /* Arrays */
    double      *a = 0, *cov = 0, *theta = 0, *userp = 0, *wt = 0, *x = 0;

#ifdef NAG_COLUMN_MAJOR
#define X(I, J) x[(J-1)*pdx + I - 1]
    order = Nag_ColMajor;
#else
#define X(I, J) x[(I-1)*pdx + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    exit_status = 0;
    printf(
        "nag_robust_m_corr_user_fn_no_derr (g02hmc) Example Program Results"
        "\n");

    /* Skip heading in data file */
    scanf("%*[^\\n] ");

    /* Read in the dimensions of x */
    scanf("%ld%ld%*[^\\n] ", &n, &m);

    /* Allocate memory */
    if (!(a = NAG_ALLOC(m*(m+1)/2, double)) ||
        !(cov = NAG_ALLOC(m*(m+1)/2, double)) ||
        !(theta = NAG_ALLOC(m, double)) ||
        !(userp = NAG_ALLOC(2, double)) ||
        !(wt = NAG_ALLOC(n, double)) ||
        !(x = NAG_ALLOC(n * m, double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
#ifdef NAG_COLUMN_MAJOR
    pdx = n;
#else
    pdx = m;
#endif

    /* Read in the X matrix */
    for (i = 1; i <= n; ++i)
    {
        for (j = 1; j <= m; ++j)
            scanf("%lf", &X(i, j));
        scanf("%*[^\\n] ");
    }
}

```



```

/* Read in the initial value of A */
mm = (m + 1) * m / 2;
for (j = 1; j <= mm; ++j)
    scanf("%lf", &a[j - 1]);
scanf("%*[\n] ");

/* Read in the initial value of theta */
for (j = 1; j <= m; ++j)
    scanf("%lf", &theta[j - 1]);
scanf("%*[\n] ");

/* Read in the values of the parameters of the ucv functions */
scanf("%lf%lf%*[\n] ", &userp[0], &userp[1]);

/* Set the values remaining parameters */
indm = 1;
bl = 0.9;
bd = 0.9;
maxit = 50;
tol = 5e-5;
/* Change nitmon to a positive value if monitoring information
 * is required
 */
nitmon = 0;

comm.p = (void *) userp;
/* nag_robust_m_corr_user_fn_no_derr (g02hmc).
 * Calculates a robust estimation of a correlation matrix,
 * user-supplied weight function
 */
nag_robust_m_corr_user_fn_no_derr(order, ucv, indm, n, m, x, pdx, cov, a, wt,
                                theta, bl, bd, maxit, nitmon, 0, tol, &nit,
                                &comm, &fail);

if (fail.code != NE_NOERROR)
{
    printf(
        "Error from nag_robust_m_corr_user_fn_no_derr (g02hmc).\n%s\n",
        fail.message);
    exit_status = 1;
    goto END;
}

printf("\n");
printf(
    "nag_robust_m_corr_user_fn_no_derr (g02hmc) required %4ld "
    "iterations to converge\n\n", nit);
printf("Robust covariance matrix\n");
l2 = 0;
for (j = 1; j <= m; ++j)
{
    l1 = l2 + 1;
    l2 += j;

    for (k = l1; k <= l2; ++k)
    {
        printf("%10.3f", cov[k - 1]);
        printf("%s", k%6 == 0 || k == l2?"\n":" ");
    }
}
printf("\n");

printf("Robust estimates of Theta\n");
for (j = 1; j <= m; ++j)
    printf(" %10.3f\n", theta[j - 1]);

END:
NAG_FREE(a);
NAG_FREE(cov);
NAG_FREE(theta);
NAG_FREE(userp);
NAG_FREE(wt);

```

```

    NAG_FREE(x);

    return exit_status;
}

void NAG_CALL ucv(double t, double *u, double *w, Nag_Comm *comm)
{
    double t2, cu, cw;

    /* Function Body */
    double *userp = (double *) comm->p;

    cu = userp[0];
    *u = 1.0;
    if (t != 0.0)
    {
        t2 = t * t;
        if (t2 > cu)
            *u = cu / t2;
    }
    /* w function */
    cw = userp[1];
    if (t > cw)
        *w = cw / t;
    else
        *w = 1.0;
    return;
}

```

10.2 Program Data

```

nag_robust_m_corr_user_fn_no_derr (g02hmc) Example Program Data
  10      3      : N M
  3.4  6.9 12.2      : X1 X2 X3
  6.4  2.5 15.1
  4.9  5.5 14.2
  7.3  1.9 18.2
  8.8  3.6 11.7
  8.4  1.3 17.9
  5.3  3.1 15.0
  2.7  8.1  7.7
  6.1  3.0 21.9
  5.3  2.2 13.9      : End of X1 X2 and X3 values
  1.0  0.0 1.0 0.0 0.0 1.0 : A
  0.0  0.0 0.0      : THETA
  4.0  2.0      : CU CW

```

10.3 Program Results

```

nag_robust_m_corr_user_fn_no_derr (g02hmc) Example Program Results

```

```

nag_robust_m_corr_user_fn_no_derr (g02hmc) required 34 iterations to converge

```

```

Robust covariance matrix

```

```

  3.278
 -3.692    5.284
  4.739   -6.409   11.837

```

```

Robust estimates of Theta

```

```

  5.700
  3.864
 14.704

```
