

NAG Library Function Document

nag_arcsinh (s11abc)

1 Purpose

nag_arcsinh (s11abc) returns the value of the inverse hyperbolic sine, $\text{arcsinh } x$.

2 Specification

```
#include <nag.h>
#include <nags.h>
double nag_arcsinh (double x)
```

3 Description

nag_arcsinh (s11abc) calculates an approximate value for the inverse hyperbolic sine of its argument, $\text{arcsinh } x$.

For $|x| \leq 1$ it is based on the Chebyshev expansion

$$\text{arcsinh } x = x \times y(t) = x \sum_{r=0} c_r T_r(t), \quad \text{where } t = 2x^2 - 1.$$

For $|x| > 1$ it uses the fact that

$$\text{arcsinh } x = \text{sign } x \times \ln\left(|x| + \sqrt{x^2 + 1}\right).$$

This form is used directly for $1 < |x| < 10^k$, where $k = n/2 + 1$, and the machine uses approximately n decimal place arithmetic.

For $|x| \geq 10^k$, $\sqrt{x^2 + 1}$ is equal to $|x|$ to within the accuracy of the machine and hence we can guard against premature overflow and, without loss of accuracy, calculate

$$\text{arcsinh } x = \text{sign } x \times (\ln 2 + \ln|x|).$$

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

5 Arguments

1: x – double	<i>Input</i>
<i>On entry:</i> the argument x of the function.	

6 Error Indicators and Warnings

None.

7 Accuracy

If δ and ϵ are the relative errors in the argument and the result, respectively, then in principle

$$|\epsilon| \simeq \left| \frac{x}{\sqrt{1+x^2} \operatorname{arcsinh} x} \delta \right|.$$

That is, the relative error in the argument, x , is amplified by a factor at least $\frac{x}{\sqrt{1+x^2} \operatorname{arcsinh} x}$, in the result.

The equality should hold if δ is greater than the ***machine precision*** (δ due to data errors etc.) but if δ is simply due to round-off in the machine representation it is possible that an extra figure may be lost in internal calculation round-off.

The behaviour of the amplification factor is shown in the following graph:




Figure 1

It should be noted that this factor is always less than or equal to one. For large x we have the absolute error in the result, E , in principle, given by

$$E \sim \delta.$$

This means that eventually accuracy is limited by ***machine precision***.

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

This example reads values of the argument x from a file, evaluates the function at each value of x and prints the results.

10.1 Program Text

```
/* nag_arcsinh (s11abc) Example Program.
*
* Copyright 1989 Numerical Algorithms Group.
*
* Mark 2 revised, 1992.
*/
#include <nag.h>
#include <stdio.h>
#include <nag_stdlb.h>
#include <nags.h>

int main(void)
{
    Integer exit_status = 0;
    double x, y;
    NagError fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
    scanf("%*[^\n]s");
    printf("nag_arcsinh (s11abc) Example Program Results\n");
    printf("      x          y\n");
    while (scanf("%lf", &x) != EOF)
    {
        /* nag_arcsinh (s11abc).
         * Inverse hyperbolic sine, arcsinh x
         */
        y = nag_arcsinh(x);
        if (fail.code != NE_NOERROR)
        {
            printf("Error from nag_arcsinh (s11abc).\n%s\n",
                   fail.message);
            exit_status = 1;
            goto END;
        }
        printf("%12.3e%12.3e\n", x, y);
    }

END:
    return exit_status;
}
```

10.2 Program Data

```
nag_arcsinh (s11abc) Example Program Data
-2.0
-0.5
1.0
6.0
```

10.3 Program Results

```
nag_arcsinh (s11abc) Example Program Results
      y
-2.000e+00 -1.444e+00
-5.000e-01 -4.812e-01
1.000e+00  8.814e-01
6.000e+00  2.492e+00
```
