

NAG Library Function Document

nag_complex_airy_bi (s17dhc)

1 Purpose

`nag_complex_airy_bi (s17dhc)` returns the value of the Airy function $\text{Bi}(z)$ or its derivative $\text{Bi}'(z)$ for complex z , with an option for exponential scaling.

2 Specification

```
#include <nag.h>
#include <nags.h>
void nag_complex_airy_bi (Nag_FunType deriv, Complex z,
                           Nag_ScaleResType scal, Complex *bi, NagError *fail)
```

3 Description

`nag_complex_airy_bi (s17dhc)` returns a value for the Airy function $\text{Bi}(z)$ or its derivative $\text{Bi}'(z)$, where z is complex, $-\pi < \arg z \leq \pi$. Optionally, the value is scaled by the factor $e^{|\text{Re}(2z\sqrt{z}/3)|}$.

The function is derived from the function CBIRY in Amos (1986). It is based on the relations $\text{Bi}(z) = \frac{\sqrt{z}}{\sqrt{3}}(I_{-1/3}(w) + I_{1/3}(w))$, and $\text{Bi}'(z) = \frac{z}{\sqrt{3}}(I_{-2/3}(w) + I_{2/3}(w))$, where I_ν is the modified Bessel function and $w = 2z\sqrt{z}/3$.

For very large $|z|$, argument reduction will cause total loss of accuracy, and so no computation is performed. For slightly smaller $|z|$, the computation is performed but results are accurate to less than half of **machine precision**. If $\text{Re}(z)$ is too large, and the unscaled function is required, there is a risk of overflow and so no computation is performed. In all the above cases, a warning is given by the function.

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Amos D E (1986) Algorithm 644: A portable package for Bessel functions of a complex argument and non-negative order *ACM Trans. Math. Software* **12** 265–273

5 Arguments

- | | | |
|----|--|--------------|
| 1: | deriv – Nag_FunType | <i>Input</i> |
| | <i>On entry:</i> specifies whether the function or its derivative is required. | |
| | deriv = Nag_Function
$\text{Bi}(z)$ is returned. | |
| | deriv = Nag_Deriv
$\text{Bi}'(z)$ is returned. | |
| | <i>Constraint:</i> deriv = Nag_Function or Nag_Deriv. | |
| 2: | z – Complex | <i>Input</i> |
| | <i>On entry:</i> the argument z of the function. | |

3: scal – Nag_ScaleResType	<i>Input</i>
<i>On entry:</i> the scaling option.	
scal = Nag_UnscaleRes	
The result is returned unscaled.	
scal = Nag_ScaleRes	
The result is returned scaled by the factor $e^{ Re(2z\sqrt{z}/3) }$.	
<i>Constraint:</i> scal = Nag_UnscaleRes or Nag_ScaleRes.	
4: bi – Complex *	<i>Output</i>
<i>On exit:</i> the required function or derivative value.	
5: fail – NagError *	<i>Input/Output</i>
The NAG error argument (see Section 3.6 in the Essential Introduction).	

6 Error Indicators and Warnings

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_OVERFLOW_LIKELY

No computation because $\mathbf{z}.re = \langle value \rangle$ is too large when **scal** = Nag_UnscaleRes.

NE_TERMINATION_FAILURE

No computation – algorithm termination condition not met.

NE_TOTAL_PRECISION_LOSS

No computation because $|\mathbf{z}| = \langle value \rangle > \langle value \rangle$.

NW SOME PRECISION LOSS

Results lack precision because $|\mathbf{z}| = \langle value \rangle > \langle value \rangle$.

7 Accuracy

All constants in nag_complex_airy_bi (s17dhc) are given to approximately 18 digits of precision. Calling the number of digits of precision in the floating-point arithmetic being used t , then clearly the maximum number of correct digits in the results obtained is limited by $p = \min(t, 18)$. Because of errors in argument reduction when computing elementary functions inside nag_complex_airy_bi (s17dhc), the actual number of correct digits is limited, in general, by $p - s$, where $s \approx \max(1, |\log_{10}|\mathbf{z}||)$ represents the number of digits lost due to the argument reduction. Thus the larger the value of $|\mathbf{z}|$, the less the precision in the result.

Empirical tests with modest values of z , checking relations between Airy functions $Ai(z)$, $Ai'(z)$, $Bi(z)$ and $Bi'(z)$, have shown errors limited to the least significant 3 – 4 digits of precision.

8 Parallelism and Performance

Not applicable.

9 Further Comments

Note that if the function is required to operate on a real argument only, then it may be much cheaper to call nag_airy_bi (s17ahc) or nag_airy_bi_deriv (s17akc).

10 Example

This example prints a caption and then proceeds to read sets of data from the input data stream. The first datum is a value for the argument **deriv**, the second is a complex value for the argument, **z**, and the third is a character value used as a flag to set the argument **scal**. The program calls the function and prints the results. The process is repeated until the end of the input data stream is encountered.

10.1 Program Text

```
/* nag_complex_airy_bi (s17dhc) Example Program.
*
* Copyright 2002 Numerical Algorithms Group.
*
* Mark 7, 2002.
*/
#include <nag.h>
#include <stdio.h>
#include <nag_stdlb.h>
#include <nags.h>

int main(void)
{
    Integer          exit_status = 0;
    Complex          z, bi;
    char             nag_enum_deriv[40], nag_enum_scal[40];
    Nag_ScaleResType scal;
    Nag_FunType      deriv;
    NagError         fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
    scanf("%*[^\n]");
    printf("nag_complex_airy_bi (s17dhc) Example Program Results\n");
    printf(
        "          deriv          z          scal          bi\n");
    while (scanf(" %39s (%lf,%lf) %39s%*[^\\n] ",,
                nag_enum_deriv, &z.re, &z.im, nag_enum_scal) != EOF)
    {
        /* nag_enum_name_to_value (x04nac).
         * Converts NAG enum member name to value
         */
        deriv = (Nag_FunType) nag_enum_name_to_value(nag_enum_deriv);
        scal = (Nag_ScaleResType) nag_enum_name_to_value(nag_enum_scal);

        /* nag_complex_airy_bi (s17dhc).
         * Airy functions Bi(z), complex z
         */
        nag_complex_airy_bi(deriv, z, scal, &bi, &fail);
        if (fail.code != NE_NOERROR)
        {
            printf("Error from nag_complex_airy_bi (s17dhc).\n%s\n",
                   fail.message);
            exit_status = 1;
            goto END;
        }
        printf(" %-12s (%7.3f,%7.3f)  %-14s (%7.3f,%7.3f)\n",
               nag_enum_deriv, z.re, z.im, nag_enum_scal, bi.re, bi.im);
    }

END:
```

```
    return exit_status;
}
```

10.2 Program Data

```
nag_complex_airy_bi (s17dhc) Example Program Data
Nag_Function  ( 0.3,   0.4)      Nag_UnscaleRes
Nag_Function  ( 0.2,   0.0)      Nag_UnscaleRes
Nag_Function  ( 1.1, -6.6)      Nag_UnscaleRes
Nag_Function  ( 1.1, -6.6)      Nag_ScaleRes
Nag_Deriv     (-1.0,   0.0)      Nag_UnscaleRes  - Values of deriv, z and scal
```

10.3 Program Results

```
nag_complex_airy_bi (s17dhc) Example Program Results
      deriv          z          scal          bi
Nag_Function  ( 0.300,  0.400)  Nag_UnscaleRes  ( 0.736,  0.183)
Nag_Function  ( 0.200,  0.000)  Nag_UnscaleRes  ( 0.705,  0.000)
Nag_Function  ( 1.100, -6.600)  Nag_UnscaleRes  (-47.904, 43.663)
Nag_Function  ( 1.100, -6.600)  Nag_ScaleRes   ( -0.130,  0.119)
Nag_Deriv     (-1.000,  0.000)  Nag_UnscaleRes  ( 0.592,  0.000)
```
