

NAG Library Function Document

nag_kelvin_kei_vector (s19arc)

1 Purpose

nag_kelvin_kei_vector (s19arc) returns an array of values for the Kelvin function $\text{kei } x$.

2 Specification

```
#include <nag.h>
#include <nags.h>
void nag_kelvin_kei_vector (Integer n, const double x[], double f[],
    Integer invalid[], NagError *fail)
```

3 Description

nag_kelvin_kei_vector (s19arc) evaluates an approximation to the Kelvin function $\text{kei } x_i$ for an array of arguments x_i , for $i = 1, 2, \dots, n$.

Note: for $x < 0$ the function is undefined, so we need only consider $x \geq 0$.

The function is based on several Chebyshev expansions:

For $0 \leq x \leq 1$,

$$\text{kei } x = -\frac{\pi}{4}f(t) + \frac{x^2}{4}[-g(t)\log(x) + v(t)]$$

where $f(t)$, $g(t)$ and $v(t)$ are expansions in the variable $t = 2x^4 - 1$;

For $1 < x \leq 3$,

$$\text{kei } x = \exp\left(-\frac{9}{8}x\right)u(t)$$

where $u(t)$ is an expansion in the variable $t = x - 2$;

For $x > 3$,

$$\text{kei } x = \sqrt{\frac{\pi}{2x}}e^{-x/\sqrt{2}}\left[\left(1 + \frac{1}{x}\right)c(t)\sin\beta + \frac{1}{x}d(t)\cos\beta\right]$$

where $\beta = \frac{x}{\sqrt{2}} + \frac{\pi}{8}$, and $c(t)$ and $d(t)$ are expansions in the variable $t = \frac{6}{x} - 1$.

For $x < 0$, the function is undefined, and hence the function fails and returns zero.

When x is sufficiently close to zero, the result is computed as

$$\text{kei } x = -\frac{\pi}{4} + \left(1 - \gamma - \log\left(\frac{x}{2}\right)\right)\frac{x^2}{4}$$

and when x is even closer to zero simply as

$$\text{kei } x = -\frac{\pi}{4}.$$

For large x , $\text{kei } x$ is asymptotically given by $\sqrt{\frac{\pi}{2x}}e^{-x/\sqrt{2}}$ and this becomes so small that it cannot be computed without underflow and the function fails.

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

5 Arguments

1:	n – Integer	<i>Input</i>
	<i>On entry:</i> n , the number of points.	
	<i>Constraint:</i> $\mathbf{n} \geq 0$.	
2:	x[n] – const double	<i>Input</i>
	<i>On entry:</i> the argument x_i of the function, for $i = 1, 2, \dots, n$.	
	<i>Constraint:</i> $\mathbf{x}[i - 1] \geq 0.0$, for $i = 1, 2, \dots, n$.	
3:	f[n] – double	<i>Output</i>
	<i>On exit:</i> $\text{kei } x_i$, the function values.	
4:	invalid[n] – Integer	<i>Output</i>
	<i>On exit:</i> $\mathbf{invalid}[i - 1]$ contains the error code for x_i , for $i = 1, 2, \dots, n$.	
	invalid [$i - 1$] = 0 No error.	
	invalid [$i - 1$] = 1 x_i is too large, the result underflows. f [$i - 1$] contains zero. The threshold value is the same as for fail.code = NE_REAL_ARG_GT in nag_kelvin_kei (s19adc), as defined in the Users' Note for your implementation.	
	invalid [$i - 1$] = 2 $x_i < 0.0$, the function is undefined. f [$i - 1$] contains 0.0.	
5:	fail – NagError *	<i>Input/Output</i>
	The NAG error argument (see Section 3.6 in the Essential Introduction).	

6 Error Indicators and Warnings

NE_BAD_PARAM

On entry, argument $\langle\text{value}\rangle$ had an illegal value.

NE_INT

On entry, $\mathbf{n} = \langle\text{value}\rangle$.
Constraint: $\mathbf{n} \geq 0$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NW_INVALID

On entry, at least one value of **x** was invalid.
Check **invalid** for more information.

7 Accuracy

Let E be the absolute error in the result, and δ be the relative error in the argument. If δ is somewhat larger than the machine representation error, then we have:

$$E \simeq \left| \frac{x}{\sqrt{2}} (-\text{ker}_1 x + \text{kei}_1 x) \right| \delta.$$

For small x , errors are attenuated by the function and hence are limited by the *machine precision*.

For medium and large x , the error behaviour, like the function itself, is oscillatory and hence only absolute accuracy of the function can be maintained. For this range of x , the amplitude of the absolute error decays like $\sqrt{\frac{\pi x}{2}} e^{-x/\sqrt{2}}$, which implies a strong attenuation of error. Eventually, $\text{kei } x$, which is asymptotically given by $\sqrt{\frac{\pi}{2x}} e^{-x/\sqrt{2}}$, becomes so small that it cannot be calculated without causing underflow and therefore the function returns zero. Note that for large x , the errors are dominated by those of the standard function \exp .

8 Parallelism and Performance

Not applicable.

9 Further Comments

Underflow may occur for a few values of x close to the zeros of $\text{kei } x$, below the limit which causes a failure with **fail.code = NW_INVALID**.

10 Example

This example reads values of x from a file, evaluates the function at each value of x_i and prints the results.

10.1 Program Text

```
/* nag_kelvin_kei_vector (s19arc) Example Program.
 *
 * Copyright 2011, Numerical Algorithms Group.
 *
 * Mark 23 2011.
 */
#include <nag.h>
#include <stdio.h>
#include <nag_stdl�.h>
#include <nags.h>

int main(void)
{
    Integer exit_status = 0;
    Integer i, n;
    double *f = 0, *x = 0;
    Integer *invalid = 0;
    NagError fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
    scanf("%*[^\n]");

    printf("nag_kelvin_kei_vector (s19arc) Example Program Results\n");
    printf("\n");
    printf("      x          f          invalid\n");
    printf("\n");
    scanf("%ld", &n);
    for (i = 0; i < n; i++)
    {
        *x = (double)i;
        *f = nag_kelvin_kei_vector(x, invalid, &fail);
        if (fail.code != NW_SUCCESS)
        {
            printf("Error - failure in call to nag_kelvin_kei_vector\n");
            exit_status = 1;
        }
        else
        {
            printf("%10.4f %10.4f %10d\n", *x, *f, *invalid);
        }
    }
}
```

```

scanf("%*[^\n]");

/* Allocate memory */
if (!(x = NAG_ALLOC(n, double)) ||
    !(f = NAG_ALLOC(n, double)) ||
    !(invalid = NAG_ALLOC(n, Integer)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

for (i=0; i<n; i++)
    scanf("%lf", &x[i]);
scanf("%*[^\n]");

/* nag_kelvin_kei_vector (s19arc).
 * Kelvin Function kei x
 */
nag_kelvin_kei_vector(n, x, f, invalid, &fail);
if (fail.code!=NE_NOERROR && fail.code!=NW_INVALID)
{
    printf("Error from nag_kelvin_kei_vector (s19arc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

for (i=0; i<n; i++)
    printf(" %11.3e %11.3e %4ld\n", x[i], f[i], invalid[i]);

END:
NAG_FREE(f);
NAG_FREE(x);
NAG_FREE(invalid);

return exit_status;
}

```

10.2 Program Data

nag_kelvin_kei_vector (s19arc) Example Program Data

7

0.0 0.1 1.0 2.5 5.0 10.0 15.0

10.3 Program Results

nag_kelvin_kei_vector (s19arc) Example Program Results

x	f	invalid
0.000e+00	-7.854e-01	0
1.000e-01	-7.769e-01	0
1.000e+00	-4.950e-01	0
2.500e+00	-1.107e-01	0
5.000e+00	1.119e-02	0
1.000e+01	-3.075e-04	0
1.500e+01	7.963e-06	0
