

# NAG Library Function Document

## nag\_fresnel\_s (s20acc)

### 1 Purpose

nag\_fresnel\_s (s20acc) returns a value for the Fresnel integral  $S(x)$ .

### 2 Specification

```
#include <nag.h>
#include <nags.h>
double nag_fresnel_s (double x)
```

### 3 Description

nag\_fresnel\_s (s20acc) evaluates an approximation to the Fresnel integral

$$S(x) = \int_0^x \sin\left(\frac{\pi}{2}t^2\right) dt.$$

**Note:**  $S(x) = -S(-x)$ , so the approximation need only consider  $x \geq 0.0$ .

The function is based on three Chebyshev expansions:

For  $0 < x \leq 3$ ,

$$S(x) = x^3 \sum_{r=0} a_r T_r(t), \quad \text{with } t = 2\left(\frac{x}{3}\right)^4 - 1.$$

For  $x > 3$ ,

$$S(x) = \frac{1}{2} - \frac{f(x)}{x} \cos\left(\frac{\pi}{2}x^2\right) - \frac{g(x)}{x^3} \sin\left(\frac{\pi}{2}x^2\right),$$

where  $f(x) = \sum_{r=0} b_r T_r(t)$ ,

and  $g(x) = \sum_{r=0} c_r T_r(t)$ ,

with  $t = 2\left(\frac{3}{x}\right)^4 - 1$ .

For small  $x$ ,  $S(x) \simeq \frac{\pi}{6}x^3$ . This approximation is used when  $x$  is sufficiently small for the result to be correct to **machine precision**. For very small  $x$ , this approximation would underflow; the result is then set exactly to zero.

For large  $x$ ,  $f(x) \simeq \frac{1}{\pi}$  and  $g(x) \simeq \frac{1}{\pi^2}$ . Therefore for moderately large  $x$ , when  $\frac{1}{\pi^2 x^3}$  is negligible compared with  $\frac{1}{2}$ , the second term in the approximation for  $x > 3$  may be dropped. For very large  $x$ , when  $\frac{1}{\pi x}$  becomes negligible,  $S(x) \simeq \frac{1}{2}$ . However there will be considerable difficulties in calculating  $\cos\left(\frac{\pi}{2}x^2\right)$  accurately before this final limiting value can be used. Since  $\cos\left(\frac{\pi}{2}x^2\right)$  is periodic, its value is essentially determined by the fractional part of  $x^2$ . If  $x^2 = N + \theta$  where  $N$  is an integer and  $0 \leq \theta < 1$ , then  $\cos\left(\frac{\pi}{2}x^2\right)$  depends on  $\theta$  and on  $N$  modulo 4. By exploiting this fact, it is possible to retain significance in the calculation of  $\cos\left(\frac{\pi}{2}x^2\right)$  either all the way to the very large  $x$  limit, or at least until the integer part of  $\frac{x}{2}$  is equal to the maximum integer allowed on the machine.

## 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

## 5 Arguments

1:  $x$  – double

*Input*

*On entry:* the argument  $x$  of the function.

## 6 Error Indicators and Warnings

None.

## 7 Accuracy

Let  $\delta$  and  $\epsilon$  be the relative errors in the argument and result respectively.

If  $\delta$  is somewhat larger than the *machine precision* (i.e., if  $\delta$  is due to data errors etc.), then  $\epsilon$  and  $\delta$  are approximately related by:

$$\epsilon \simeq \left| \frac{x \sin\left(\frac{\pi}{2}x^2\right)}{S(x)} \right| \delta.$$

Figure 1 shows the behaviour of the error amplification factor  $\left| \frac{x \sin\left(\frac{\pi}{2}x^2\right)}{S(x)} \right|$ .

However if  $\delta$  is of the same order as the *machine precision*, then rounding errors could make  $\epsilon$  slightly larger than the above relation predicts.

For small  $x$ ,  $\epsilon \simeq 3\delta$  and hence there is only moderate amplification of relative error. Of course for very small  $x$  where the correct result would underflow and exact zero is returned, relative error-control is lost.

For moderately large values of  $x$ ,

$$|\epsilon| \simeq \left| 2x \sin\left(\frac{\pi}{2}x^2\right) \right| |\delta|$$

and the result will be subject to increasingly large amplification of errors. However the above relation breaks down for large values of  $x$  (i.e., when  $\frac{1}{x^2}$  is of the order of the *machine precision*); in this region the relative error in the result is essentially bounded by  $\frac{2}{\pi x}$ .

Hence the effects of error amplification are limited and at worst the relative error loss should not exceed half the possible number of significant figures.




Figure 1

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

None.

## 10 Example

This example reads values of the argument  $x$  from a file, evaluates the function at each value of  $x$  and prints the results.

### 10.1 Program Text

```

/* nag_fresnel_s (s20acc) Example Program.
 *
 * Copyright 1990 Numerical Algorithms Group.
 *
 * Mark 2 revised, 1992.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Integer exit_status = 0;
    double x, y;

    /* Skip heading in data file */
    scanf("%*[^\\n]");
    printf("nag_fresnel_s (s20acc) Example Program Results\\n");
    printf("      x          y\\n");
    while (scanf("%lf", &x) != EOF)
    {

```

```

/* nag_fresnel_s (s20acc).
 * Fresnel integral S(x)
 */
y = nag_fresnel_s(x);
printf("%12.3e%12.3e\n", x, y);
}

return exit_status;
}

```

## 10.2 Program Data

nag\_fresnel\_s (s20acc) Example Program Data

```

0.0
0.5
1.0
2.0
4.0
5.0
6.0
8.0
10.0
-1.0
1000.0

```

## 10.3 Program Results

nag\_fresnel\_s (s20acc) Example Program Results

x	y
0.000e+00	0.000e+00
5.000e-01	6.473e-02
1.000e+00	4.383e-01
2.000e+00	3.434e-01
4.000e+00	4.205e-01
5.000e+00	4.992e-01
6.000e+00	4.470e-01
8.000e+00	4.602e-01
1.000e+01	4.682e-01
-1.000e+00	-4.383e-01
1.000e+03	4.997e-01

