

NAG Library Function Document

nag_lambertW (c05bac)

1 Purpose

`nag_lambertW (c05bac)` returns the real values of Lambert's W function $W(x)$.

2 Specification

```
#include <nag.h>
#include <nagc05.h>
double nag_lambertW (double x, Integer branch, Nag_Boolean offset,
                     NagError *fail)
```

3 Description

`nag_lambertW (c05bac)` calculates an approximate value for the real branches of Lambert's W function (sometimes known as the 'product log' or 'Omega' function), which is the inverse function of

$$f(w) = we^w \quad \text{for } w \in C.$$

The function f is many-to-one, and so, except at 0, W is multivalued. `nag_lambertW (c05bac)` restricts W and its argument x to be real, resulting in a function defined for $x \geq -\exp(-1)$ and which is double valued on the interval $(-\exp(-1), 0)$. This double-valued function is split into two real-valued branches according to the sign of $W(x) + 1$. We denote by W_0 the branch satisfying $W_0(x) \geq -1$ for all real x , and by W_{-1} the branch satisfying $W_{-1}(x) \leq -1$ for all real x . You may select your branch of interest using the argument **branch**.

The precise method used to approximate W is described fully in Barry *et al.* (1995). For x close to $-\exp(-1)$ greater accuracy comes from evaluating $W(-\exp(-1) + \Delta x)$ rather than $W(x)$: by setting **offset** = Nag_TRUE on entry you inform `nag_lambertW (c05bac)` that you are providing Δx , not x , in **x**.

4 References

Barry D J, Culligan-Hensley P J, and Barry S J (1995) Real values of the W -function *ACM Trans. Math. Software* **21**(2) 161–171

5 Arguments

1: **x** – double *Input*

On entry: if **offset** = Nag_TRUE, **x** is the offset Δx from $-\exp(-1)$ of the intended argument to W ; that is, $W(\beta)$ is computed, where $\beta = -\exp(-1) + \Delta x$.

If **offset** = Nag_FALSE, **x** is the argument x of the function; that is, $W(\beta)$ is computed, where $\beta = x$.

Constraints:

if **branch** = 0, $-\exp(-1) \leq \beta$;
if **branch** = -1, $-\exp(-1) \leq \beta < 0.0$.

2: **branch** – Integer *Input*

On entry: the real branch required.

branch = 0

The branch W_0 is selected.

branch = -1

The branch W_{-1} is selected.

Constraint: **branch** = 0 or -1.

3: **offset** – Nag_Boolean

Input

On entry: controls whether or not **x** is being specified as an offset from $-\exp(-1)$.

4: **fail** – NagError *

Input/Output

The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

NE_INT

On entry, **branch** = $\langle \text{value} \rangle$.

Constraint: **branch** = 0 or -1.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

NE_REAL

On entry, **branch** = -1, **offset** = Nag_FALSE and **x** = $\langle \text{value} \rangle$.

Constraint: if **branch** = -1 and **offset** = Nag_FALSE then **x** < 0.0.

On entry, **branch** = -1, **offset** = Nag_TRUE and **x** = $\langle \text{value} \rangle$.

Constraint: if **branch** = -1 and **offset** = Nag_TRUE then **x** < $\exp(-1.0)$.

On entry, **offset** = Nag_TRUE and **x** = $\langle \text{value} \rangle$.

Constraint: if **offset** = Nag_TRUE then **x** ≥ 0.0 .

On entry, **offset** = Nag_FALSE and **x** = $\langle \text{value} \rangle$.

Constraint: if **offset** = Nag_FALSE then **x** $\geq -\exp(-1.0)$.

NW_REAL

For the given offset **x**, W is negligibly different from -1: **x** = $\langle \text{value} \rangle$.

x is close to $-\exp(-1)$. Enter **x** as an offset to $-\exp(-1)$ for greater accuracy: **x** = $\langle \text{value} \rangle$.

7 Accuracy

For a high percentage of legal **x** on input, nag_lambertW (c05bac) is accurate to the number of decimal digits of precision on the host machine (see nag_decimal_digits (X02BEC)). An extra digit may be lost on some implementations and for a small proportion of such **x**. This depends on the accuracy of the base-10 logarithm on your system.

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

This example reads from a file the values of the required branch, whether or not the arguments to W are to be considered as offsets to $-\exp(-1)$, and the arguments \mathbf{x} themselves. It then evaluates the function for these sets of input data \mathbf{x} and prints the results.

10.1 Program Text

```
/* nag_lambertW (c05bac) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* Mark 9, 2009.
*/
#include <stdio.h>
#include <math.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagc05.h>

int main(void)
{
    /* Scalars */
    double      w, x;
    Integer     branch;
    Integer     exit_status = 0;
    char        offset[10];
    Nag_Boolean offsetenum;
    NagError    fail;

    INIT_FAIL(fail);

    printf("nag_lambertW (c05bac) Example Program Results\n");
    /* Skip heading in data file*/
#ifndef _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
#ifndef _WIN32
    scanf_s("%"NAG_IFMT"%*[^\n] ", &branch);
#else
    scanf("%"NAG_IFMT"%*[^\n] ", &branch);
#endif
#ifndef _WIN32
    scanf_s("%9s%*[^\n] ", offset, _countof(offset));
#else
    scanf("%9s%*[^\n] ", offset);
#endif
    /*
     * nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    offsetenum = (Nag_Boolean) nag_enum_name_to_value(offset);
    printf("\n");
    printf("branch = %"NAG_IFMT"\n", branch);
    printf("offset = %s\n", offset);
    printf("\n      x          w(x)\n\n");
```

```

#ifndef _WIN32
    while (scanf_s("%lf%*[^\n] ", &x) != EOF)
#else
    while (scanf("%lf%*[^\n] ", &x) != EOF)
#endif
{
    /*
     * nag_lambertW (c05bac)
     * Real values of Lambert's W function, W(x)
     */
    w = nag_lambertW(x, branch, offsetenum, &fail);
    if (fail.code == NE_NOERROR)
    {
        printf("%14.5e%14.5e\n", x, w);
    }
    else
    {
        printf("Error from nag_lambertW (c05bac).\n%s\n",
               fail.message);
        exit_status = 1;
        goto END;
    }
}

END:
    return exit_status;
}

```

10.2 Program Data

```

nag_lambertW (c05bac) Example Program Data
0                                     : branch
Nag_FALSE                            : offset
0.5
1.0
4.5
6.0
70000000.0

```

10.3 Program Results

```

nag_lambertW (c05bac) Example Program Results

```

```

branch = 0
offset = Nag_FALSE

```

x	w(x)
5.00000e-01	3.51734e-01
1.00000e+00	5.67143e-01
4.50000e+00	1.26724e+00
6.00000e+00	1.43240e+00
7.00000e+07	1.53339e+01
