

# NAG Library Function Document

## nag\_zhptri (f07pwc)

### 1 Purpose

nag\_zhptri (f07pwc) computes the inverse of a complex Hermitian indefinite matrix  $A$ , where  $A$  has been factorized by nag\_zhptrf (f07prc), using packed storage.

### 2 Specification

```
#include <nag.h>
#include <nagf07.h>

void nag_zhptri (Nag_OrderType order, Nag_UploType uplo, Integer n,
                Complex ap[], const Integer ipiv[], NagError *fail)
```

### 3 Description

nag\_zhptri (f07pwc) is used to compute the inverse of a complex Hermitian indefinite matrix  $A$ , the function must be preceded by a call to nag\_zhptrf (f07prc), which computes the Bunch–Kaufman factorization of  $A$ , using packed storage.

If **uplo** = Nag\_Upper,  $A = PUDU^H P^T$  and  $A^{-1}$  is computed by solving  $U^H P^T X P U = D^{-1}$  for  $X$ .

If **uplo** = Nag\_Lower,  $A = PLDL^H P^T$  and  $A^{-1}$  is computed by solving  $L^H P^T X P L = D^{-1}$  for  $X$ .

### 4 References

Du Croz J J and Higham N J (1992) Stability of methods for matrix inversion *IMA J. Numer. Anal.* **12** 1–19

### 5 Arguments

- 1: **order** – Nag\_OrderType *Input*  
*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag\_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.  
*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.
- 2: **uplo** – Nag\_UploType *Input*  
*On entry:* specifies how  $A$  has been factorized.  
**uplo** = Nag\_Upper  
 $A = PUDU^H P^T$ , where  $U$  is upper triangular.  
**uplo** = Nag\_Lower  
 $A = PLDL^H P^T$ , where  $L$  is lower triangular.  
*Constraint:* **uplo** = Nag\_Upper or Nag\_Lower.
- 3: **n** – Integer *Input*  
*On entry:*  $n$ , the order of the matrix  $A$ .  
*Constraint:*  $n \geq 0$ .

4: **ap**[*dim*] – Complex *Input/Output*

**Note:** the dimension, *dim*, of the array **ap** must be at least  $\max(1, \mathbf{n} \times (\mathbf{n} + 1)/2)$ .

*On entry:* the factorization of *A* stored in packed form, as returned by nag\_zhptrf (f07prc).

*On exit:* the factorization is overwritten by the *n* by *n* matrix  $A^{-1}$ .

The storage of elements  $A_{ij}$  depends on the **order** and **uplo** arguments as follows:

if **order** = Nag\_ColMajor and **uplo** = Nag\_Upper,  
 $A_{ij}$  is stored in **ap**[(*j* – 1) × *j*/2 + *i* – 1], for  $i \leq j$ ;  
 if **order** = Nag\_ColMajor and **uplo** = Nag\_Lower,  
 $A_{ij}$  is stored in **ap**[(2*n* – *j*) × (*j* – 1)/2 + *i* – 1], for  $i \geq j$ ;  
 if **order** = Nag\_RowMajor and **uplo** = Nag\_Upper,  
 $A_{ij}$  is stored in **ap**[(2*n* – *i*) × (*i* – 1)/2 + *j* – 1], for  $i \leq j$ ;  
 if **order** = Nag\_RowMajor and **uplo** = Nag\_Lower,  
 $A_{ij}$  is stored in **ap**[(*i* – 1) × *i*/2 + *j* – 1], for  $i \geq j$ .

5: **ipiv**[*dim*] – const Integer *Input*

**Note:** the dimension, *dim*, of the array **ipiv** must be at least  $\max(1, \mathbf{n})$ .

*On entry:* details of the interchanges and the block structure of *D*, as returned by nag\_zhptrf (f07prc).

6: **fail** – NagError \* *Input/Output*

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_BAD\_PARAM

On entry, argument *<value>* had an illegal value.

### NE\_INT

On entry, **n** = *<value>*.

Constraint:  $\mathbf{n} \geq 0$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in How to Use the NAG Library and its Documentation for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in How to Use the NAG Library and its Documentation for further information.

### NE\_SINGULAR

Element *<value>* of the diagonal is exactly zero. *D* is singular and the inverse of *A* cannot be computed.

## 7 Accuracy

The computed inverse  $X$  satisfies a bound of the form

$$\text{if } \mathbf{uplo} = \text{Nag\_Upper}, |DU^T P^T X P U - I| \leq c(n)\epsilon(|D||U^T|P^T|X|P|U| + |D||D^{-1}|);$$

$$\text{if } \mathbf{uplo} = \text{Nag\_Lower}, |DL^T P^T X P L - I| \leq c(n)\epsilon(|D||L^T|P^T|X|P|L| + |D||D^{-1}|),$$

$c(n)$  is a modest linear function of  $n$ , and  $\epsilon$  is the *machine precision*.

## 8 Parallelism and Performance

nag\_zhptri (f07pwc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The total number of real floating-point operations is approximately  $\frac{8}{3}n^3$ .

The real analogue of this function is nag\_dsptri (f07pjc).

## 10 Example

This example computes the inverse of the matrix  $A$ , where

$$A = \begin{pmatrix} -1.36 + 0.00i & 1.58 + 0.90i & 2.21 - 0.21i & 3.91 + 1.50i \\ 1.58 - 0.90i & -8.87 + 0.00i & -1.84 - 0.03i & -1.78 + 1.18i \\ 2.21 + 0.21i & -1.84 + 0.03i & -4.63 + 0.00i & 0.11 + 0.11i \\ 3.91 - 1.50i & -1.78 - 1.18i & 0.11 - 0.11i & -1.84 + 0.00i \end{pmatrix}.$$

Here  $A$  is Hermitian indefinite, stored in packed form, and must first be factorized by nag\_zhptrf (f07prc).

### 10.1 Program Text

```
/* nag_zhptri (f07pwc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf07.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    Integer ap_len, i, j, n;
    Integer exit_status = 0;
    NagError fail;
    Nag_UploType uplo;
    Nag_OrderType order;
    /* Arrays */
    Integer *ipiv = 0;
```

```

char nag_enum_arg[40];
Complex *ap = 0;

#ifdef NAG_LOAD_FP
/* The following line is needed to force the Microsoft linker
to load floating point support */
float force_loading_of_ms_float_support = 0;
#endif /* NAG_LOAD_FP */

#ifdef NAG_COLUMN_MAJOR
#define A_UPPER(I, J) ap[J*(J-1)/2 + I - 1]
#define A_LOWER(I, J) ap[(2*n-J)*(J-1)/2 + I - 1]
order = Nag_ColMajor;
#else
#define A_LOWER(I, J) ap[I*(I-1)/2 + J - 1]
#define A_UPPER(I, J) ap[(2*n-I)*(I-1)/2 + J - 1]
order = Nag_RowMajor;
#endif

INIT_FAIL(fail);

printf("nag_zhptri (f07pwc) Example Program Results\n\n");

/* Skip heading in data file */
#ifdef _WIN32
scanf_s("%*[\n] ");
#else
scanf("%*[\n] ");
#endif
#ifdef _WIN32
scanf_s("%" NAG_IFMT "%*[\n] ", &n);
#else
scanf("%" NAG_IFMT "%*[\n] ", &n);
#endif
ap_len = n * (n + 1) / 2;

/* Allocate memory */
if (!(ipiv = NAG_ALLOC(n, Integer)) || !(ap = NAG_ALLOC(ap_len, Complex)))
{
printf("Allocation failure\n");
exit_status = -1;
goto END;
}
/* Read A from data file */
#ifdef _WIN32
scanf_s(" %39s%*[\n] ", nag_enum_arg, (unsigned)_countof(nag_enum_arg));
#else
scanf(" %39s%*[\n] ", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
* Converts NAG enum member name to value
*/
uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_arg);

if (uplo == Nag_Upper) {
for (i = 1; i <= n; ++i) {
for (j = i; j <= n; ++j)
#ifdef _WIN32
scanf_s(" ( %lf , %lf )", &A_UPPER(i, j).re, &A_UPPER(i, j).im);
#else
scanf(" ( %lf , %lf )", &A_UPPER(i, j).re, &A_UPPER(i, j).im);
#endif
}
#ifdef _WIN32
scanf_s("%*[\n] ");
#else
scanf("%*[\n] ");
#endif
}
else {
for (i = 1; i <= n; ++i) {

```

```

        for (j = 1; j <= i; ++j)
#ifdef _WIN32
            scanf_s(" ( %lf , %lf )", &A_LOWER(i, j).re, &A_LOWER(i, j).im);
#else
            scanf(" ( %lf , %lf )", &A_LOWER(i, j).re, &A_LOWER(i, j).im);
#endif
        }
#ifdef _WIN32
        scanf_s("%*[^\\n] ");
#else
        scanf("%*[^\\n] ");
#endif
    }

    /* Factorize A */
    /* nag_zhpztrf (f07prc).
     * Bunch-Kaufman factorization of complex Hermitian
     * indefinite matrix, packed storage
     */
    nag_zhpztrf(order, uplo, n, ap, ipiv, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_zhpztrf (f07prc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    /* Compute inverse of A */
    /* nag_zhpztri (f07pwc).
     * Inverse of complex Hermitian indefinite matrix, matrix
     * already factorized by nag_zhpztrf (f07prc), packed storage
     */
    nag_zhpztri(order, uplo, n, ap, ipiv, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_zhpztri (f07pwc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    /* Print inverse */
    /* nag_pack_complx_mat_print_comp (x04ddc).
     * Print complex packed triangular matrix (comprehensive)
     */
    fflush(stdout);
    nag_pack_complx_mat_print_comp(order, uplo, Nag_NonUnitDiag, n, ap,
                                   Nag_BracketForm, "%7.4f", "Inverse",
                                   Nag_IntegerLabels, 0, Nag_IntegerLabels, 0,
                                   80, 0, 0, &fail);

    if (fail.code != NE_NOERROR) {
        printf("Error from nag_pack_complx_mat_print_comp (x04ddc).\n%s\n",
              fail.message);
        exit_status = 1;
        goto END;
    }
}
END:
    NAG_FREE(ipiv);
    NAG_FREE(ap);

    return exit_status;
}

```

## 10.2 Program Data

```

nag_zhpztri (f07pwc) Example Program Data
4                                     :Value of n
Nag_Lower                            :Value of uplo
(-1.36, 0.00)
( 1.58,-0.90) (-8.87, 0.00)
( 2.21, 0.21) (-1.84, 0.03) (-4.63, 0.00)
( 3.91,-1.50) (-1.78,-1.18) ( 0.11,-0.11) (-1.84, 0.00) :End of matrix A

```

### 10.3 Program Results

nag\_zhptri (f07pwc) Example Program Results

```
Inverse
          1          2          3          4
1 ( 0.0826, 0.0000)
2 (-0.0335, 0.0440) (-0.1408, 0.0000)
3 ( 0.0603,-0.0105) ( 0.0422,-0.0222) (-0.2007,-0.0000)
4 ( 0.2391,-0.0926) ( 0.0304, 0.0203) ( 0.0982,-0.0635) ( 0.0073, 0.0000)
```

---