

NAG Library Function Document

nag_imldwt (c09cdc)

1 Purpose

nag_imldwt (c09cdc) computes the inverse one-dimensional multi-level discrete wavelet transform (DWT). This function reconstructs data from (possibly filtered or otherwise manipulated) wavelet transform coefficients calculated by nag_mldwt (c09ccc) from an original set of data. The initialization function nag_wfilt (c09aac) must be called first to set up the DWT options.

2 Specification

```
#include <nag.h>
#include <nagc09.h>

void nag_imldwt (Integer nwlinv, Integer lenc, const double c[], Integer n,
                double y[], const Integer icomm[], NagError *fail)
```

3 Description

nag_imldwt (c09cdc) performs the inverse operation of nag_mldwt (c09ccc). That is, given a set of wavelet coefficients, computed up to level n_{fwd} by nag_mldwt (c09ccc) using a DWT as set up by the initialization function nag_wfilt (c09aac), on a real data array of length n , nag_imldwt (c09cdc) will reconstruct the data array y_i , for $i = 1, 2, \dots, n$, from which the coefficients were derived. If the original input dataset is level 0, then it is possible to terminate reconstruction at a higher level by specifying fewer than the number of levels used in the call to nag_mldwt (c09ccc). This results in a partial reconstruction.

4 References

None.

5 Arguments

- 1: **nwlinv** – Integer *Input*
On entry: the number of levels to be used in the inverse multi-level transform. The number of levels must be less than or equal to n_{fwd} , which has the value of argument **nwl** as used in the computation of the wavelet coefficients using nag_mldwt (c09ccc). The data will be reconstructed to level $(\text{nwl} - \text{nwlinv})$, where level 0 is the original input dataset provided to nag_mldwt (c09ccc).
Constraint: $1 \leq \text{nwlinv} \leq n_{\text{fwd}}$, where n_{fwd} is the value used in a preceding call to nag_mldwt (c09ccc).
- 2: **lenc** – Integer *Input*
On entry: the dimension of the array **c**.
Constraint: **lenc** $\geq n_c$, where n_c is the total number of coefficients that correspond to a transform with **nwlinv** levels and is unchanged from the preceding call to nag_mldwt (c09ccc).
- 3: **c[lenc]** – const double *Input*
On entry: the coefficients of a multi-level wavelet transform of the dataset.

Let $q(i)$ be the number of coefficients (of each type) at level i , for $i = n_{\text{fwd}}, n_{\text{fwd}} - 1, \dots, 1$. Then, setting $k_1 = q(n_{\text{fwd}})$ and $k_{j+1} = k_j + q(n_{\text{fwd}} - j + 1)$, for $j = 1, 2, \dots, n_{\text{fwd}}$, the coefficients are stored in **c** as follows:

c[$i - 1$], for $i = 1, 2, \dots, k_1$
 Contains the level n_{fwd} approximation coefficients, $a_{n_{\text{fwd}}}$.

c[$i - 1$], for $i = k_1 + 1, \dots, k_2$
 Contains the level n_{fwd} detail coefficients $d_{n_{\text{fwd}}}$.

c[$i - 1$], for $i = k_j + 1, \dots, k_{j+1}$
 Contains the level $n_{\text{fwd}} - j + 1$ detail coefficients, for $j = 2, 3, \dots, n_{\text{fwd}}$.

The values $q(i)$, for $i = n_{\text{fwd}}, n_{\text{fwd}} - 1, \dots, 1$, are contained in **dwtle** which is produced as output by a preceding call to `nag_mldwt (c09ccc)`. See `nag_mldwt (c09ccc)` for details.

- 4: **n** – Integer *Input*
On entry: n , the length of the data array, y , to be reconstructed. For a full reconstruction of **nwl** levels, where **nwl** is as supplied to `nag_mldwt (c09ccc)`, this must be the same as argument **n** used in the call to `nag_mldwt (c09ccc)`. For a partial reconstruction of **nwl** $_{\text{linv}} < \mathbf{nwl}$, this must be equal to **dwtle**[**nwl** $_{\text{linv}} + 1$], as returned from `nag_mldwt (c09ccc)`.
- 5: **y**[**n**] – double *Output*
On exit: the dataset reconstructed from the multi-level wavelet transform coefficients and the transformation options supplied to the initialization function `nag_wfilt (c09aac)`.
- 6: **icomm**[100] – const Integer *Communication Array*
On entry: contains details of the discrete wavelet transform and the problem dimension for the forward transform previously computed by `nag_mldwt (c09ccc)`.
- 7: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_ARRAY_DIM_LEN

On entry, **lenc** is set too small: **lenc** = $\langle \text{value} \rangle$.

Constraint: **lenc** $\geq \langle \text{value} \rangle$.

NE_BAD_PARAM

On entry, argument $\langle \text{value} \rangle$ had an illegal value.

NE_INITIALIZATION

Either the initialization function has not been called first or array **icomm** has been corrupted.

Either the initialization function was called with **wtrans** = Nag_SingleLevel or array **icomm** has been corrupted.

On entry, **n** is inconsistent with the value passed to the initialization function: **n** = $\langle \text{value} \rangle$, **n** should be $\langle \text{value} \rangle$.

NE_INT_2

On entry, **nwlinv** = $\langle value \rangle$.

Constraint: **nwlinv** \geq 1.

On entry, **nwlinv** is larger than the number of levels computed by the preceding call to nag_mldwt (c09ccc): **nwlinv** = $\langle value \rangle$, expected = $\langle value \rangle$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

The accuracy of the wavelet transform depends only on the floating-point operations used in the convolution and downsampling and should thus be close to *machine precision*.

8 Parallelism and Performance

nag_imldwt (c09cdc) is not threaded in any implementation.

9 Further Comments

None.

10 Example

See Section 10 in nag_mldwt (c09ccc).
