

NAG Library Function Document

nag_zunghr (f08ntc)

1 Purpose

nag_zunghr (f08ntc) generates the complex unitary matrix Q which was determined by nag_zgehrd (f08nsc) when reducing a complex general matrix A to Hessenberg form.

2 Specification

```
#include <nag.h>
#include <nagf08.h>
void nag_zunghr (Nag_OrderType order, Integer n, Integer ilo, Integer ihi,
                 Complex a[], Integer pda, const Complex tau[], NagError *fail)
```

3 Description

nag_zunghr (f08ntc) is intended to be used following a call to nag_zgehrd (f08nsc), which reduces a complex general matrix A to upper Hessenberg form H by a unitary similarity transformation: $A = QHQ^H$. nag_zgehrd (f08nsc) represents the matrix Q as a product of $i_{\text{hi}} - i_{\text{lo}}$ elementary reflectors. Here i_{lo} and i_{hi} are values determined by nag_zgebal (f08nvc) when balancing the matrix; if the matrix has not been balanced, $i_{\text{lo}} = 1$ and $i_{\text{hi}} = n$.

This function may be used to generate Q explicitly as a square matrix. Q has the structure:

$$Q = \begin{pmatrix} I & 0 & 0 \\ 0 & Q_{22} & 0 \\ 0 & 0 & I \end{pmatrix}$$

where Q_{22} occupies rows and columns i_{lo} to i_{hi} .

4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **n** – Integer *Input*

On entry: n , the order of the matrix Q .

Constraint: $n \geq 0$.

3:	ilo – Integer	<i>Input</i>
4:	ihī – Integer	<i>Input</i>

On entry: these **must** be the same arguments **ilo** and **ihī**, respectively, as supplied to nag_zgehrd (f08nsc).

Constraints:

if **n** > 0, $1 \leq \mathbf{ilo} \leq \mathbf{ihī} \leq \mathbf{n}$;
 if **n** = 0, **ilo** = 1 and **ihī** = 0.

5:	a [<i>dim</i>] – Complex	<i>Input/Output</i>
----	-----------------------------------	---------------------

Note: the dimension, *dim*, of the array **a** must be at least $\max(1, \mathbf{pda} \times \mathbf{n})$.

On entry: details of the vectors which define the elementary reflectors, as returned by nag_zgehrd (f08nsc).

On exit: the *n* by *n* unitary matrix *Q*.

If **order** = Nag_ColMajor, the (*i*, *j*)th element of the matrix is stored in **a**[(*j* – 1) × **pda** + *i* – 1].

If **order** = Nag_RowMajor, the (*i*, *j*)th element of the matrix is stored in **a**[(*i* – 1) × **pda** + *j* – 1].

6:	pda – Integer	<i>Input</i>
----	----------------------	--------------

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **a**.

Constraint: **pda** ≥ $\max(1, \mathbf{n})$.

7:	tau [<i>dim</i>] – const Complex	<i>Input</i>
----	-------------------------------------------	--------------

Note: the dimension, *dim*, of the array **tau** must be at least $\max(1, \mathbf{n} – 1)$.

On entry: further details of the elementary reflectors, as returned by nag_zgehrd (f08nsc).

8:	fail – NagError *	<i>Input/Output</i>
----	--------------------------	---------------------

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle\text{value}\rangle$ had an illegal value.

NE_INT

On entry, **n** = $\langle\text{value}\rangle$.

Constraint: **n** ≥ 0.

On entry, **pda** = $\langle\text{value}\rangle$.

Constraint: **pda** > 0.

NE_INT_2

On entry, **pda** = $\langle\text{value}\rangle$ and **n** = $\langle\text{value}\rangle$.

Constraint: **pda** $\geq \max(1, \mathbf{n})$.

NE_INT_3

On entry, **n** = $\langle\text{value}\rangle$, **ilo** = $\langle\text{value}\rangle$ and **ihii** = $\langle\text{value}\rangle$.

Constraint: if **n** > 0, $1 \leq \mathbf{ilo} \leq \mathbf{ihii} \leq \mathbf{n}$;

if **n** = 0, **ilo** = 1 and **ihii** = 0.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

The computed matrix Q differs from an exactly unitary matrix by a matrix E such that

$$\|E\|_2 = O(\epsilon),$$

where ϵ is the *machine precision*.

8 Parallelism and Performance

`nag_zunghr` (f08ntc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

`nag_zunghr` (f08ntc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The total number of real floating-point operations is approximately $\frac{16}{3}q^3$, where $q = i_{\text{hi}} - i_{\text{lo}}$.

The real analogue of this function is `nag_dorgrh` (f08nfc).

10 Example

This example computes the Schur factorization of the matrix A , where

$$A = \begin{pmatrix} -3.97 - 5.04i & -4.11 + 3.70i & -0.34 + 1.01i & 1.29 - 0.86i \\ 0.34 - 1.50i & 1.52 - 0.43i & 1.88 - 5.38i & 3.36 + 0.65i \\ 3.31 - 3.85i & 2.50 + 3.45i & 0.88 - 1.08i & 0.64 - 1.48i \\ -1.10 + 0.82i & 1.81 - 1.59i & 3.25 + 1.33i & 1.57 - 3.44i \end{pmatrix}.$$

Here A is general and must first be reduced to Hessenberg form by `nag_zgehrd` (f08nsc). The program then calls `nag_zunghr` (f08ntc) to form Q , and passes this matrix to `nag_zhseqr` (f08psc) which computes the Schur factorization of A .

10.1 Program Text

```

/* nag_zunghr (f08ntc) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/
#include <stdio.h>
#include <math.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf08.h>
#include <nagf16.h>
#include <nagx04.h>
#include <nagx02.h>

int main(void)
{
    /* Scalars */
    Complex alpha, beta;
    double norm;
    Integer i, j, n, pda, pdc, pdd, pdz, tau_len, w_len;
    Integer exit_status = 0;
    NagError fail;
    Nag_OrderType order;
    /* Arrays */
    Complex *a = 0, *c = 0, *d = 0, *tau = 0, *w = 0, *z = 0;

#define NAG_COLUMN_MAJOR
#define A(I, J) a[(J - 1) * pda + I - 1]
#define D(I, J) d[(J - 1) * pdd + I - 1]
#define Z(I, J) z[(J - 1) * pdz + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I - 1) * pda + J - 1]
#define D(I, J) d[(I - 1) * pdd + J - 1]
#define Z(I, J) z[(I - 1) * pdz + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_zunghr (f08ntc) Example Program Results\n\n");

    /* Skip heading in data file */
#ifndef _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
#ifndef _WIN32
    scanf_s("%" NAG_IFMT "%*[^\n] ", &n);
#else
    scanf("%" NAG_IFMT "%*[^\n] ", &n);
#endif
#ifndef NAG_COLUMN_MAJOR
    pda = n;
    pdc = n;
    pdd = n;
    pdz = n;
#else
    pda = n;
    pdc = n;
    pdd = n;
    pdz = n;
#endif
    tau_len = n - 1;

```

```
w_len = n;

/* Allocate memory */
if (!(a = NAG_ALLOC(n * n, Complex)) ||
    !(c = NAG_ALLOC(n * n, Complex)) ||
    !(d = NAG_ALLOC(n * n, Complex)) ||
    !(tau = NAG_ALLOC(tau_len, Complex)) ||
    !(w = NAG_ALLOC(w_len, Complex)) || !(z = NAG_ALLOC(n * n, Complex)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

/* Read A from data file */
for (i = 1; i <= n; ++i) {
    for (j = 1; j <= n; ++j)
#ifdef _WIN32
    scanf_s(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
#else
    scanf(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
#endif
}
#ifdef _WIN32
scanf_s("%*[^\n] ");
#else
scanf("%*[^\n] ");
#endif

/* Copy A into D */
for (i = 1; i <= n; ++i) {
    for (j = 1; j <= n; ++j) {
        D(i, j).re = A(i, j).re;
        D(i, j).im = A(i, j).im;
    }
}

/* nag_gen_complx_mat_print_comp (x04dbc): Print matrix A */
fflush(stdout);
nag_gen_complx_mat_print_comp(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n,
                               n, a, pda, Nag_BracketForm, "%7.4f",
                               "Matrix A", Nag_IntegerLabels, 0,
                               Nag_IntegerLabels, 0, 80, 0, 0, &fail);
printf("\n");
if (fail.code != NE_NOERROR) {
    printf("Error from nag_gen_complx_mat_print_comp (x04dbc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

/* Reduce A to upper Hessenberg form H = (Q^T)*A*Q */
/* nag_zgehrd (f08nsc). */
/* Unitary reduction of complex general matrix to upper
   Hessenberg form
*/
nag_zgehrd(order, n, 1, n, a, pda, tau, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_zgehrd (f08nsc).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Copy A into Z */
for (i = 1; i <= n; ++i) {
    for (j = 1; j <= n; ++j) {
        z(i, j).re = A(i, j).re;
        z(i, j).im = A(i, j).im;
    }
}
```

```

/* Form Q explicitly, storing the result in Z */
/* nag_zunghr (f08ntc).
 * Generate unitary transformation matrix from reduction to
 * Hessenberg form determined by nag_zgehrd (f08nsc)
 */
nag_zunghr(order, n, 1, n, z, pdz, tau, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_zunghr (f08ntc).\\n%s\\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Calculate the Schur factorization of H = Y*T*(Y^T) and form */
/* Q*Y explicitly, storing the result in Z */

/* Note that A = Z*T*(Z^T), where Z = Q*Y */
/* nag_zhseqr (f08psc).
 * Eigenvalues and Schur factorization of complex upper
 * Hessenberg matrix reduced from complex general matrix
 */
nag_zhseqr(order, Nag_Schur, Nag_UpdateZ, n, 1, n, a, pda,
            w, z, pdz, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_zhseqr (f08psc).\\n%s\\n", fail.message);
    exit_status = 1;
    goto END;
}

/* nag_zgemm (f16zac): Compute A - Z*T*Z^H from the factorization of */
/* A and store in matrix D */
alpha.re = 1.0;
alpha.im = 0.0;
beta.re = 0.0;
beta.im = 0.0;
nag_zgemm(order, Nag_NoTrans, Nag_NoTrans, n, n, n, alpha, z, pdz,
           a, pda, beta, c, pdc, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_zgemm (f16zac).\\n%s\\n", fail.message);
    exit_status = 1;
    goto END;
}
alpha.re = -1.0;
beta.re = 1.0;
nag_zgemm(order, Nag_NoTrans, Nag_ConjTrans, n, n, n, alpha, c, pdc,
           z, pdz, beta, d, pdd, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_zgemm (f16zac).\\n%s\\n", fail.message);
    exit_status = 1;
    goto END;
}

/* nag_zge_norm (f16uac): Find norm of matrix D and print warning if */
/* it is too large */
nag_zge_norm(order, Nag_OneNorm, n, n, d, pdd, &norm, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_zge_norm (f16uac).\\n%s\\n", fail.message);
    exit_status = 1;
    goto END;
}
if (norm > pow(x02ajc(), 0.8)) {
    printf("%s\\n%s\\n", "Norm of A-(Z*T*Z^H) is much greater than 0.",
          "Schur factorization has failed.");
}

END:
NAG_FREE(a);
NAG_FREE(c);
NAG_FREE(d);
NAG_FREE(tau);

```

```

NAG_FREE(w);
NAG_FREE(z);

return exit_status;
}

```

10.2 Program Data

```

nag_zunghr (f08ntc) Example Program Data
4
(-3.97,-5.04) (-4.11, 3.70) (-0.34, 1.01) ( 1.29,-0.86)
( 0.34,-1.50) ( 1.52,-0.43) ( 1.88,-5.38) ( 3.36, 0.65)
( 3.31,-3.85) ( 2.50, 3.45) ( 0.88,-1.08) ( 0.64,-1.48)
(-1.10, 0.82) ( 1.81,-1.59) ( 3.25, 1.33) ( 1.57,-3.44) :Value of N
                                         :End of matrix A

```

10.3 Program Results

```
nag_zunghr (f08ntc) Example Program Results
```

Matrix A	1	2	3	4
1	(-3.9700,-5.0400)	(-4.1100, 3.7000)	(-0.3400, 1.0100)	(1.2900,-0.8600)
2	(0.3400,-1.5000)	(1.5200,-0.4300)	(1.8800,-5.3800)	(3.3600, 0.6500)
3	(3.3100,-3.8500)	(2.5000, 3.4500)	(0.8800,-1.0800)	(0.6400,-1.4800)
4	(-1.1000, 0.8200)	(1.8100,-1.5900)	(3.2500, 1.3300)	(1.5700,-3.4400)
