

# NAG Library Function Document

## nag\_dtrmv (f16pfc)

### 1 Purpose

nag\_dtrmv (f16pfc) performs matrix-vector multiplication for a real triangular matrix.

### 2 Specification

```
#include <nag.h>
#include <nagf16.h>
void nag_dtrmv (Nag_OrderType order, Nag_UptoType uplo, Nag_TransType trans,
    Nag_DiagType diag, Integer n, double alpha, const double a[],
    Integer pda, double x[], Integer incx, NagError *fail)
```

### 3 Description

nag\_dtrmv (f16pfc) performs one of the matrix-vector operations

$$x \leftarrow \alpha Ax \quad \text{or} \quad x \leftarrow \alpha A^T x,$$

where  $A$  is an  $n$  by  $n$  real triangular matrix,  $x$  is an  $n$ -element real vector and  $\alpha$  is a real scalar.

### 4 References

Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001) *Basic Linear Algebra Subprograms Technical (BLAST) Forum Standard* University of Tennessee, Knoxville, Tennessee <http://www.netlib.org/blas/blast-forum/blas-report.pdf>

### 5 Arguments

- |   |                              |              |
|---|------------------------------|--------------|
| 1:  | <b>order</b> – Nag_OrderType | <i>Input</i> |
| <p><i>On entry:</i> the <b>order</b> argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by <b>order</b> = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.</p> <p><i>Constraint:</i> <b>order</b> = Nag_RowMajor or Nag_ColMajor.</p> |                              |              |
| 2:  | <b>uplo</b> – Nag_UptoType   | <i>Input</i> |
| <p><i>On entry:</i> specifies whether <math>A</math> is upper or lower triangular.</p> <p><b>uplo</b> = Nag_Upper<br/> <math>A</math> is upper triangular.</p> <p><b>uplo</b> = Nag_Lower<br/> <math>A</math> is lower triangular.</p> <p><i>Constraint:</i> <b>uplo</b> = Nag_Upper or Nag_Lower.</p>  |                              |              |
| 3:  | <b>trans</b> – Nag_TransType | <i>Input</i> |
| <p><i>On entry:</i> specifies the operation to be performed.</p> <p><b>trans</b> = Nag_NoTrans<br/> <math>x \leftarrow \alpha Ax.</math></p>  |                              |              |

**trans** = Nag\_Trans or Nag\_ConjTrans  
 $x \leftarrow \alpha A^T x.$

*Constraint:* **trans** = Nag\_NoTrans, Nag\_Trans or Nag\_ConjTrans.

4: **diag** – Nag\_DiagType *Input*

*On entry:* specifies whether  $A$  has nonunit or unit diagonal elements.

**diag** = Nag\_NonUnitDiag  
The diagonal elements are stored explicitly.

**diag** = Nag\_UnitDiag  
The diagonal elements are assumed to be 1 and are not referenced.

*Constraint:* **diag** = Nag\_NonUnitDiag or Nag\_UnitDiag.

5: **n** – Integer *Input*

*On entry:*  $n$ , the order of the matrix  $A$ .

*Constraint:* **n**  $\geq 0$ .

6: **alpha** – double *Input*

*On entry:* the scalar  $\alpha$ .

7: **a[dim]** – const double *Input*

**Note:** the dimension,  $dim$ , of the array **a** must be at least  $\max(1, \mathbf{pda} \times \mathbf{n})$ .

*On entry:* the  $n$  by  $n$  triangular matrix  $A$ .

If **order** = Nag\_ColMajor,  $A_{ij}$  is stored in **a**[( $j - 1$ )  $\times$  **pda** +  $i - 1$ ].

If **order** = Nag\_RowMajor,  $A_{ij}$  is stored in **a**[( $i - 1$ )  $\times$  **pda** +  $j - 1$ ].

If **uplo** = Nag\_Upper, the upper triangular part of  $A$  must be stored and the elements of the array below the diagonal are not referenced.

If **uplo** = Nag\_Lower, the lower triangular part of  $A$  must be stored and the elements of the array above the diagonal are not referenced.

If **diag** = Nag\_UnitDiag, the diagonal elements of  $A$  are assumed to be 1, and are not referenced.

8: **pda** – Integer *Input*

*On entry:* the stride separating row or column elements (depending on the value of **order**) of the matrix  $A$  in the array **a**.

*Constraint:* **pda**  $\geq \max(1, \mathbf{n})$ .

9: **x[dim]** – double *Input/Output*

**Note:** the dimension,  $dim$ , of the array **x** must be at least  $\max(1, 1 + (\mathbf{n} - 1)|\mathbf{inx}|)$ .

*On entry:* the right-hand side vector  $b$ .

*On exit:* the solution vector  $x$ .

10: **inx** – Integer *Input*

*On entry:* the increment in the subscripts of **x** between successive elements of  $x$ .

*Constraint:* **inx**  $\neq 0$ .

11: **fail** – NagError \*

*Input/Output*

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INT

On entry, **inx** =  $\langle value \rangle$ .

Constraint: **inx**  $\neq 0$ .

On entry, **n** =  $\langle value \rangle$ .

Constraint: **n**  $\geq 0$ .

### NE\_INT\_2

On entry, **pda** =  $\langle value \rangle$ , **n** =  $\langle value \rangle$ .

Constraint: **pda**  $\geq \max(1, n)$ .

### NE\_INTERNAL\_ERROR

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

## 7 Accuracy

The BLAS standard requires accurate implementations which avoid unnecessary over/underflow (see Section 2.7 of Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001)).

## 8 Parallelism and Performance

`nag_dtrmv` (f16pfc) is not threaded in any implementation.

## 9 Further Comments

None.

## 10 Example

This example computes the matrix-vector product

$$y = \alpha Ax$$

where

$$A = \begin{pmatrix} 1.0 & 0.0 & 0.0 & 0.0 \\ 2.0 & 2.0 & 0.0 & 0.0 \\ 3.0 & 3.0 & 3.0 & 0.0 \\ 4.0 & 4.0 & 4.0 & 4.0 \end{pmatrix},$$

$$x = \begin{pmatrix} -1.0 \\ 2.0 \\ -3.0 \\ 1.0 \end{pmatrix}$$

and

$$\alpha = 1.5.$$

## 10.1 Program Text

```
/* nag_dtrmv (f16pfc) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stlib.h>
#include <nagf16.h>

int main(void)
{
    /* Scalars */
    double alpha;
    Integer exit_status, i, incx, j, n, pda, xlen;

    /* Arrays */
    double *a = 0, *x = 0;
    char nag_enum_arg[40];

    /* Nag Types */
    NagError fail;
    Nag_DiagType diag;
    Nag_OrderType order;
    Nag_TransType trans;
    Nag_UptoType uplo;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J - 1]
    order = Nag_RowMajor;
#endif

    exit_status = 0;
    INIT_FAIL(fail);

    printf("nag_dtrmv (f16pfc) Example Program Results\n\n");

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
}
```

```

/* Read the problem dimension */
#ifndef _WIN32
    scanf_s("%" NAG_IFMT "%*[^\n] ", &n);
#else
    scanf("%" NAG_IFMT "%*[^\n] ", &n);
#endif
/* Read uplo */
#ifndef _WIN32
    scanf_s("%39s%*[^\n] ", nag_enum_arg, (unsigned)_countof(nag_enum_arg));
#else
    scanf("%39s%*[^\n] ", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
uplo = (Nag_UptoType) nag_enum_name_to_value(nag_enum_arg);
/* Read trans */
#ifndef _WIN32
    scanf_s("%39s%*[^\n] ", nag_enum_arg, (unsigned)_countof(nag_enum_arg));
#else
    scanf("%39s%*[^\n] ", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
trans = (Nag_TransType) nag_enum_name_to_value(nag_enum_arg);
/* Read diag */
#ifndef _WIN32
    scanf_s("%39s%*[^\n] ", nag_enum_arg, (unsigned)_countof(nag_enum_arg));
#else
    scanf("%39s%*[^\n] ", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
diag = (Nag_DiagType) nag_enum_name_to_value(nag_enum_arg);
/* Read scalar parameters */
#ifndef _WIN32
    scanf_s("%lf%*[^\n] ", &alpha);
#else
    scanf("%lf%*[^\n] ", &alpha);
#endif
/* Read increment parameters */
#ifndef _WIN32
    scanf_s("%" NAG_IFMT "%*[^\n] ", &incx);
#else
    scanf("%" NAG_IFMT "%*[^\n] ", &incx);
#endif

pda = n;
xlen = MAX(1, 1 + (n - 1) * ABS(incx));

if (n > 0) {
    /* Allocate memory */
    if (!(a = NAG_ALLOC(n * pda, double)) || !(x = NAG_ALLOC(xlen, double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
}
else {
    printf("Invalid n\n");
    exit_status = 1;
    return exit_status;
}

/* Read A from data file */
if (uplo == Nag_Upper) {
    for (i = 1; i <= n; ++i) {
        for (j = i; j <= n; ++j)

```

```

#define _WIN32
    scanf_s("%lf", &A(i, j));
#else
    scanf("%lf", &A(i, j));
#endif
}
#endif _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
}
else {
    for (i = 1; i <= n; ++i) {
        for (j = 1; j <= i; ++j)
#ifdef _WIN32
        scanf_s("%lf", &A(i, j));
#else
        scanf("%lf", &A(i, j));
#endif
    }
#endif _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
}
/* Input vector x */
for (i = 1; i <= xlen; ++i)
#endif _WIN32
    scanf_s("%lf%*[^\n] ", &x[i - 1]);
#else
    scanf("%lf%*[^\n] ", &x[i - 1]);
#endif

/* nag_dtrmv (f16pfc).
 * Triangular matrix-vector multiply.
 *
 */
nag_dtrmv(order, uplo, trans, diag, n, alpha, a, pda, x, incx, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_dtrmv (f16pfc).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print output vector x */
printf("%s\n", " x");
for (i = 1; i <= xlen; ++i) {
    printf("%11f\n", x[i - 1]);
}

END:
NAG_FREE(a);
NAG_FREE(x);

return exit_status;
}

```

## 10.2 Program Data

```

nag_dtrmv (f16pfc) Example Program Data
 4                      :Value of n
 Nag_Lower              :Value of uplo
 Nag_NoTrans             :Value of trans
 Nag_NonUnitDiag        :Value of diag
 1.5                     :Value of alpha
 1                       :Value of incx
 1.0

```

```
2.0      2.0
3.0      3.0      3.0
4.0      4.0      4.0      4.0      :End of matrix A
-1.0
2.0
-3.0
1.0                  :End of vector x
```

### 10.3 Program Results

nag\_dtrmv (f16pfc) Example Program Results

```
x
-1.500000
3.000000
-9.000000
-6.000000
```

---