

NAG Library Function Document

nag_prob_density_vavilov (g01muc)

1 Purpose

nag_prob_density_vavilov (g01muc) returns the value of the Vavilov density function $\phi_V(\lambda; \kappa, \beta^2)$.

It is intended to be used after a call to nag_init_vavilov (g01zuc).

2 Specification

```
#include <nag.h>
#include <nagg01.h>
double nag_prob_density_vavilov (double x, const double comm_arr[])
```

3 Description

nag_prob_density_vavilov (g01muc) evaluates an approximation to the Vavilov density function $\phi_V(\lambda; \kappa, \beta^2)$ given by

$$\phi_V(\lambda; \kappa, \beta^2) = \frac{1}{2\pi i} \int_{c-i\infty}^{c+i\infty} e^{\lambda s} f(s; \kappa, \beta^2) ds,$$

where $\kappa > 0$ and $0 \leq \beta^2 \leq 1$, c is an arbitrary real constant and

$$f(s; \kappa, \beta^2) = C(\kappa, \beta^2) \exp\left\{s \ln \kappa + (s + \kappa \beta^2) \left[\ln\left(\frac{s}{\kappa}\right) + E_1\left(\frac{s}{\kappa}\right)\right] - \kappa \exp\left(-\frac{s}{\kappa}\right)\right\}.$$

$E_1(x) = \int_0^x t^{-1}(1 - e^{-t}) dt$ is the exponential integral, $C(\kappa, \beta^2) = \exp\{\kappa(1 + \gamma\beta^2)\}$ and γ is Euler's constant.

The method used is based on Fourier expansions. Further details can be found in Schorr (1974).

For values of $\kappa \leq 0.01$, the Vavilov distribution can be replaced by the Landau distribution since $\lambda_V = (\lambda_L - \ln \kappa)/\kappa$. For values of $\kappa \geq 10$, the Vavilov distribution can be replaced by a Gaussian distribution with mean $\mu = \gamma - 1 - \beta^2 - \ln \kappa$ and variance $\sigma^2 = (2 - \beta^2)/2\kappa$.

4 References

Schorr B (1974) Programs for the Landau and the Vavilov distributions and the corresponding random numbers *Comp. Phys. Comm.* 7 215–224

5 Arguments

- | | |
|--|----------------------------|
| 1: x – double | <i>Input</i> |
| On entry: the argument λ of the function. | |
| 2: comm_arr[322] – const double | <i>Communication Array</i> |
| On entry: this must be the same argument comm_arr as returned by a previous call to nag_init_vavilov (g01zuc). | |

6 Error Indicators and Warnings

None.

7 Accuracy

At least five significant digits are usually correct.

8 Parallelism and Performance

`nag_prob_density_vavilov` (`g01muc`) is not threaded in any implementation.

9 Further Comments

`nag_prob_density_vavilov` (`g01muc`) can be called repeatedly with different values of λ provided that the values of κ and β^2 remain unchanged between calls. Otherwise, `nag_init_vavilov` (`g01zuc`) must be called again. This is illustrated in Section 10.

10 Example

This example evaluates $\phi_V(\lambda; \kappa, \beta^2)$ at $\lambda = 2.5$, $\kappa = 0.4$ and $\beta^2 = 0.1$, and prints the results.

10.1 Program Text

```
/* nag_prob_density_vavilov (g01muc) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg01.h>
#include <nagx02.h>

int main(void)
{
    /* Scalars */
    double c1, c2, x, rkappa, beta2, xl, xu, y;
    Integer exit_status, mode;
    NagError fail;

#define WKMAX 322

    double comm_arr[WKMAX];

    mode = 0;
    INIT_FAIL(fail);
    exit_status = 0;

    /* nag_real_largest_number (x02alc).
     * The largest positive model number
     */
    c1 = -nag_real_largest_number;
    /* nag_real_largest_number (x02alc), see above. */
    c2 = -nag_real_largest_number;

    printf(" nag_prob_density_vavilov (g01muc) Example Program Results\n\n");

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\n] ");
#else

```

```

scanf("%*[^\n] ");
#endif

#ifndef _WIN32
    while (scanf_s("%lf%lf%lf%*[^\n] ", &x, &rkappa, &beta2) != EOF)
#else
    while (scanf("%lf%lf%lf%*[^\n] ", &x, &rkappa, &beta2) != EOF)
#endif
{
    if ((rkappa != c1) || (beta2 != c2)) {
        /* nag_init_vavilov (g01zuc).
         * Initialization function for
         * nag_prob_density_vavilov (g01muc) and
         * nag_prob_vavilov (g01euc)
         */
        nag_init_vavilov(rkappa, beta2, mode, &xl, &xu, comm_arr, &fail);
        if (fail.code != NE_NOERROR) {
            printf("Error from nag_init_vavilov (g01zuc).\n%s\n", fail.message);
            exit_status = 1;
            goto END;
        }
    }
}

/* nag_prob_density_vavilov (g01muc).
 * Vavilov density function phi_V((lambda;kappa)beta^2)
 */
y = nag_prob_density_vavilov(x, comm_arr);

printf("    X      Rkappa      Beta2      Y\n\n");
printf("    %3.1f      %3.1f      %3.1f      %13.4e\n", x, rkappa, beta2, y);
c1 = rkappa;
c2 = beta2;
}
END:
    return exit_status;
}

```

10.2 Program Data

```
nag_prob_density_vavilov (g01muc) Example Program Data
2.5  0.4  0.1 : Values of X, RKAPPA and BETA2
```

10.3 Program Results

```
nag_prob_density_vavilov (g01muc) Example Program Results
```

X	Rkappa	Beta2	Y
2.5	0.4	0.1	8.3675e-02
