

## NAG Library Function Document

### nag\_rand\_matrix\_multi\_students\_t (g05ryc)

## 1 Purpose

nag\_rand\_matrix\_multi\_students\_t (g05ryc) sets up a reference vector and generates an array of pseudorandom numbers from a multivariate Student's  $t$  distribution with  $\nu$  degrees of freedom, mean vector  $a$  and covariance matrix  $\frac{\nu}{\nu-2}C$ .

## 2 Specification

```
#include <nag.h>
#include <nagg05.h>
void nag_rand_matrix_multi_students_t (Nag_OrderType order,
    Nag_ModeRNG mode, Integer n, Integer df, Integer m, const double xmu[],
    const double c[], Integer pdc, double r[], Integer lr, Integer state[],
    double x[], Integer pdx, NagError *fail)
```

## 3 Description

When the covariance matrix is nonsingular (i.e., strictly positive definite), the distribution has probability density function

$$f(x) = \frac{\Gamma\left(\frac{(\nu+m)}{2}\right)}{(\pi\nu)^{m/2} \Gamma(\nu/2) |C|^{\frac{1}{2}}} \left[ 1 + \frac{(x-a)^T C^{-1} (x-a)}{\nu} \right]^{\frac{-(\nu+m)}{2}}$$

where  $m$  is the number of dimensions,  $\nu$  is the degrees of freedom,  $a$  is the vector of means,  $x$  is the vector of positions and  $\frac{\nu}{\nu-2}C$  is the covariance matrix.

The function returns the value

$$x = a + \sqrt{\frac{\nu}{s}} z$$

where  $z$  is generated by nag\_rand\_normal (g05skc) from a Normal distribution with mean zero and covariance matrix  $C$  and  $s$  is generated by nag\_rand\_chi\_sq (g05sdc) from a  $\chi^2$ -distribution with  $\nu$  degrees of freedom.

One of the initialization functions nag\_rand\_init\_repeatable (g05kfc) (for a repeatable sequence if computed sequentially) or nag\_rand\_init\_nonrepeatable (g05kgc) (for a non-repeatable sequence) must be called prior to the first call to nag\_rand\_matrix\_multi\_students\_t (g05ryc).

## 4 References

- Knuth D E (1981) *The Art of Computer Programming (Volume 2)* (2nd Edition) Addison–Wesley  
 Wilkinson J H (1965) *The Algebraic Eigenvalue Problem* Oxford University Press, Oxford

## 5 Arguments

1: <b>order</b> – Nag_OrderType	<i>Input</i>
---------------------------------	--------------

*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by

**order** = Nag\_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.

*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.

2: **mode** – Nag\_ModeRNG *Input*

*On entry:* a code for selecting the operation to be performed by the function.

**mode** = Nag\_InitializeReference

Set up reference vector only.

**mode** = Nag\_GenerateFromReference

Generate variates using reference vector set up in a prior call to nag\_rand\_matrix\_multi\_students\_t (g05ryc).

**mode** = Nag\_InitializeAndGenerate

Set up reference vector and generate variates.

*Consistency constraint:* **mode** = Nag\_InitializeReference, Nag\_GenerateFromReference or Nag\_InitializeAndGenerate.

3: **n** – Integer *Input*

*On entry:*  $n$ , the number of random variates required.

*Constraint:* **n**  $\geq 0$ .

4: **df** – Integer *Input*

*On entry:*  $\nu$ , the number of degrees of freedom of the distribution.

*Constraint:* **df**  $\geq 3$ .

5: **m** – Integer *Input*

*On entry:*  $m$ , the number of dimensions of the distribution.

*Constraint:* **m**  $> 0$ .

6: **xmu[m]** – const double *Input*

*On entry:*  $a$ , the vector of means of the distribution.

7: **c[dim]** – const double *Input*

**Note:** the dimension,  $dim$ , of the array **c** must be at least **pdc**  $\times$  **m**.

The  $(i, j)$ th element of the matrix  $C$  is stored in

**c** $[(j - 1) \times \mathbf{pdc} + i - 1]$  when **order** = Nag\_ColMajor;  
**c** $[(i - 1) \times \mathbf{pdc} + j - 1]$  when **order** = Nag\_RowMajor.

*On entry:* matrix which, along with **df**, defines the covariance of the distribution. Only the upper triangle need be set.

*Constraint:* **c** must be positive semidefinite to *machine precision*.

8: **pdc** – Integer *Input*

*On entry:* the stride separating row or column elements (depending on the value of **order**) in the array **c**.

*Constraint:* **pdc**  $\geq m$ .

9:	<b>r[lr]</b> – double	<i>Input/Output</i>
<i>On entry:</i> if <b>mode</b> = Nag_GenerateFromReference, the reference vector as set up by nag_rand_matrix_multi_students_t (g05ryc) in a previous call with <b>mode</b> = Nag_InitializeReference or Nag_InitializeAndGenerate.		
<i>On exit:</i> if <b>mode</b> = Nag_InitializeReference or Nag_InitializeAndGenerate, the reference vector that can be used in subsequent calls to nag_rand_matrix_multi_students_t (g05ryc) with <b>mode</b> = Nag_GenerateFromReference.		
10:	<b>lr</b> – Integer	<i>Input</i>
<i>On entry:</i> the dimension of the array <b>r</b> . If <b>mode</b> = Nag_GenerateFromReference, it must be the same as the value of <b>lr</b> specified in the prior call to nag_rand_matrix_multi_students_t (g05ryc) with <b>mode</b> = Nag_InitializeReference or Nag_InitializeAndGenerate.		
<i>Constraint:</i> $lr \geq m \times (m + 1) + 2$ .		
11:	<b>state[dim]</b> – Integer	<i>Communication Array</i>
<b>Note:</b> the dimension, <i>dim</i> , of this array is dictated by the requirements of associated functions that must have been previously called. This array MUST be the same array passed as argument <b>state</b> in the previous call to nag_rand_init_repeatable (g05kfc) or nag_rand_init_nonrepeatable (g05kgc).		
<i>On entry:</i> contains information on the selected base generator and its current state.		
<i>On exit:</i> contains updated information on the state of the generator.		
12:	<b>x[dim]</b> – double	<i>Output</i>
<b>Note:</b> the dimension, <i>dim</i> , of the array <b>x</b> must be at least		
$\max(1, pdx \times m)$ when <b>order</b> = Nag_ColMajor; $\max(1, n \times pdx)$ when <b>order</b> = Nag_RowMajor.		
Where $\mathbf{X}(i, j)$ appears in this document, it refers to the array element		
$\mathbf{x}[(j - 1) \times pdx + i - 1]$ when <b>order</b> = Nag_ColMajor; $\mathbf{x}[(i - 1) \times pdx + j - 1]$ when <b>order</b> = Nag_RowMajor.		
<i>On exit:</i> the array of pseudorandom multivariate Student's <i>t</i> vectors generated by the function, with $\mathbf{X}(i, j)$ holding the <i>j</i> th dimension for the <i>i</i> th variate.		
13:	<b>pdx</b> – Integer	<i>Input</i>
<i>On entry:</i> the stride used in the array <b>x</b> .		
<i>Constraints:</i>		
if <b>order</b> = Nag_ColMajor, <b>pdx</b> $\geq n$ ; if <b>order</b> = Nag_RowMajor, <b>pdx</b> $\geq m$ .		
14:	<b>fail</b> – NagError *	<i>Input/Output</i>
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).		

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

**NE\_BAD\_PARAM**

On entry, argument  $\langle value \rangle$  had an illegal value.

**NE\_INT**

On entry,  $\mathbf{df} = \langle value \rangle$ .

Constraint:  $\mathbf{df} \geq 3$ .

On entry,  $\mathbf{lr}$  is not large enough,  $\mathbf{lr} = \langle value \rangle$ : minimum length required =  $\langle value \rangle$ .

On entry,  $\mathbf{m} = \langle value \rangle$ .

Constraint:  $\mathbf{m} > 0$ .

On entry,  $\mathbf{n} = \langle value \rangle$ .

Constraint:  $\mathbf{n} \geq 0$ .

**NE\_INT\_2**

On entry,  $\mathbf{pdc} = \langle value \rangle$  and  $\mathbf{m} = \langle value \rangle$ .

Constraint:  $\mathbf{pdc} \geq \mathbf{m}$ .

On entry,  $\mathbf{pdx} = \langle value \rangle$  and  $\mathbf{m} = \langle value \rangle$ .

Constraint:  $\mathbf{pdx} \geq \mathbf{m}$ .

On entry,  $\mathbf{pdx} = \langle value \rangle$  and  $\mathbf{n} = \langle value \rangle$ .

Constraint:  $\mathbf{pdx} \geq \mathbf{n}$ .

**NE\_INTERNAL\_ERROR**

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

**NE\_INVALID\_STATE**

On entry, **state** vector has been corrupted or not initialized.

**NE\_NO\_LICENCE**

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

**NE\_POS\_DEF**

On entry, the covariance matrix  $C$  is not positive semidefinite to *machine precision*.

**NE\_PREV\_CALL**

$\mathbf{m}$  is not the same as when  $\mathbf{r}$  was set up in a previous call.

Previous value of  $\mathbf{m} = \langle value \rangle$  and  $\mathbf{m} = \langle value \rangle$ .

**7 Accuracy**

Not applicable.

**8 Parallelism and Performance**

nag\_rand\_matrix\_multi\_students\_t (g05ryc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

nag\_rand\_matrix\_multi\_students\_t (g05ryc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The time taken by nag\_rand\_matrix\_multi\_students\_t (g05ryc) is of order  $nm^3$ .

It is recommended that the diagonal elements of  $C$  should not differ too widely in order of magnitude. This may be achieved by scaling the variables if necessary. The actual matrix decomposed is  $C + E = LL^T$ , where  $E$  is a diagonal matrix with small positive diagonal elements. This ensures that, even when  $C$  is singular, or nearly singular, the Cholesky factor  $L$  corresponds to a positive definite covariance matrix that agrees with  $C$  within ***machine precision***.

## 10 Example

This example prints ten pseudorandom observations from a multivariate Student's  $t$ -distribution with ten degrees of freedom, means vector

$$\begin{bmatrix} 1.0 \\ 2.0 \\ -3.0 \\ 0.0 \end{bmatrix}$$

and **c** matrix

$$\begin{bmatrix} 1.69 & 0.39 & -1.86 & 0.07 \\ 0.39 & 98.01 & -7.07 & -0.71 \\ -1.86 & -7.07 & 11.56 & 0.03 \\ 0.07 & -0.71 & 0.03 & 0.01 \end{bmatrix},$$

generated by nag\_rand\_matrix\_multi\_students\_t (g05ryc). All ten observations are generated by a single call to nag\_rand\_matrix\_multi\_students\_t (g05ryc) with **mode** = Nag\_InitializeAndGenerate. The random number generator is initialized by nag\_rand\_init\_repeatable (g05kfc).

### 10.1 Program Text

```
/* nag_rand_matrix_multi_students_t (g05ryc) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/
/* Pre-processor includes */
#include <stdio.h>
#include <math.h>
#include <nag.h>
#include <nag_stdl�.h>
#include <nagg05.h>

#define X(I, J) x[(order == Nag_ColMajor)?(J*pdx + I):(I*pdx + J)]

int main(void)
{
    /* Integer scalar and array declarations */
    Integer exit_status = 0;
    Integer i, j, lstate, lr, x_size;
    Integer *state = 0;
    Integer pdx;

    /* NAG structures */
    NagError fail;
    Nag_ModeRNG mode;
```

```

/* Double scalar and array declarations */
double *r = 0, *x = 0;

/* Use column major order */
Nag_OrderType order = Nag_RowMajor;

/* Set the number of variables and variates */
Integer m = 4;
Integer n = 10;

/* Input the covariance matrix */
double c[] = { 1.69e0, 0.39e0, -1.86e0, 0.07e0,
               0.39e0, 98.01e0, -7.07e0, -0.71e0,
               -1.86e0, -7.07e0, 11.56e0, 0.03e0,
               0.07e0, -0.71e0, 0.03e0, 0.01e0
             };
Integer pdc = 4;

/* Input the means */
double xmu[] = { 1.0e0, 2.0e0, -3.0e0, 0.0e0 };

/* Set the degrees of freedom */
Integer df = 10;

/* Choose the base generator */
Nag_BaseRNG genid = Nag_Basic;
Integer subid = 0;

/* Set the seed */
Integer seed[] = { 1762543 };
Integer lseed = 1;

/* Initialize the error structure */
INIT_FAIL(fail);

printf("nag_rand_matrix_multi_students_t (g05ryc)  "
      "Example Program Results\n\n");

/* Get the length of the state array */
lstate = -1;
nag_rand_init_repeatable(genid, subid, seed, lseed, state, &lstate, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_rand_init_repeatable (g05kfc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

pdx = (order == Nag_ColMajor) ? n : m;
x_size = (order == Nag_ColMajor) ? pdx * m : pdx * n;

/* Calculate the size of the reference vector */
lr = m * m + m + 2;

/* Allocate arrays */
if (!(r = NAG_ALLOC(lr, double)) ||
    !(x = NAG_ALLOC(x_size, double)) ||
    !(state = NAG_ALLOC(lstate, Integer)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

/* Initialize the generator to a repeatable sequence */
nag_rand_init_repeatable(genid, subid, seed, lseed, state, &lstate, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_rand_init_repeatable (g05kfc).\n%s\n",
           fail.message);
    exit_status = 1;
}

```

```

        goto END;
    }

/* Set up reference vector and generate N numbers */
mode = Nag_InitializeAndGenerate;
nag_rand_matrix_multi_students_t(order, mode, n, df, m, xmu, c, pdc, r,
                                  lr, state, x, pdx, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_rand_matrix_multi_students_t (g05ryc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

/* Display the variates */
for (i = 0; i < n; i++) {
    printf(" ");
    for (j = 0; j < m; j++)
        printf("%9.4f%s", x(i, j), (j + 1) % 10 ? " " : "\n");
    if (m % 10)
        printf("\n");
}

END:
NAG_FREE(r);
NAG_FREE(x);
NAG_FREE(state);

return exit_status;
}

```

## 10.2 Program Data

None.

## 10.3 Program Results

nag\_rand\_matrix\_multi\_students\_t (g05ryc) Example Program Results

1.4957	-15.6226	-3.8101	0.1294
-1.0827	-6.7473	0.6696	-0.0391
2.1369	6.3861	-5.7413	0.0140
2.2481	-16.0417	-1.0982	0.1641
-0.2550	3.5166	-0.2541	-0.0592
0.9731	-4.3553	-4.4181	0.0043
0.7098	-3.4281	1.1741	0.0586
1.8827	23.2619	1.5140	-0.0704
0.9904	22.7479	0.1811	-0.0893
1.5026	2.7753	-2.2805	-0.0112

---