

NAG Library Function Document

nag_incomplete_gamma (s14bac)

1 Purpose

nag_incomplete_gamma (s14bac) computes values for the incomplete gamma functions $P(a, x)$ and $Q(a, x)$.

2 Specification

```
#include <nag.h>
#include <nags.h>
void nag_incomplete_gamma (double a, double x, double tol, double *p,
    double *q, NagError *fail)
```

3 Description

nag_incomplete_gamma (s14bac) evaluates the incomplete gamma functions in the normalized form

$$P(a, x) = \frac{1}{\Gamma(a)} \int_0^x t^{a-1} e^{-t} dt,$$

$$Q(a, x) = \frac{1}{\Gamma(a)} \int_x^\infty t^{a-1} e^{-t} dt,$$

with $x \geq 0$ and $a > 0$, to a user-specified accuracy. With this normalization, $P(a, x) + Q(a, x) = 1$.

Several methods are used to evaluate the functions depending on the arguments a and x , the methods including Taylor expansion for $P(a, x)$, Legendre's continued fraction for $Q(a, x)$, and power series for $Q(a, x)$. When both a and x are large, and $a \simeq x$, the uniform asymptotic expansion of Temme (1987) is employed for greater efficiency – specifically, this expansion is used when $a \geq 20$ and $0.7a \leq x \leq 1.4a$.

Once either P or Q is computed, the other is obtained by subtraction from 1. In order to avoid loss of relative precision in this subtraction, the smaller of P and Q is computed first.

This function is derived from the function GAM in Gautschi (1979b).

4 References

Gautschi W (1979a) A computational procedure for incomplete gamma functions *ACM Trans. Math. Software* **5** 466–481

Gautschi W (1979b) Algorithm 542: Incomplete gamma functions *ACM Trans. Math. Software* **5** 482–489

Temme N M (1987) On the computation of the incomplete gamma functions for large values of the parameters *Algorithms for Approximation* (eds J C Mason and M G Cox) Oxford University Press

5 Arguments

- 1: **a** – double *Input*
On entry: the argument a of the functions.
Constraint: **a** > 0.0.

- 2: **x** – double *Input*
On entry: the argument x of the functions.
Constraint: $x \geq 0.0$.
- 3: **tol** – double *Input*
On entry: the relative accuracy required by you in the results. If `nag_incomplete_gamma` (s14bac) is entered with **tol** greater than 1.0 or less than *machine precision*, then the value of *machine precision* is used instead.
- 4: **p** – double * *Output*
5: **q** – double * *Output*
On exit: the values of the functions $P(a, x)$ and $Q(a, x)$ respectively.
- 6: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALG_NOT_CONV

Algorithm fails to terminate in $\langle value \rangle$ iterations.

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NE_REAL_ARG_LE

On entry, $\mathbf{a} = \langle value \rangle$.

Constraint: $\mathbf{a} > 0.0$.

NE_REAL_ARG_LT

On entry, $\mathbf{x} = \langle value \rangle$.

Constraint: $\mathbf{x} \geq 0.0$.

7 Accuracy

There are rare occasions when the relative accuracy attained is somewhat less than that specified by argument `tol`. However, the error should never exceed more than one or two decimal places. Note also that there is a limit of 18 decimal places on the achievable accuracy, because constants in the function are given to this precision.

8 Parallelism and Performance

`nag_incomplete_gamma` (s14bac) is not threaded in any implementation.

9 Further Comments

The time taken for a call of `nag_incomplete_gamma` (s14bac) depends on the precision requested through `tol`, and also varies slightly with the input arguments a and x .

10 Example

This example reads values of the argument a and x from a file, evaluates the function and prints the results.

10.1 Program Text

```

/* nag_incomplete_gamma (s14bac) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>
#include <nagx02.h>

int main(void)
{
    Integer exit_status = 0;
    double a, p, q, tol, x;
    NagError fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif
    printf("nag_incomplete_gamma (s14bac) Example Program Results\n");
    /* nag_machine_precision (x02ajc).
     * The machine precision
     */
    tol = nag_machine_precision;
    printf("          a          x          p          q\n");
#ifdef _WIN32
    while (scanf_s("%lf %lf", &a, &x) != EOF)
#else
    while (scanf("%lf %lf", &a, &x) != EOF)
#endif
    {
        /* nag_incomplete_gamma (s14bac).

```

```

* Incomplete Gamma functions P(ax) and Q(ax)
*/
nag_incomplete_gamma(a, x, tol, &p, &q, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_incomplete_gamma (s14bac).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}
printf("%12.4f%12.4f%12.4f%12.4f\n", a, x, p, q);
}

END:
return exit_status;
}

```

10.2 Program Data

```

nag_incomplete_gamma (s14bac) Example Program Data
 2.0  3.0
 7.0  1.0
 0.5 99.0
20.0 21.0
21.0 20.0

```

10.3 Program Results

```

nag_incomplete_gamma (s14bac) Example Program Results
      a          x          p          q
 2.0000    3.0000    0.8009    0.1991
 7.0000    1.0000    0.0001    0.9999
 0.5000   99.0000    1.0000    0.0000
20.0000   21.0000    0.6157    0.3843
21.0000   20.0000    0.4409    0.5591

```

