

# NAG Library Function Document

## nag\_kelvin\_kei\_vector (s19arc)

### 1 Purpose

nag\_kelvin\_kei\_vector (s19arc) returns an array of values for the Kelvin function  $\text{kei } x$ .

### 2 Specification

```
#include <nag.h>
#include <nags.h>
void nag_kelvin_kei_vector (Integer n, const double x[], double f[],
    Integer invalid[], NagError *fail)
```

### 3 Description

nag\_kelvin\_kei\_vector (s19arc) evaluates an approximation to the Kelvin function  $\text{kei } x_i$  for an array of arguments  $x_i$ , for  $i = 1, 2, \dots, n$ .

**Note:** for  $x < 0$  the function is undefined, so we need only consider  $x \geq 0$ .

The function is based on several Chebyshev expansions:

For  $0 \leq x \leq 1$ ,

$$\text{kei } x = -\frac{\pi}{4}f(t) + \frac{x^2}{4}[-g(t)\log(x) + v(t)]$$

where  $f(t)$ ,  $g(t)$  and  $v(t)$  are expansions in the variable  $t = 2x^4 - 1$ ;

For  $1 < x \leq 3$ ,

$$\text{kei } x = \exp\left(-\frac{9}{8}x\right)u(t)$$

where  $u(t)$  is an expansion in the variable  $t = x - 2$ ;

For  $x > 3$ ,

$$\text{kei } x = \sqrt{\frac{\pi}{2x}}e^{-x/\sqrt{2}}\left[\left(1 + \frac{1}{x}\right)c(t)\sin\beta + \frac{1}{x}d(t)\cos\beta\right]$$

where  $\beta = \frac{x}{\sqrt{2}} + \frac{\pi}{8}$ , and  $c(t)$  and  $d(t)$  are expansions in the variable  $t = \frac{6}{x} - 1$ .

For  $x < 0$ , the function is undefined, and hence the function fails and returns zero.

When  $x$  is sufficiently close to zero, the result is computed as

$$\text{kei } x = -\frac{\pi}{4} + \left(1 - \gamma - \log\left(\frac{x}{2}\right)\right)\frac{x^2}{4}$$

and when  $x$  is even closer to zero simply as

$$\text{kei } x = -\frac{\pi}{4}.$$

For large  $x$ ,  $\text{kei } x$  is asymptotically given by  $\sqrt{\frac{\pi}{2x}}e^{-x/\sqrt{2}}$  and this becomes so small that it cannot be computed without underflow and the function fails.

## 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

## 5 Arguments

1:	<b>n</b> – Integer	<i>Input</i>
	<i>On entry:</i> $n$ , the number of points.	
	<i>Constraint:</i> $n \geq 0$ .	
2:	<b>x[n]</b> – const double	<i>Input</i>
	<i>On entry:</i> the argument $x_i$ of the function, for $i = 1, 2, \dots, n$ .	
	<i>Constraint:</i> $x[i - 1] \geq 0.0$ , for $i = 1, 2, \dots, n$ .	
3:	<b>f[n]</b> – double	<i>Output</i>
	<i>On exit:</i> $\text{kei } x_i$ , the function values.	
4:	<b>invalid[n]</b> – Integer	<i>Output</i>
	<i>On exit:</i> <b>invalid</b> [ $i - 1$ ] contains the error code for $x_i$ , for $i = 1, 2, \dots, n$ .	
	<b>invalid</b> [ $i - 1$ ] = 0 No error.	
	<b>invalid</b> [ $i - 1$ ] = 1 $x_i$ is too large, the result underflows. <b>f</b> [ $i - 1$ ] contains zero. The threshold value is the same as for <b>fail.code</b> = NE_REAL_ARG_GT in nag_kelvin_kei (s19adc), as defined in the Users' Note for your implementation.	
	<b>invalid</b> [ $i - 1$ ] = 2 $x_i < 0.0$ , the function is undefined. <b>f</b> [ $i - 1$ ] contains 0.0.	
5:	<b>fail</b> – NagError *	<i>Input/Output</i>
	The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).	

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.  
See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle\text{value}\rangle$  had an illegal value.

### NE\_INT

On entry, **n** =  $\langle\text{value}\rangle$ .  
Constraint:  $n \geq 0$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.  
 See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

## NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.  
 See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

## NW\_INVALID

On entry, at least one value of  $x$  was invalid.  
 Check **invalid** for more information.

## 7 Accuracy

Let  $E$  be the absolute error in the result, and  $\delta$  be the relative error in the argument. If  $\delta$  is somewhat larger than the machine representation error, then we have:

$$E \simeq \left| \frac{x}{\sqrt{2}} (-\text{ker}_1 x + \text{kei}_1 x) \right| \delta.$$

For small  $x$ , errors are attenuated by the function and hence are limited by the *machine precision*.

For medium and large  $x$ , the error behaviour, like the function itself, is oscillatory and hence only absolute accuracy of the function can be maintained. For this range of  $x$ , the amplitude of the absolute error decays like  $\sqrt{\frac{\pi x}{2}} e^{-x/\sqrt{2}}$ , which implies a strong attenuation of error. Eventually,  $\text{kei } x$ , which is asymptotically given by  $\sqrt{\frac{\pi}{2x}} e^{-x/\sqrt{2}}$ , becomes so small that it cannot be calculated without causing underflow and therefore the function returns zero. Note that for large  $x$ , the errors are dominated by those of the standard function  $\exp$ .

## 8 Parallelism and Performance

`nag_kelvin_kei_vector` (s19arc) is not threaded in any implementation.

## 9 Further Comments

Underflow may occur for a few values of  $x$  close to the zeros of  $\text{kei } x$ , below the limit which causes a failure with **fail.code** = NW\_INVALID.

## 10 Example

This example reads values of  $x$  from a file, evaluates the function at each value of  $x_i$  and prints the results.

### 10.1 Program Text

```
/* nag_kelvin_kei_vector (s19arc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */
#include <nag.h>
#include <stdio.h>
#include <nag_stdlb.h>
#include <nags.h>

int main(void)
```

```

{
    Integer exit_status = 0;
    Integer i, n;
    double *f = 0, *x = 0;
    Integer *invalid = 0;
    NagError fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\n]");
#else
    scanf("%*[^\n]");
#endif

    printf("nag_kelvin_kei_vector (s19arc) Example Program Results\n");
    printf("\n");
    printf("      x          f          invalid\n");
    printf("\n");
#ifdef _WIN32
    scanf_s("%" NAG_IFMT "", &n);
#else
    scanf("%" NAG_IFMT "", &n);
#endif
#ifdef _WIN32
    scanf_s("%*[^\n]");
#else
    scanf("%*[^\n]");
#endif

    /* Allocate memory */
    if (!(x = NAG_ALLOC(n, double)) ||
        !(f = NAG_ALLOC(n, double)) || !(invalid = NAG_ALLOC(n, Integer)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    for (i = 0; i < n; i++)
#ifdef _WIN32
        scanf_s("%lf", &x[i]);
#else
        scanf("%lf", &x[i]);
#endif
#ifdef _WIN32
        scanf_s("%*[^\n]");
#else
        scanf("%*[^\n]");
#endif

    /* nag_kelvin_kei_vector (s19arc).
     * Kelvin Function kei x
     */
    nag_kelvin_kei_vector(n, x, f, invalid, &fail);
    if (fail.code != NE_NOERROR && fail.code != NW_INVALID) {
        printf("Error from nag_kelvin_kei_vector (s19arc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    for (i = 0; i < n; i++)
        printf(" %11.3e %11.3e %4" NAG_IFMT "\n", x[i], f[i], invalid[i]);

END:
    NAG_FREE(f);
}

```

```
NAG_FREE(x);
NAG_FREE(ivalid);

return exit_status;
}
```

## 10.2 Program Data

```
nag_kelvin_kei_vector (s19arc) Example Program Data
```

```
7
```

```
0.0 0.1 1.0 2.5 5.0 10.0 15.0
```

## 10.3 Program Results

```
nag_kelvin_kei_vector (s19arc) Example Program Results
```

x	f	ivalid
0.000e+00	-7.854e-01	0
1.000e-01	-7.769e-01	0
1.000e+00	-4.950e-01	0
2.500e+00	-1.107e-01	0
5.000e+00	1.119e-02	0
1.000e+01	-3.075e-04	0
1.500e+01	7.963e-06	0

---