

NAG Library Function Document

nag_asian_geom_greeks (s30sbc)

1 Purpose

nag_asian_geom_greeks (s30sbc) computes the Asian geometric continuous average-rate option price together with its sensitivities (Greeks).

2 Specification

```
#include <nag.h>
#include <nags.h>

void nag_asian_geom_greeks (Nag_OrderType order, Nag_CallPut option,
    Integer m, Integer n, const double x[], double s, const double t[],
    double sigma, double r, double b, double p[], double delta[],
    double gamma[], double vega[], double theta[], double rho[],
    double crho[], double vanna[], double charm[], double speed[],
    double colour[], double zomma[], double vomma[], NagError *fail)
```

3 Description

nag_asian_geom_greeks (s30sbc) computes the price of an Asian geometric continuous average-rate option, together with the Greeks or sensitivities, which are the partial derivatives of the option price with respect to certain of the other input parameters. The annual volatility, σ , risk-free rate, r , and cost of carry, b , are constants (see Kemna and Vorst (1990)). For a given strike price, X , the price of a call option with underlying price, S , and time to expiry, T , is

$$P_{\text{call}} = Se^{(\bar{b}-r)T}\Phi(\bar{d}_1) - Xe^{-rT}\Phi(\bar{d}_2),$$

and the corresponding put option price is

$$P_{\text{put}} = Xe^{-rT}\Phi(-\bar{d}_2) - Se^{(\bar{b}-r)T}\Phi(-\bar{d}_1),$$

where

$$\bar{d}_1 = \frac{\ln(S/X) + (\bar{b} + \bar{\sigma}^2/2)T}{\bar{\sigma}\sqrt{T}}$$

and

$$\bar{d}_2 = \bar{d}_1 - \bar{\sigma}\sqrt{T},$$

with

$$\bar{\sigma} = \frac{\sigma}{\sqrt{3}}, \quad \bar{b} = \frac{1}{2}\left(b - \frac{\sigma^2}{6}\right).$$

Φ is the cumulative Normal distribution function,

$$\Phi(x) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^x \exp(-y^2/2) dy.$$

The option price $P_{ij} = P(X = X_i, T = T_j)$ is computed for each strike price in a set X_i , $i = 1, 2, \dots, m$, and for each expiry time in a set T_j , $j = 1, 2, \dots, n$.

4 References

Kemna A and Vorst A (1990) A pricing method for options based on average asset values *Journal of Banking and Finance* **14** 113–129

5 Arguments

- 1: **order** – Nag_OrderType *Input*
On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.
Constraint: **order** = Nag_RowMajor or Nag_ColMajor.
- 2: **option** – Nag_CallPut *Input*
On entry: determines whether the option is a call or a put.
option = Nag_Call
 A call; the holder has a right to buy.
option = Nag_Put
 A put; the holder has a right to sell.
Constraint: **option** = Nag_Call or Nag_Put.
- 3: **m** – Integer *Input*
On entry: the number of strike prices to be used.
Constraint: **m** \geq 1.
- 4: **n** – Integer *Input*
On entry: the number of times to expiry to be used.
Constraint: **n** \geq 1.
- 5: **x[m]** – const double *Input*
On entry: **x**[$i - 1$] must contain X_i , the i th strike price, for $i = 1, 2, \dots, \mathbf{m}$.
Constraint: **x**[$i - 1$] $\geq z$ and **x**[$i - 1$] $\leq 1/z$, where $z = \text{nag_real_safe_small_number}$, the safe range parameter, for $i = 1, 2, \dots, \mathbf{m}$.
- 6: **s** – double *Input*
On entry: S , the price of the underlying asset.
Constraint: **s** $\geq z$ and **s** $\leq 1.0/z$, where $z = \text{nag_real_safe_small_number}$, the safe range parameter.
- 7: **t[n]** – const double *Input*
On entry: **t**[$i - 1$] must contain T_i , the i th time, in years, to expiry, for $i = 1, 2, \dots, \mathbf{n}$.
Constraint: **t**[$i - 1$] $\geq z$, where $z = \text{nag_real_safe_small_number}$, the safe range parameter, for $i = 1, 2, \dots, \mathbf{n}$.
- 8: **sigma** – double *Input*
On entry: σ , the volatility of the underlying asset. Note that a rate of 15% should be entered as 0.15.
Constraint: **sigma** $>$ 0.0.

- 9: **r** – double Input
On entry: r , the annual risk-free interest rate, continuously compounded. Note that a rate of 5% should be entered as 0.05.
Constraint: $r \geq 0.0$.
- 10: **b** – double Input
On entry: b , the annual cost of carry rate. Note that a rate of 8% should be entered as 0.08.
- 11: **p**[**m** × **n**] – double Output
Note: where **P**(i, j) appears in this document, it refers to the array element
 $\mathbf{p}[(j-1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
 $\mathbf{p}[(i-1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.
On exit: **P**(i, j) contains P_{ij} , the option price evaluated for the strike price \mathbf{x}_i at expiry \mathbf{t}_j for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.
- 12: **delta**[**m** × **n**] – double Output
Note: where **DELTA**(i, j) appears in this document, it refers to the array element
 $\mathbf{delta}[(j-1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
 $\mathbf{delta}[(i-1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.
On exit: the $m \times n$ array **delta** contains the sensitivity, $\frac{\partial P}{\partial S}$, of the option price to change in the price of the underlying asset.
- 13: **gamma**[**m** × **n**] – double Output
Note: the (i, j)th element of the matrix is stored in
 $\mathbf{gamma}[(j-1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
 $\mathbf{gamma}[(i-1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.
On exit: the $m \times n$ array **gamma** contains the sensitivity, $\frac{\partial^2 P}{\partial S^2}$, of **delta** to change in the price of the underlying asset.
- 14: **vega**[**m** × **n**] – double Output
Note: where **VEGA**(i, j) appears in this document, it refers to the array element
 $\mathbf{vega}[(j-1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
 $\mathbf{vega}[(i-1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.
On exit: **VEGA**(i, j), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in the volatility of the underlying asset, i.e., $\frac{\partial P_{ij}}{\partial \sigma}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.
- 15: **theta**[**m** × **n**] – double Output
Note: where **THETA**(i, j) appears in this document, it refers to the array element
 $\mathbf{theta}[(j-1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
 $\mathbf{theta}[(i-1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.
On exit: **THETA**(i, j), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in time, i.e., $-\frac{\partial P_{ij}}{\partial T}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$, where $b = r - q$.

16: **rho**[**m** × **n**] – double Output

Note: where **RHO**(*i*, *j*) appears in this document, it refers to the array element

rho[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;
rho[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.

On exit: **RHO**(*i*, *j*), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in the annual risk-free interest rate, i.e., $-\frac{\partial P_{ij}}{\partial r}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

17: **crho**[**m** × **n**] – double Output

Note: the (*i*, *j*)th element of the matrix is stored in

crho[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;
crho[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.

On exit: **DELTA**(*i*, *j*), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in the price of the underlying asset, i.e., $-\frac{\partial P_{ij}}{\partial S}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

18: **vanna**[**m** × **n**] – double Output

Note: where **VANNA**(*i*, *j*) appears in this document, it refers to the array element

vanna[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;
vanna[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.

On exit: **VANNA**(*i*, *j*), contains the second-order Greek measuring the sensitivity of the first-order Greek Δ_{ij} to change in the volatility of the asset price, i.e., $-\frac{\partial \Delta_{ij}}{\partial T} = -\frac{\partial^2 P_{ij}}{\partial S \partial \sigma}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

19: **charm**[**m** × **n**] – double Output

Note: where **CHARM**(*i*, *j*) appears in this document, it refers to the array element

charm[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;
charm[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.

On exit: **CHARM**(*i*, *j*), contains the second-order Greek measuring the sensitivity of the first-order Greek Δ_{ij} to change in the time, i.e., $-\frac{\partial \Delta_{ij}}{\partial T} = -\frac{\partial^2 P_{ij}}{\partial S \partial T}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

20: **speed**[**m** × **n**] – double Output

Note: where **SPEED**(*i*, *j*) appears in this document, it refers to the array element

speed[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;
speed[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.

On exit: **SPEED**(*i*, *j*), contains the third-order Greek measuring the sensitivity of the second-order Greek Γ_{ij} to change in the price of the underlying asset, i.e., $-\frac{\partial \Gamma_{ij}}{\partial S} = -\frac{\partial^3 P_{ij}}{\partial S^3}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

21: **colour**[**m** × **n**] – double Output

Note: where **COLOUR**(*i*, *j*) appears in this document, it refers to the array element

colour[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;
colour[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.

On exit: **COLOUR**(*i*, *j*), contains the third-order Greek measuring the sensitivity of the second-order Greek Γ_{ij} to change in the time, i.e., $-\frac{\partial \Gamma_{ij}}{\partial T} = -\frac{\partial^3 P_{ij}}{\partial S \partial T}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

22: **zomma**[**m** × **n**] – double

Output

Note: where **ZOMMA**(*i*, *j*) appears in this document, it refers to the array element**zomma**[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;**zomma**[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.*On exit:* **ZOMMA**(*i*, *j*), contains the third-order Greek measuring the sensitivity of the second-order Greek Γ_{ij} to change in the volatility of the underlying asset, i.e., $-\frac{\partial \Gamma_{ij}}{\partial \sigma} = -\frac{\partial^3 P_{ij}}{\partial \sigma^2 \partial \sigma}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.23: **vomma**[**m** × **n**] – double

Output

Note: where **VOMMA**(*i*, *j*) appears in this document, it refers to the array element**vomma**[(*j* – 1) × **m** + *i* – 1] when **order** = Nag_ColMajor;**vomma**[(*i* – 1) × **n** + *j* – 1] when **order** = Nag_RowMajor.*On exit:* **VOMMA**(*i*, *j*), contains the second-order Greek measuring the sensitivity of the first-order Greek Δ_{ij} to change in the volatility of the underlying asset, i.e., $-\frac{\partial \Delta_{ij}}{\partial \sigma} = -\frac{\partial^2 P_{ij}}{\partial \sigma^2}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.24: **fail** – NagError *

Input/Output

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument *value* had an illegal value.

NE_INT

On entry, **m** = *value*.Constraint: **m** ≥ 1.On entry, **n** = *value*.Constraint: **n** ≥ 1.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NE_REAL

On entry, **r** = *value*.Constraint: **r** ≥ 0.0.

On entry, $\mathbf{s} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{s} \geq \langle \text{value} \rangle$ and $\mathbf{s} \leq \langle \text{value} \rangle$.
 On entry, $\mathbf{\sigma} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{\sigma} > 0.0$.

NE_REAL_ARRAY

On entry, $\mathbf{t}[\langle \text{value} \rangle] = \langle \text{value} \rangle$.
 Constraint: $\mathbf{t}[i] \geq \langle \text{value} \rangle$.
 On entry, $\mathbf{x}[\langle \text{value} \rangle] = \langle \text{value} \rangle$.
 Constraint: $\mathbf{x}[i] \geq \langle \text{value} \rangle$ and $\mathbf{x}[i] \leq \langle \text{value} \rangle$.

7 Accuracy

The accuracy of the output is dependent on the accuracy of the cumulative Normal distribution function, Φ . This is evaluated using a rational Chebyshev expansion, chosen so that the maximum relative error in the expansion is of the order of the *machine precision* (see nag_cumul_normal (s15abc) and nag_erfc (s15adc)). An accuracy close to *machine precision* can generally be expected.

8 Parallelism and Performance

nag_asian_geom_greeks (s30sbc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

None.

10 Example

This example computes the price of an Asian geometric continuous average-rate call with a time to expiry of 3 months, a stock price of 80 and a strike price of 97. The risk-free interest rate is 5% per year, the cost of carry is 8% and the volatility is 20% per year.

10.1 Program Text

```
/* nag_asian_geom_greeks (s30sbc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */
#include <stdio.h>
#include <math.h>
#include <string.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
  /* Integer scalar and array declarations */
  Integer exit_status = 0;
  Integer i, j, m, n;
  NagError fail;
```

```

Nag_CallPut putnum;
/* Double scalar and array declarations */
double b, r, s, sigma;
double *charm = 0, *colour = 0, *crho = 0, *delta = 0, *gamma = 0;
double *p = 0, *rho = 0, *speed = 0, *t = 0, *theta = 0, *vanna = 0;
double *vega = 0, *vomma = 0, *x = 0, *zomma = 0;
/* Character scalar and array declarations */
char put[8 + 1];
Nag_OrderType order;

INIT_FAIL(fail);

printf("nag_asian_geom_greeks (s30sbc) Example Program Results\n");
printf("Asian Option: Geometric Continuous Average-Rate\n\n");
/* Skip heading in data file */
#ifdef _WIN32
scanf_s("%*[\n] ");
#else
scanf("%*[\n] ");
#endif
/* Read put */
#ifdef _WIN32
scanf_s("%8s%*[\n] ", put, (unsigned)_countof(put));
#else
scanf("%8s%*[\n] ", put);
#endif
/*
 * nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
putnum = (Nag_CallPut) nag_enum_name_to_value(put);
/* Read s, sigma, r, b */
#ifdef _WIN32
scanf_s("%lf%lf%lf%lf%*[\n] ", &s, &sigma, &r, &b);
#else
scanf("%lf%lf%lf%lf%*[\n] ", &s, &sigma, &r, &b);
#endif
/* Read m, n */
#ifdef _WIN32
scanf_s("%" NAG_IFMT "%" NAG_IFMT "%*[\n] ", &m, &n);
#else
scanf("%" NAG_IFMT "%" NAG_IFMT "%*[\n] ", &m, &n);
#endif
#ifdef NAG_COLUMN_MAJOR
#define CHARM(I, J) charm[(J-1)*m + I-1]
#define COLOUR(I, J) colour[(J-1)*m + I-1]
#define CRHO(I, J) crho[(J-1)*m + I-1]
#define DELTA(I, J) delta[(J-1)*m + I-1]
#define GAMMA(I, J) gamma[(J-1)*m + I-1]
#define P(I, J) p[(J-1)*m + I-1]
#define RHO(I, J) rho[(J-1)*m + I-1]
#define SPEED(I, J) speed[(J-1)*m + I-1]
#define THETA(I, J) theta[(J-1)*m + I-1]
#define VANNA(I, J) vanna[(J-1)*m + I-1]
#define VEGA(I, J) vega[(J-1)*m + I-1]
#define VOMMA(I, J) vomma[(J-1)*m + I-1]
#define ZOMMA(I, J) zomma[(J-1)*m + I-1]
order = Nag_ColMajor;
#else
#define CHARM(I, J) charm[(I-1)*n + J-1]
#define COLOUR(I, J) colour[(I-1)*n + J-1]
#define CRHO(I, J) crho[(I-1)*n + J-1]
#define DELTA(I, J) delta[(I-1)*n + J-1]
#define GAMMA(I, J) gamma[(I-1)*n + J-1]
#define P(I, J) p[(I-1)*n + J-1]
#define RHO(I, J) rho[(I-1)*n + J-1]
#define SPEED(I, J) speed[(I-1)*n + J-1]
#define THETA(I, J) theta[(I-1)*n + J-1]
#define VANNA(I, J) vanna[(I-1)*n + J-1]
#define VEGA(I, J) vega[(I-1)*n + J-1]
#define VOMMA(I, J) vomma[(I-1)*n + J-1]

```

```

#define ZOMMA(I, J) zomma[(I-1)*n + J-1]
    order = Nag_RowMajor;
#endif
    if (!(charm = NAG_ALLOC(m * n, double)) ||
        !(colour = NAG_ALLOC(m * n, double)) ||
        !(crho = NAG_ALLOC(m * n, double)) ||
        !(delta = NAG_ALLOC(m * n, double)) ||
        !(gamma = NAG_ALLOC(m * n, double)) ||
        !(p = NAG_ALLOC(m * n, double)) ||
        !(rho = NAG_ALLOC(m * n, double)) ||
        !(speed = NAG_ALLOC(m * n, double)) ||
        !(t = NAG_ALLOC(n, double)) ||
        !(theta = NAG_ALLOC(m * n, double)) ||
        !(vanna = NAG_ALLOC(m * n, double)) ||
        !(vega = NAG_ALLOC(m * n, double)) ||
        !(vomma = NAG_ALLOC(m * n, double)) ||
        !(x = NAG_ALLOC(m, double)) || !(zomma = NAG_ALLOC(m * n, double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    /* Read array of strike/exercise prices, X */
    for (i = 0; i < m; i++)
#ifdef _WIN32
        scanf_s("%lf ", &x[i]);
#else
        scanf("%lf ", &x[i]);
#endif
    /* Read array of times to expiry */
    for (i = 0; i < n; i++)
#ifdef _WIN32
        scanf_s("%*[^\\n] ");
#else
        scanf("%*[^\\n] ");
#endif
    nag_asian_geom_greeks(order, putnum, m, n, x, s, t, sigma, r, b, p,
                          delta, gamma, vega, theta, rho, crho, vanna,
                          charm, speed, colour, zomma, vomma, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_asian_geom_greeks (s30sbc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    if (putnum == Nag_Call)
        printf("%s\n\n", "Asian Call :");
    else if (putnum == Nag_Put)
        printf("%s\n\n", "Asian Put :");
    printf(" Spot = %8.4f\n", s);
    printf(" Volatility = %8.4f\n", sigma);
    printf(" Rate = %8.4f\n", r);
    printf(" Cost of carry = %8.4f\n", b);
    printf("\n");
    for (j = 1; j <= n; j++) {
        printf("\n Time to Expiry : %8.4f\n", t[j - 1]);
        printf(" Strike Price Delta Gamma Vega "

```

```

        "Theta      Rho      CRho\n");
for (i = 1; i <= m; i++)
    printf("%8.4f %8.4f %8.4f %8.4f %8.4f %8.4f %8.4f %8.4f\n",
        x[i - 1], P(i, j), DELTA(i, j), GAMMA(i, j), VEGA(i, j),
        THETA(i, j), RHO(i, j), CRHO(i, j));
printf("          Vanna   Charm   Speed   "
        "Colour      Zomma      Vomma\n");
for (i = 1; i <= m; i++)
    printf("%26.4f %8.4f %8.4f %8.4f %8.4f %8.4f\n", VANNA(i, j),
        CHARM(i, j), SPEED(i, j), COLOUR(i, j), ZOMMA(i, j),
        VOMMA(i, j));
}

END:
NAG_FREE(charm);
NAG_FREE(colour);
NAG_FREE(crho);
NAG_FREE(delta);
NAG_FREE(gamma);
NAG_FREE(p);
NAG_FREE(rho);
NAG_FREE(speed);
NAG_FREE(t);
NAG_FREE(theta);
NAG_FREE(vanna);
NAG_FREE(vega);
NAG_FREE(vomma);
NAG_FREE(x);
NAG_FREE(zomma);

return exit_status;
}

```

10.2 Program Data

```

nag_asian_geom_greeks (s30sbc) Example Program Data
Nag_Call      : Nag_Call or Nag_Put
80.0 0.2 0.05 0.08 : s, sigma, r, b
1 1           : m, n
97.0          : X(I), I = 1,2,...m
0.25         : T(I), I = 1,2,...n

```

10.3 Program Results

```

nag_asian_geom_greeks (s30sbc) Example Program Results
Asian Option: Geometric Continuous Average-Rate

```

Asian Call :

```

Spot          = 80.0000
Volatility     = 0.2000
Rate          = 0.0500
Cost of carry = 0.0800

```

```

Time to Expiry :      0.2500
Strike Price    Delta   Gamma   Vega   Theta   Rho   CRho
97.0000 0.0010 0.0008 0.0006 0.0638 -0.0281 0.0079 0.0081
          Vanna   Charm   Speed   Colour   Zomma   Vomma
          0.0443 -0.0196 0.0004 -0.0122 0.0272 3.1893

```
