

# F07FRFP (PZPOTRF)

## NAG Parallel Library Routine Document

**Note:** before using this routine, please read the Users' Note for your implementation to check for implementation-dependent details. You are advised to enclose any calls to NAG Parallel Library routines between calls to Z01AAFP and Z01ABFP.

### 1 Description

F07FRFP (PZPOTRF) computes the Cholesky factorization of an  $n$  by  $n$  complex Hermitian positive-definite matrix  $A_s$ , where  $A_s$  is a submatrix of a larger  $m_A$  by  $n_A$  matrix  $A$ , i.e.,

$$A_s(1:n, 1:n) \equiv A(i_A : i_A + n - 1, j_A : j_A + n - 1).$$

**Note:** if  $i_A = j_A = 1$  and  $n = m_A = n_A$ , then  $A_s = A$ .

The factorization may be formed either as  $A_s = U^H U$  or  $A_s = LL^H$ , where  $U$  is an upper triangular matrix and  $L$  is lower triangular.

### 2 Specification

```
SUBROUTINE F07FRFP(UPLO, N, A, IA, JA, IDESCA, INFO)
ENTRY      PZPOTRF(UPLO, N, A, IA, JA, IDESCA, INFO)
COMPLEX*16      A(*)
INTEGER         N, IA, JA, IDESCA(*), INFO
CHARACTER*1     UPLO
```

The ENTRY statement enables the routine to be called by its ScaLAPACK name.

### 3 Usage

#### 3.1 Definitions

The following definitions are used in describing the data distribution within this document:

$m_p$	–	the number of rows in the Library Grid.
$n_p$	–	the number of columns in the Library Grid.
$p_r$	–	the row grid coordinate of the calling processor.
$p_c$	–	the column grid coordinate of the calling processor.
$M_b^X$	–	the blocking factor for the distribution of the rows of a matrix $X$ .
$N_b^X$	–	the blocking factor for the distribution of the columns of a matrix $X$ .
$\text{numroc}(\alpha, b_\ell, q, s, k)$	–	a function which gives the <b>number of rows or columns</b> of a distributed matrix owned by the processor with the row or column coordinate $q$ ( $p_r$ or $p_c$ ), where $\alpha$ is the total number of rows or columns of the matrix, $b_\ell$ is the blocking factor used ( $M_b^X$ or $N_b^X$ ), $s$ is the row or column coordinate of the processor that possesses the first row or column of the distributed matrix and $k$ is either $m_p$ or $n_p$ . The Library provides the function Z01CAFP (NUMROC) for the evaluation of this function.

#### 3.2 Global and Local Arguments

The following global **input** arguments must have the same value on entry to the routine on each processor and the global **output** arguments will have the same value on exit from the routine on each processor:

Global input arguments: UPLO, N, IA, JA, IDESCA(1), IDESCA(3:8)

Global output arguments: INFO

The remaining arguments are local.

### 3.3 Distribution Strategy

The matrix  $A$  must be partitioned into  $M_b^A$  by  $N_b^A$  rectangular blocks (in this release  $M_b^A = N_b^A$ ) and stored in an array  $A$  in a cyclic two-dimensional block distribution. This data distribution is described in more detail in the the F07 Chapter Introduction. The resulting Cholesky factorization is stored in the same data distribution.

### 3.4 Related Routines

This routine assumes that the data has already been correctly distributed, and if this is not the case will fail to produce correct results. The Library provides many support routines for the generation, scattering/gathering and input/output of matrices/vectors in cyclic two-dimensional block form. The following routines may be used in conjunction with F07FRFP (PZPOTRF):

Complex matrix generation:	F01ZVFP
Complex matrix input:	X04BRFP
Complex matrix output:	X04BSFP
Complex matrix gather:	F01WGFP
Complex matrix scatter:	F01WUFP

## 4 Arguments

1: UPLO — CHARACTER\*1 *Global Input*

*On entry:* indicates whether the upper or lower triangular part of  $A_s$  is stored and how  $A_s$  is factorized, as follows:

if UPLO = 'U', then the upper triangular part of  $A_s$  is stored and  $A_s$  is factorized as  $U^H U$ , where  $U$  is upper triangular;

if UPLO = 'L', then the lower triangular part of  $A_s$  is stored and  $A_s$  is factorized as  $LL^H$ , where  $L$  is lower triangular.

*Constraint:* UPLO = 'U' or 'L'.

2: N — INTEGER *Global Input*

*On entry:*  $n$ , the order of the matrix  $A_s$ .

*Constraint:*  $0 \leq N \leq \min(\text{IDESCA}(3), \text{IDESCA}(4))$ .

3: A(\*) — COMPLEX\*16 array *Local Input/Local Output*

**Note:** the array  $A$  is formally defined as a vector. However, you may find it more convenient to consider  $A$  as a two-dimensional array of dimension  $(\text{IDESCA}(9), \gamma)$ , where  $\gamma \geq \text{numroc}(\text{JA} + \text{N} - 1, \text{IDESCA}(6), p_c, \text{IDESCA}(8), n_p)$ .

*On entry:* the local part of the matrix  $A$  which may contain parts of the  $n$  by  $n$  submatrix  $A_s$  to be factorized.

If UPLO = 'U', the upper triangle of  $A_s$  must be stored and the elements of the matrix below the diagonal are not referenced;

if UPLO = 'L', the lower triangle of  $A_s$  must be stored and the elements of the matrix above the diagonal are not referenced.

*On exit:* the upper or lower triangle of  $A_s$  is overwritten by the Cholesky factor  $U$  or  $L$ , as specified by UPLO, distributed in the same cyclic two-dimensional block fashion.

4: IA — INTEGER *Global Input*

*On entry:*  $i_A$ , the row index of matrix  $A$  that identifies the first row of the submatrix  $A_s$  to be factorized.

*Constraints:*  $1 \leq \text{IA} \leq \text{IDESCA}(3) - \text{N} + 1$  and  $\text{mod}(\text{IA} - 1, \text{IDESCA}(5)) = 0$ .

**5: JA — INTEGER** *Global Input*

*On entry:*  $j_A$ , the column index of matrix  $A$  that identifies the first column of the submatrix  $A_s$  to be factorized.

*Constraints:*  $1 \leq JA \leq \text{IDESCA}(4) - N + 1$  and  $\text{mod}(JA-1, \text{IDESCA}(6)) = 0$ .

**6: IDESCA(\*) — INTEGER array** *Local Input*

**Note:** the dimension of the array IDESCA must be at least 9.

*Distribution:* the array elements IDESCA(1) and IDESCA(3),...,IDESCA(8) must be global to the processor grid and the array elements IDESCA(2) and IDESCA(9) are local to each processor.

*On entry:* the description array for the matrix  $A$ . This array must contain details of the distribution of the matrix  $A$  and the logical processor grid.

IDESCA(1), the descriptor type. For this routine, which uses a cyclic two-dimensional block distribution, IDESCA(1) = 1;

IDESCA(2), the Library context, usually returned by a call to the Library Grid initialisation routine Z01AAFP;

IDESCA(3), the number of rows,  $m_A$ , of the matrix  $A$ ;

IDESCA(4), the number of columns,  $n_A$ , of the matrix  $A$ ;

IDESCA(5), the blocking factor,  $M_b^A$ , used to distribute the rows of the matrix  $A$ ;

IDESCA(6), the blocking factor,  $N_b^A$ , used to distribute the columns of the matrix  $A$ ;

IDESCA(7), the processor row index over which the first row of the matrix  $A$  is distributed;

IDESCA(8), the processor column index over which the first column of the matrix  $A$  is distributed;

IDESCA(9), the leading dimension of the conceptual two-dimensional array  $A$ .

*Constraints:*

IDESCA(1) = 1;

IDESCA(3)  $\geq$  0; IDESCA(4)  $\geq$  0;

IDESCA(5) = IDESCA(6); IDESCA(5)  $\geq$  1; IDESCA(6)  $\geq$  1;

$0 \leq \text{IDESCA}(7) \leq m_p - 1$ ;  $0 \leq \text{IDESCA}(8) \leq n_p - 1$ ;

IDESCA(9)  $\geq \max(1, \text{numroc}(\text{IDESCA}(3), \text{IDESCA}(5), p_r, \text{IDESCA}(7), m_p))$ .

**7: INFO — INTEGER** *Global Output*

The NAG Parallel Library provides a mechanism, via the routine Z02EAFP, to reduce the amount of parameter validation performed by this routine. For a full description refer to the Z02 Chapter Introduction.

*On exit:* INFO = 0 (or -9999 if reduced error checking is enabled) unless the routine detects an error (see Section 5).

## 5 Errors and Warnings

If INFO  $\neq$  0 explanatory error messages are output from the root processor (or processor {0,0} when the root processor is not available) on the current error message unit (as defined by X04AAF).

INFO < 0

On entry, one of the arguments was invalid:

if the  $k$ th argument is a scalar INFO =  $-k$ ;

if the  $k$ th argument is an array and its  $j$ th element is invalid, INFO =  $-(100 \times k + j)$ .

This error occurred either because a global argument did not have the same value on all logical processors, or because its value on one or more processors was incorrect.

INFO > 0

If INFO =  $i$ , the leading minor of order  $i$  is not positive-definite and the factorization could not be completed. Hence  $A_s$  itself is not positive-definite. This may indicate an error in forming the matrix  $A_s$ .

## 6 Further Comments

The total number of floating-point operations is approximately  $\frac{4}{3}n^3$ . A call to this routine may be followed by a call to the routine F07FSFP (PZPOTRS) to solve  $A_s X = B_s$ .

### 6.1 Algorithmic Detail

The algorithm used by this routine is described in Chapter 3 of Anderson *et al.* [1].

### 6.2 Parallelism Detail

The Level-3 BLAS operations used in this routine are carried out in parallel.

### 6.3 Accuracy

If UPLO = 'U', the computed factor  $U$  is the exact factor of a perturbed matrix  $A + E$ , where

$$|E| \leq c(n)\epsilon|U^H| \cdot |U|,$$

$c(n)$  is a modest linear function of  $n$ , and  $\epsilon$  is the *machine precision*. If UPLO = 'L', a similar statement holds for the computed factor  $L$ . It follows that  $|e_{ij}| \leq c(n)\epsilon\sqrt{a_{ii}a_{jj}}$ .

## 7 References

- [1] Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia
- [2] Golub G H and van Loan C F (1996) *Matrix Computations* Johns Hopkins University Press (3rd Edition), Baltimore

## 8 Example

To compute the Cholesky factorization of the matrix  $A$ , where

$$A = \begin{pmatrix} 3.23 + 0.00i & 1.51 - 1.92i & 1.90 + 0.84i & 0.42 + 2.50i \\ 1.51 + 1.92i & 3.58 + 0.00i & -0.23 + 1.11i & -1.18 + 1.37i \\ 1.90 - 0.84i & -0.23 - 1.11i & 4.09 + 0.00i & 2.33 - 0.14i \\ 0.42 - 2.50i & -1.18 - 1.37i & 2.33 + 0.14i & 4.29 + 0.00i \end{pmatrix}.$$

The example uses a 2 by 2 logical processor grid and a block size of 2.

**Note:** the listing of the Example Program presented below does not give a full pathname for the data file being opened, but in general the user must give the full pathname in this and any other OPEN statement.

### 8.1 Example Text

```
*      F07FRFP Example Program Text
*      NAG Parallel Library Release 2. NAG Copyright 1996.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5, NOUT=6)
      INTEGER          DT
      PARAMETER        (DT=1)
      INTEGER          MB, NB
      PARAMETER        (MB=2, NB=MB)
      INTEGER          NMAX, IAROW, IACOL, LDA, LW
      PARAMETER        (NMAX=8, IAROW=0, IACOL=0, LDA=NMAX, LW=NMAX)
*      .. Local Scalars ..
```

```

INTEGER      IA, ICNTXT, IFAIL, INFO, JA, MP, N, NP
LOGICAL      ROOT
CHARACTER    UPLO
CHARACTER*80 FORMAT
*
.. Local Arrays ..
COMPLEX*16   A(LDA,NMAX), WORK(LW)
INTEGER      IDESCA(9)
*
.. External Functions ..
LOGICAL      Z01ACFP
EXTERNAL     Z01ACFP
*
.. External Subroutines ..
EXTERNAL     F07FRFP, X04BRFP, X04BSFP, Z01AAFP, Z01ABFP
*
.. Executable Statements ..
ROOT = Z01ACFP()
IF (ROOT) WRITE (NOUT,*) 'F07FRFP Example Program Results'
*
MP = 2
NP = 2
IFAIL = 0
*
CALL Z01AAFP(ICNTXT,MP,NP,IFAIL)
*
OPEN (NIN,FILE='f07frfpe.d')
*
Skip heading in data file
READ (NIN,*)
READ (NIN,*) N, UPLO, FORMAT
*
IF (N.LE.NMAX) THEN
*
    Set the array descriptor of A
*
    IDESCA(1) = DT
    IDESCA(2) = ICNTXT
    IDESCA(3) = N
    IDESCA(4) = N
    IDESCA(5) = MB
    IDESCA(6) = NB
    IDESCA(7) = IAROW
    IDESCA(8) = IACOL
    IDESCA(9) = LDA
    IA = 1
    JA = 1
*
    Read A from the data file
*
    IFAIL = 0
    CALL X04BRFP(NIN,N,N,A,1,1,IDESCA,IFAIL)
*
    Factorize the matrix
*
    CALL F07FRFP(UPLO,N,A,IA,JA,IDESCA,INFO)
*
    IF (INFO.EQ.0) THEN
*
        Print factor
*
        IF (ROOT) THEN
            WRITE (NOUT,*)

```

