

NAG Library Routine Document

F04CGF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F04CGF computes the solution to a complex system of linear equations $AX = B$, where A is an n by n Hermitian positive definite tridiagonal matrix and X and B are n by r matrices. An estimate of the condition number of A and an error bound for the computed solution are also returned.

2 Specification

```
SUBROUTINE F04CGF (N, NRHS, D, E, B, LDB, RCOND, ERBND, IFAIL)
INTEGER          N, NRHS, LDB, IFAIL
REAL (KIND=nag_wp)  D(*), RCOND, ERBND
COMPLEX (KIND=nag_wp) E(*), B(LDB,*)
```

3 Description

A is factorized as $A = LDL^H$, where L is a unit lower bidiagonal matrix and D is a real diagonal matrix, and the factored form of A is then used to solve the system of equations.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Higham N J (2002) *Accuracy and Stability of Numerical Algorithms* (2nd Edition) SIAM, Philadelphia

5 Parameters

- 1: N – INTEGER *Input*
On entry: the number of linear equations n , i.e., the order of the matrix A .
Constraint: $N \geq 0$.
- 2: NRHS – INTEGER *Input*
On entry: the number of right-hand sides r , i.e., the number of columns of the matrix B .
Constraint: $NRHS \geq 0$.
- 3: D(*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the dimension of the array D must be at least $\max(1, N)$.
On entry: must contain the n diagonal elements of the tridiagonal matrix A .
On exit: if $IFAIL = 0$ or $N + 1$, D is overwritten by the n diagonal elements of the diagonal matrix D from the LDL^H factorization of A .

- 4: E(*) – COMPLEX (KIND=nag_wp) array Input/Output
Note: the dimension of the array E must be at least $\max(1, N - 1)$.
On entry: must contain the $(n - 1)$ subdiagonal elements of the tridiagonal matrix A .
On exit: if IFAIL = 0 or $N + 1$, E is overwritten by the $(n - 1)$ subdiagonal elements of the unit lower bidiagonal matrix L from the LDL^H factorization of A . (E can also be regarded as the conjugate of the superdiagonal of the unit upper bidiagonal factor U from the $U^H DU$ factorization of A .)
- 5: B(LDB,*) – COMPLEX (KIND=nag_wp) array Input/Output
Note: the second dimension of the array B must be at least $\max(1, NRHS)$.
On entry: the n by r matrix of right-hand sides B .
On exit: if IFAIL = 0 or $N + 1$, the n by r solution matrix X .
- 6: LDB – INTEGER Input
On entry: the first dimension of the array B as declared in the (sub)program from which F04CGF is called.
Constraint: $LDB \geq \max(1, N)$.
- 7: RCOND – REAL (KIND=nag_wp) Output
On exit: if IFAIL = 0 or $N + 1$, an estimate of the reciprocal of the condition number of the matrix A , computed as $RCOND = 1 / (\|A\|_1, \|A^{-1}\|_1)$.
- 8: ERRBND – REAL (KIND=nag_wp) Output
On exit: if IFAIL = 0 or $N + 1$, an estimate of the forward error bound for a computed solution \hat{x} , such that $\|\hat{x} - x\|_1 / \|x\|_1 \leq ERRBND$, where \hat{x} is a column of the computed solution returned in the array B and x is the corresponding column of the exact solution X . If RCOND is less than *machine precision*, then ERRBND is returned as unity.
- 9: IFAIL – INTEGER Input/Output
On entry: IFAIL must be set to 0, -1 or 1 . If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0 . **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**
On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL < 0 and IFAIL \neq -999

If IFAIL = $-i$, the i th argument had an illegal value.

IFAIL = -999

Allocation of memory failed. The real allocatable memory required is N. In this case the factorization and the solution X have been computed, but RCOND and ERRBND have not been computed.

IFAIL > 0 and IFAIL ≤ N

If IFAIL = i , the leading minor of order i of A is not positive definite. The factorization could not be completed, and the solution has not been computed.

IFAIL = N + 1

RCOND is less than *machine precision*, so that the matrix A is numerically singular. A solution to the equations $AX = B$ has nevertheless been computed.

7 Accuracy

The computed solution for a single right-hand side, \hat{x} , satisfies an equation of the form

$$(A + E)\hat{x} = b,$$

where

$$\|E\|_1 = O(\epsilon)\|A\|_1$$

and ϵ is the *machine precision*. An approximate error bound for the computed solution is given by

$$\frac{\|\hat{x} - x\|_1}{\|x\|_1} \leq \kappa(A) \frac{\|E\|_1}{\|A\|_1},$$

where $\kappa(A) = \|A^{-1}\|_1 \|A\|_1$, the condition number of A with respect to the solution of the linear equations. F04CGF uses the approximation $\|E\|_1 = \epsilon \|A\|_1$ to estimate ERRBND. See Section 4.4 of Anderson *et al.* (1999) for further details.

8 Further Comments

The total number of floating point operations required to solve the equations $AX = B$ is proportional to nr . The condition number estimation requires $O(n)$ floating point operations.

See Section 15.3 of Higham (2002) for further details on computing the condition number of tridiagonal matrices.

The real analogue of F04CGF is F04BGF.

9 Example

This example solves the equations

$$AX = B,$$

where A is the Hermitian positive definite tridiagonal matrix

$$A = \begin{pmatrix} 16.0 & 16.0 + 16.0i & 0 & 0 \\ 16.0 - 16.0i & 41.0 & 18.0 - 9.0i & 0 \\ 0 & 18.0 + 9.0i & 46.0 & 1.0 - 4.0i \\ 0 & 0 & 1.0 + 4.0i & 21.0 \end{pmatrix}$$

and

$$B = \begin{pmatrix} 64.0 + 16.0i & -16.0 - 32.0i \\ 93.0 + 62.0i & 61.0 - 66.0i \\ 78.0 - 80.0i & 71.0 - 74.0i \\ 14.0 - 27.0i & 35.0 + 15.0i \end{pmatrix}.$$

An estimate of the condition number of A and an approximate error bound for the computed solutions are also printed.

9.1 Program Text

```

Program f04cgfe

!      F04CGF Example Program Text

!      Mark 24 Release. NAG Copyright 2012.

!      .. Use Statements ..
Use nag_library, Only: f04cgf, nag_wp, x04dbf
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: errbnd, rcond
Integer                    :: i, ierr, ifail, ldb, n, nrhs
!      .. Local Arrays ..
Complex (Kind=nag_wp), Allocatable :: b(:,,:), e(:)
Real (Kind=nag_wp), Allocatable  :: d(:)
Character (1)               :: clabs(1), rlabs(1)
!      .. Executable Statements ..
Write (nout,*) 'F04CGF Example Program Results'
Write (nout,*)
Flush (nout)
!      Skip heading in data file
Read (nin,*)
Read (nin,*) n, nrhs
ldb = n
Allocate (b(ldb,nrhs),e(n-1),d(n))
!      Read A from data file
Read (nin,*) d(1:n)
Read (nin,*) e(1:n-1)

!      Read B from data file
Read (nin,*)(b(i,1:nrhs),i=1,n)

!      Solve the equations AX = B for X

!      ifail: behaviour on error exit
!              =0 for hard exit, =1 for quiet-soft, =-1 for noisy-soft
ifail = 1
Call f04cgf(n,nrhs,d,e,b,ldb,rcond,errbnd,ifail)

If (ifail==0) Then
!      Print solution, estimate of condition number and approximate
!      error bound

    ierr = 0
    Call x04dbf('General',' ',n,nrhs,b,ldb,'Bracketed',' ','Solution', &
      'Integer',rlabs,'Integer',clabs,80,0,ierr)

    Write (nout,*)
    Write (nout,*) 'Estimate of condition number'
    Write (nout,99999) 1.0E0_nag_wp/rcond
    Write (nout,*)
    Write (nout,*) 'Estimate of error bound for computed solutions'
    Write (nout,99999) errbnd
Else If (ifail==n+1) Then
!      Matrix A is numerically singular. Print estimate of
!      reciprocal of condition number and solution
    Write (nout,*)
    Write (nout,*) 'Estimate of reciprocal of condition number'
    Write (nout,99999) rcond
    Write (nout,*)
    Flush (nout)

```

```

      ierr = 0
      Call x04dbf('General', ' ', n, nrhs, b, ldb, 'Bracketed', ' ', 'Solution', &
        'Integer', rlabs, 'Integer', clabs, 80, 0, ierr)

      Else If (ifail > 0 .And. ifail <= n) Then
        Write (nout, 99998) 'The leading minor of order ', ifail, &
          ' is not positive definite'
      Else
        Write (nout, 99997) ifail
      End If

99999 Format (8X, 1P, E9.1)
99998 Format (1X, A, I3, A)
99997 Format (1X, ' ** F04CGF returned with IFAIL = ', I5)
      End Program f04cgfe

```

9.2 Program Data

F04CGF Example Program Data

```

      4              2              : n, nrhs

      16.0          41.0          46.0          21.0 : diagonal d
( 16.0, 16.0) ( 18.0, -9.0) ( 1.0, -4.0)          : sub-diagonal e

( 64.0, 16.0) (-16.0, -32.0)
( 93.0, 62.0) ( 61.0, -66.0)
( 78.0, -80.0) ( 71.0, -74.0)
( 14.0, -27.0) ( 35.0, 15.0)          : matrix B

```

9.3 Program Results

F04CGF Example Program Results

```

Solution
      1              2
1 ( 2.0000, 1.0000) ( -3.0000, -2.0000)
2 ( 1.0000, 1.0000) ( 1.0000, 1.0000)
3 ( 1.0000, -2.0000) ( 1.0000, -2.0000)
4 ( 1.0000, -1.0000) ( 2.0000, 1.0000)

Estimate of condition number
      9.2E+03

Estimate of error bound for computed solutions
      1.0E-12

```
