

NAG Library Routine Document

F06SKF (ZTBSV)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F06SKF (ZTBSV) solves a complex triangular banded system of equations with a single right hand side.

2 Specification

SUBROUTINE F06SKF (UPLO, TRANS, DIAG, N, K, A, LDA, X, INCX)

INTEGER N, K, LDA, INCX
 COMPLEX (KIND=nag_wp) A(LDA,*), X(*)
 CHARACTER(1) UPLO, TRANS, DIAG

The routine may be called by its BLAS name *ztbsv*.

3 Description

F06SKF (ZTBSV) performs one of the matrix-vector operations

$$x \leftarrow A^{-1}x, \quad x \leftarrow A^{-T}x \quad \text{or} \quad x \leftarrow A^{-H}x,$$

where A is an n by n complex triangular band matrix with k subdiagonals or superdiagonals, and x is an n -element complex vector. A^{-T} denotes $(A^T)^{-1}$ or equivalently $(A^{-1})^T$; A^{-H} denotes $(A^H)^{-1}$ or equivalently $(A^{-1})^H$.

No test for singularity or near-singularity of A is included in this routine. Such tests must be performed before calling this routine.

4 References

None.

5 Parameters

- 1: UPLO – CHARACTER(1) *Input*
On entry: specifies whether A is upper or lower triangular.
 UPLO = 'U'
 A is upper triangular.
 UPLO = 'L'
 A is lower triangular.
Constraint: UPLO = 'U' or 'L'.
- 2: TRANS – CHARACTER(1) *Input*
On entry: specifies the operation to be performed.
 TRANS = 'N'
 $x \leftarrow A^{-1}x$.
 TRANS = 'T'
 $x \leftarrow A^{-T}x$.

- TRANS = 'C'
 $x \leftarrow A^{-H}x.$
 Constraint: TRANS = 'N', 'T' or 'C'.
- 3: DIAG – CHARACTER(1) *Input*
On entry: specifies whether A has nonunit or unit diagonal elements.
 DIAG = 'N'
 The diagonal elements are stored explicitly.
 DIAG = 'U'
 The diagonal elements are assumed to be 1, and are not referenced.
 Constraint: DIAG = 'N' or 'U'.
- 4: N – INTEGER *Input*
On entry: n , the order of the matrix A .
 Constraint: $N \geq 0$.
- 5: K – INTEGER *Input*
On entry: k , the number of subdiagonals or superdiagonals of the matrix A .
 Constraint: $K \geq 0$.
- 6: A(LDA,*) – COMPLEX (KIND=nag_wp) array *Input*
Note: the second dimension of the array A must be at least N .
On entry: the n by n triangular band matrix A
 The matrix is stored in rows 1 to $k + 1$, more precisely,
 if UPLO = 'U', the elements of the upper triangle of A within the band must be stored with
 element A_{ij} in $A(k + 1 + i - j, j)$ for $\max(1, j - k) \leq i \leq j$;
 if UPLO = 'L', the elements of the lower triangle of A within the band must be stored with
 element A_{ij} in $A(1 + i - j, j)$ for $j \leq i \leq \min(n, j + k)$.
 If DIAG = 'U', the diagonal elements of A are assumed to be 1, and are not referenced.
- 7: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F06SKF
 (ZTBSV) is called.
 Constraint: $LDA \geq K + 1$.
- 8: X(*) – COMPLEX (KIND=nag_wp) array *Input/Output*
Note: the dimension of the array X must be at least $\max(1, 1 + (N - 1) \times |\text{INCX}|)$.
On entry: the vector x .
 If $\text{INCX} > 0$, x_i must be stored in $X(1 + (i - 1) \times \text{INCX})$, for $i = 1, 2, \dots, N$.
 If $\text{INCX} < 0$, x_i must be stored in $X(1 - (N - i) \times \text{INCX})$, for $i = 1, 2, \dots, N$.
On exit: the updated vector x stored in the array elements used to supply the original vector x .
- 9: INCX – INTEGER *Input*
On entry: the increment in the subscripts of X between successive elements of x .
 Constraint: $\text{INCX} \neq 0$.

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

None.
