

NAG Library Routine Document

F07FTF (ZPOEQU)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07FTF (ZPOEQU) computes a diagonal scaling matrix S intended to equilibrate a complex n by n Hermitian positive definite matrix A and reduce its condition number.

2 Specification

SUBROUTINE F07FTF (N, A, LDA, S, SCOND, AMAX, INFO)

INTEGER N, LDA, INFO
 REAL (KIND=nag_wp) S(N), SCOND, AMAX
 COMPLEX (KIND=nag_wp) A(LDA,*)

The routine may be called by its LAPACK name *zpoequ*.

3 Description

F07FTF (ZPOEQU) computes a diagonal scaling matrix S chosen so that

$$s_j = 1/\sqrt{a_{jj}}.$$

This means that the matrix B given by

$$B = SAS,$$

has diagonal elements equal to unity. This in turn means that the condition number of B , $\kappa_2(B)$, is within a factor n of the matrix of smallest possible condition number over all possible choices of diagonal scalings (see Corollary 7.6 of Higham (2002)).

4 References

Higham N J (2002) *Accuracy and Stability of Numerical Algorithms* (2nd Edition) SIAM, Philadelphia

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 2: A(LDA,*) – COMPLEX (KIND=nag_wp) array *Input*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the matrix A whose scaling factors are to be computed. Only the diagonal elements of the array A are referenced.
- 3: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F07FTF (ZPOEQU) is called.
Constraint: $LDA \geq \max(1, N)$.

- 4: S(N) – REAL (KIND=nag_wp) array Output
On exit: if INFO = 0, S contains the diagonal elements of the scaling matrix S .
- 5: SCOND – REAL (KIND=nag_wp) Output
On exit: if INFO = 0, SCOND contains the ratio of the smallest value of S to the largest value of S. If SCOND ≥ 0.1 and AMAX is neither too large nor too small, it is not worth scaling by S .
- 6: AMAX – REAL (KIND=nag_wp) Output
On exit: $\max |a_{ij}|$. If AMAX is very close to overflow or underflow, the matrix A should be scaled.
- 7: INFO – INTEGER Output
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, the i th argument had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

If INFO = i , the i th diagonal element of A is not positive (and hence A cannot be positive definite).

7 Accuracy

The computed scale factors will be close to the exact scale factors.

8 Further Comments

The real analogue of this routine is F07FFF (DPOEQU).

9 Example

This example equilibrates the Hermitian positive definite matrix A given by

$$A = \begin{pmatrix} 3.23 & 1.51 - 1.92i & (1.90 + 0.84i) \times 10^5 & 0.42 + 2.50i \\ 1.51 + 1.92i & 3.58 & (-0.23 + 1.11i) \times 10^5 & -1.18 + 1.37i \\ (1.90 - 0.84i) \times 10^5 & (-0.23 - 1.11i) \times 10^5 & 4.09 \times 10^{10} & (2.33 - 0.14i) \times 10^5 \\ 0.42 - 2.50i & -1.18 - 1.37i & (2.33 + 0.14i) \times 10^5 & 4.29 \end{pmatrix}.$$

Details of the scaling factors and the scaled matrix are output.

9.1 Program Text

```

Program f07ftfe

!      F07FTF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
!      Use nag_library, Only: f06kcf, nag_wp, x02ajf, x02amf, x02bhf, x04dbf, &
!                               zdscal, zpoequ
!      .. Implicit None Statement ..
!      Implicit None
!      .. Parameters ..

```

```

      Real (Kind=nag_wp), Parameter      :: one = 1.0_nag_wp
      Real (Kind=nag_wp), Parameter      :: thresh = 0.1_nag_wp
      Integer, Parameter                  :: nin = 5, nout = 6
!    .. Local Scalars ..
      Real (Kind=nag_wp)                  :: amax, big, scond, small
      Integer                              :: i, ifail, info, j, lda, n
!    .. Local Arrays ..
      Complex (Kind=nag_wp), Allocatable  :: a(:, :)
      Real (Kind=nag_wp), Allocatable     :: s(:)
      Character (1)                       :: clabs(1), rlabs(1)
!    .. Intrinsic Procedures ..
      Intrinsic                            :: real
!    .. Executable Statements ..
      Write (nout,*) 'F07FTF Example Program Results'
      Write (nout,*)
      Flush (nout)
!    Skip heading in data file
      Read (nin,*)
      Read (nin,*) n
      lda = n
      Allocate (a(lda,n),s(n))

!    Read the upper triangular part of the matrix A from data file

      Read (nin,*)(a(i,i:n),i=1,n)

!    Print the matrix A

!    ifail: behaviour on error exit
!           =0 for hard exit, =1 for quiet-soft, =-1 for noisy-soft
      ifail = 0
      Call x04dbf('Upper', 'Non-unit', n, n, a, lda, 'Bracketed', '1P,E10.2', &
        'Matrix A', 'Integer', rlabs, 'Integer', clabs, 80, 0, ifail)

      Write (nout,*)

!    Compute diagonal scaling factors

!    The NAG name equivalent of zpoequ is f07ftf
      Call zpoequ(n, a, lda, s, scond, amax, info)

      If (info>0) Then
        Write (nout,99999) 'Diagonal element', info, ' of A is non positive'
      Else

!        Print SCOND, AMAX and the scale factors

        Write (nout,99998) 'SCOND =', scond, ', AMAX =', amax
        Write (nout,*)
        Write (nout,*) 'Diagonal scaling factors'
        Write (nout,99997) s(1:n)
        Write (nout,*)
        Flush (nout)

!        Compute values close to underflow and overflow

        small = x02amf()/(x02ajf()*real(x02bhf(),kind=nag_wp))
        big = one/small
        If ((scond<thresh) .Or. (amax<small) .Or. (amax>big)) Then

!          Scale A
!          The NAG name equivalent of zdscal is f06jdf
          Do j = 1, n
            Call zdscal(j,s(j),a(1,j),1)
            Call f06kcf(j,s,1,a(1,j),1)
          End Do

!          Print the scaled matrix

          ifail = 0
          Call x04dbf('Upper', 'Non-unit', n, n, a, lda, 'Bracketed', 'F8.4', &

```

```

'Scaled matrix','Integer',rlabs,'Integer',clabs,80,0,ifail)

      End If
    End If

99999 Format (1X,A,I4,A)
99998 Format (1X,2(A,1P,E8.1))
99997 Format ((1X,1P,7E11.1))
      End Program f07ftfe

```

9.2 Program Data

F07FTF Example Program Data

```

      4
( 3.23, 0.00) ( 1.51,-1.92) ( 1.90D+05, 0.84D+05) ( 0.42D+00, 2.50D+00) :Value of N
              ( 3.58, 0.00) (-0.23D+05, 1.11D+05) (-1.18D+00, 1.37D+00)
              ( 4.09D+10, 0.00D+00) ( 2.33D+05,-0.14D+05)
              ( 4.29D+00, 0.00D+00)
                                          :End of matrix A

```

9.3 Program Results

F07FTF Example Program Results

Matrix A

```

      1      2      3
1 ( 3.23E+00, 0.00E+00) ( 1.51E+00, -1.92E+00) ( 1.90E+05, 8.40E+04)
2 ( 3.58E+00, 0.00E+00) ( -2.30E+04, 1.11E+05)
3 ( 4.09E+10, 0.00E+00) ( 4.29E+00, 0.00E+00)
4

```

```

      4
1 ( 4.20E-01, 2.50E+00)
2 ( -1.18E+00, 1.37E+00)
3 ( 2.33E+05, -1.40E+04)
4 ( 4.29E+00, 0.00E+00)

```

SCOND = 8.9E-06, AMAX = 4.1E+10

Diagonal scaling factors

```

5.6E-01 5.3E-01 4.9E-06 4.8E-01

```

Scaled matrix

```

      1      2      3
1 ( 1.0000, 0.0000) ( 0.4441, -0.5646) ( 0.5227, 0.2311)
2 ( 1.0000, 0.0000) ( -0.0601, 0.2901)
3 ( 1.0000, 0.0000)
4

```

```

      4
1 ( 0.1128, 0.6716)
2 ( -0.3011, 0.3496)
3 ( 0.5562, -0.0334)
4 ( 1.0000, 0.0000)

```