

NAG Library Routine Document

F08ZAF (DGGLSE)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F08ZAF (DGGLSE) solves a real linear equality-constrained least squares problem.

2 Specification

```
SUBROUTINE F08ZAF (M, N, P, A, LDA, B, LDB, C, D, X, WORK, LWORK, INFO)
```

```
INTEGER          M, N, P, LDA, LDB, LWORK, INFO
REAL (KIND=nag_wp) A(LDA,*), B(LDB,*), C(M), D(P), X(N),           &
                  WORK(max(1,LWORK))
```

The routine may be called by its LAPACK name *dgglse*.

3 Description

F08ZAF (DGGLSE) solves the real linear equality-constrained least squares (LSE) problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where A is an m by n matrix, B is a p by n matrix, c is an m element vector and d is a p element vector.

It is assumed that $p \leq n \leq m + p$, $\text{rank}(B) = p$ and $\text{rank}(E) = n$, where $E = \begin{pmatrix} A \\ B \end{pmatrix}$. These conditions ensure that the LSE problem has a unique solution, which is obtained using a generalized RQ factorization of the matrices B and A .

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia

Anderson E, Bai Z and Dongarra J (1992) Generalized QR factorization and its applications *Linear Algebra Appl. (Volume 162–164)* 243–271

Eldèn L (1980) Perturbation theory for the least-squares problem with linear equality constraints *SIAM J. Numer. Anal.* **17** 338–350

5 Parameters

1: M – INTEGER *Input*

On entry: m , the number of rows of the matrix A .

Constraint: $M \geq 0$.

2: N – INTEGER *Input*

On entry: n , the number of columns of the matrices A and B .

Constraint: $N \geq 0$.

- 3: P – INTEGER *Input*
On entry: p , the number of rows of the matrix B .
Constraint: $0 \leq P \leq N \leq M + P$.
- 4: A(LDA,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the m by n matrix A .
On exit: A is overwritten.
- 5: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F08ZAF (DGGLSE) is called.
Constraint: $LDA \geq \max(1, M)$.
- 6: B(LDB,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, N)$.
On entry: the p by n matrix B .
On exit: B is overwritten.
- 7: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F08ZAF (DGGLSE) is called.
Constraint: $LDB \geq \max(1, P)$.
- 8: C(M) – REAL (KIND=nag_wp) array *Input/Output*
On entry: the right-hand side vector c for the least squares part of the LSE problem.
On exit: the residual sum of squares for the solution vector x is given by the sum of squares of elements $C(N - P + 1), C(N - P + 2), \dots, C(M)$; the remaining elements are overwritten.
- 9: D(P) – REAL (KIND=nag_wp) array *Input/Output*
On entry: the right-hand side vector d for the equality constraints.
On exit: D is overwritten.
- 10: X(N) – REAL (KIND=nag_wp) array *Output*
On exit: the solution vector x of the LSE problem.
- 11: WORK(max(1, LWORK)) – REAL (KIND=nag_wp) array *Workspace*
On exit: if INFO = 0, WORK(1) contains the minimum value of LWORK required for optimal performance.
- 12: LWORK – INTEGER *Input*
On entry: the dimension of the array WORK as declared in the (sub)program from which F08ZAF (DGGLSE) is called.
 If LWORK = -1, a workspace query is assumed; the routine only calculates the optimal size of the WORK array, returns this value as the first entry of the WORK array, and no error message related to LWORK is issued.

Suggested value: for optimal performance, $LWORK \geq P + \min(M, N) + \max(M, N) \times nb$, where nb is the optimal **block size**.

Constraint: $LWORK \geq \max(1, M + N + P)$ or $LWORK = -1$.

13: INFO – INTEGER

Output

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO = 1

The upper triangular factor R associated with B in the generalized RQ factorization of the pair (B, A) is singular, so that $\text{rank}(B) < p$; the least squares solution could not be computed.

INFO = 2

The $(N - P)$ by $(N - P)$ part of the upper trapezoidal factor T associated with A in the generalized RQ factorization of the pair (B, A) is singular, so that the rank of the matrix (E) comprising the rows of A and B is less than n ; the least squares solutions could not be computed.

7 Accuracy

For an error analysis, see Anderson *et al.* (1992) and Eldèn (1980). See also Section 4.6 of Anderson *et al.* (1999).

8 Further Comments

When $m \geq n = p$, the total number of floating point operations is approximately $\frac{2}{3}n^2(6m + n)$; if $p \ll n$, the number reduces to approximately $\frac{2}{3}n^2(3m - n)$.

E04NCF/E04NCA may also be used to solve LSE problems. It differs from F08ZAF (DGGLSE) in that it uses an iterative (rather than direct) method, and that it allows general upper and lower bounds to be specified for the variables x and the linear constraints Bx .

9 Example

This example solves the least squares problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where

$$c = \begin{pmatrix} -1.50 \\ -2.14 \\ 1.23 \\ -0.54 \\ -1.68 \\ 0.82 \end{pmatrix},$$

$$A = \begin{pmatrix} -0.57 & -1.28 & -0.39 & 0.25 \\ -1.93 & 1.08 & -0.31 & -2.14 \\ 2.30 & 0.24 & 0.40 & -0.35 \\ -1.93 & 0.64 & -0.66 & 0.08 \\ 0.15 & 0.30 & 0.15 & -2.13 \\ -0.02 & 1.03 & -1.43 & 0.50 \end{pmatrix},$$

$$B = \begin{pmatrix} 1.0 & 0 & -1.0 & 0 \\ 0 & 1.0 & 0 & -1.0 \end{pmatrix}$$

and

$$d = \begin{pmatrix} 0 \\ 0 \end{pmatrix}.$$

The constraints $Bx = d$ correspond to $x_1 = x_3$ and $x_2 = x_4$.

9.1 Program Text

Program f08zafe

```

!      F08ZAF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
Use nag_library, Only: dgglse, dnrn2, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nb = 64, nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: rnorm
Integer                    :: i, info, lda, ldb, lwork, m, n, p
!      .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: a(:,,:), b(:,,:), c(:), d(:), work(:), &
                                x(:)
!      .. Executable Statements ..
Write (nout,*) 'F08ZAF Example Program Results'
Write (nout,*)
!      Skip heading in data file
Read (nin,*)
Read (nin,*) m, n, p
lda = m
ldb = p
lwork = p + n + nb*(m+n)
Allocate (a(lda,n),b(ldb,n),c(m),d(p),work(lwork),x(n))

!      Read A, B, C and D from data file

Read (nin,*)(a(i,1:n),i=1,m)
Read (nin,*)(b(i,1:n),i=1,p)
Read (nin,*) c(1:m)
Read (nin,*) d(1:p)

!      Solve the equality-constrained least-squares problem
!
!      minimize ||c - A*x|| (in the 2-norm) subject to B*x = D
!
!      The NAG name equivalent of dgglse is f08zaf
Call dgglse(m,n,p,a,lda,b,ldb,c,d,x,work,lwork,info)

!      Print least-squares solution

Write (nout,*) 'Constrained least-squares solution'
Write (nout,99999) x(1:n)

```

```

!      Compute the square root of the residual sum of squares

!      The NAG name equivalent of dnorm2 is f06ejf
      rnorm = dnorm2(m-n+p,c(n-p+1),1)
      Write (nout,*)
      Write (nout,*) 'Square root of the residual sum of squares'
      Write (nout,99998) rnorm

99999 Format (1X,7F11.4)
99998 Format (3X,1P,E11.2)
      End Program f08zafe

```

9.2 Program Data

F08ZAF Example Program Data

```

      6      4      2      :Values of M, N and P

-0.57 -1.28 -0.39  0.25
-1.93  1.08 -0.31 -2.14
  2.30  0.24  0.40 -0.35
-1.93  0.64 -0.66  0.08
  0.15  0.30  0.15 -2.13
-0.02  1.03 -1.43  0.50 :End of matrix A

  1.00  0.00 -1.00  0.00
  0.00  1.00  0.00 -1.00 :End of matrix B

-1.50
-2.14
  1.23
-0.54
-1.68
  0.82      :End of vector c

  0.00
  0.00      :End of vector d

```

9.3 Program Results

F08ZAF Example Program Results

```

Constrained least-squares solution
      0.4890      0.9975      0.4890      0.9975

Square root of the residual sum of squares
      2.51E-02

```
