# **NAG Library Routine Document**

#### X04DBF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of **bold italicised** terms and other implementation-dependent details.

## 1 Purpose

X04DBF prints a complex matrix stored in a two-dimensional array.

## 2 Specification

```
SUBROUTINE X04DBF (MATRIX, DIAG, M, N, A, LDA, USEFRM, FORM, TITLE, LABROW, RLABS, LABCOL, CLABS, NCOLS, INDENT, IFAIL)

INTEGER

M, N, LDA, NCOLS, INDENT, IFAIL

COMPLEX (KIND=nag_wp) A(LDA,*)

CHARACTER(*)

FORM, TITLE, RLABS(*), CLABS(*)

CHARACTER(1)

MATRIX, DIAG, USEFRM, LABROW, LABCOL
```

## 3 Description

X04DBF prints a complex matrix, or part of it, using a format specifier supplied by you. The matrix is output to the unit defined by X04ABF.

#### 4 References

None.

#### 5 Parameters

## 1: MATRIX – CHARACTER(1)

Input

On entry: indicates the part of the matrix to be printed.

```
MATRIX = 'G'
```

The whole of the rectangular matrix.

```
MATRIX = 'L'
```

The lower triangle of the matrix, or the lower trapezium if the matrix has more rows than columns.

```
MATRIX = 'U'
```

The upper triangle of the matrix, or the upper trapezium if the matrix has more columns than rows.

Constraint: MATRIX = 'G', 'L' or 'U'.

#### 2: DIAG – CHARACTER(1)

Input

On entry: unless MATRIX = 'G', DIAG must specify whether the diagonal elements of the matrix are to be printed.

```
DIAG = 'B'
```

The diagonal elements of the matrix are not referenced and not printed.

```
DIAG = 'U'
```

The diagonal elements of the matrix are not referenced, but are assumed all to be unity, and are printed as such.

Mark 24 X04DBF.1

X04DBF NAG Library Manual

DIAG = 'N'

The diagonal elements of the matrix are referenced and printed.

If MATRIX = 'G', then DIAG need not be set.

Constraint: if MATRIX  $\neq$  'G', DIAG = 'B', 'U' or 'N'.

3: M – INTEGER Input

4: N – INTEGER Input

On entry: the number of rows and columns of the matrix, respectively, to be printed.

If either M or N is less than 1, X04DBF will exit immediately after printing TITLE; no row or column labels are printed.

5: A(LDA,\*) – COMPLEX (KIND=nag wp) array Input

**Note**: the second dimension of the array A must be at least max(1, N).

On entry: the matrix to be printed. Only the elements that will be referred to, as specified by parameters MATRIX and DIAG, need be set.

6: LDA – INTEGER Input

On entry: the first dimension of the array A as declared in the (sub)program from which X04DBF is called.

Constraint: LDA  $> \max(1, M)$ .

#### 7: USEFRM – CHARACTER(1)

Input

On entry: indicates how the value of FORM is to be used to print matrix elements, except in MATLAB mode where USEFRM is ignored.

USEFRM = 'A'

The format code in FORM is assumed to contain a single real edit-descriptor which is to be used to print the real and imaginary parts of each complex number one above the other. Each row of the matrix is separated by a blank line, and any row labels are attached only to the real parts. This option means that about twice as many columns can be fitted into NCOLS characters than if any other USEFRM option is used. A typical value of FORM for this USEFRM option might be 'E13.4', '\* or ' '.

USEFRM = 'B'

The format code in FORM is assumed to contain a single edit-descriptor such as 'E13.4', '\*' or'' which is used to print the real and imaginary parts of each complex number separated by a comma, and surrounded by brackets. Thus a matrix element printed with this USEFRM option might look like this: (12.345, -11.323).

USEFRM = 'D'

The format code in FORM is used unaltered to print a complex number. This USEFRM option allows you flexibility to specify exactly how the number is printed. With this option for USEFRM and a suitable value for FORM it is possible, for example, to print a complex number in the form (0.123+3.214i) or (0.123E-02,0.234E-01). See Section 9 for an example illustrating this option.

Constraint: USEFRM = 'A', 'B' or 'D'.

### 8: FORM – CHARACTER(\*)

Input

On entry: describes the Fortran format code that is used in conjunction with USEFRM for printing the elements of the matrix A. The format code may be any allowed on the system, whether it is standard Fortran or not. It may or may not be enclosed in brackets.

X04DBF.2 Mark 24

In addition, there are the following special codes which force X04DBF to choose its own format code:

FORM = ' '

X04DBF will choose a format code such that numbers will be printed with an F8.4, an F11.4 or a 1PE13.4 format. The F8.4 code is chosen if the sizes of the real and imaginary parts of all the matrix elements to be printed lie between 0.001 and 1.0. The F11.4 code is chosen if the sizes of all the numbers to be printed lie between 0.001 and 9999.9999. Otherwise the 1PE13.4 code is chosen.

FORM = ' \* '

X04DBF will choose a format code such that numbers will be printed to as many significant digits as are necessary to distinguish between neighbouring machine numbers. Thus any two numbers that are stored with different internal representations should look different on output. Whether they do in fact look different will depend on the run-time library of the Fortran compiler in use.

By preceding the desired format code by the string 'MATLAB', X04DBF will print the matrix such that it can be input into MATLAB, and TITLE will be used as the name of the matrix.

More complicated values of FORM, to print a complex number in a desired form, may be used. See the description of parameter USEFRM for more details.

Examples of valid values for FORM are '(F11.4)', '1P, 2E13.5', 'MATLABF11.4', 'MATLAB\*'.

Constraint: the character length of the format specifier in FORM must be  $\leq 80$ .

### 9: TITLE - CHARACTER(\*)

Input

On entry: a title to be printed above the matrix, or name of the matrix.

If TITLE = ' ', no title (and no blank line) will be printed.

If TITLE contains more than NCOLS characters, the contents of TITLE will be wrapped onto more than one line, with the break after NCOLS characters.

Any trailing blank characters in TITLE are ignored.

If printing in MATLAB mode, TITLE will be used as the name of the matrix.

#### 10: LABROW - CHARACTER(1)

Input

On entry: indicates the type of labelling to be applied to the rows of the matrix, except in MATLAB mode where LABROW is ignored.

LABROW = 'N'

Prints no row labels.

LABROW = 'I'

Prints integer row labels.

LABROW = 'C'

Prints character labels, which must be supplied in array RLABS.

Constraint: LABROW = 'N', 'I' or 'C'.

## 11: RLABS(\*) - CHARACTER(\*) array

Input

**Note**: the dimension of the array RLABS must be at least M if LABROW = 'C', and at least 1 otherwise.

On entry: if LABROW = 'C', RLABS must contain labels for the rows of the matrix, except in MATLAB mode where RLABS is ignored.

Labels are right-justified when output, in a field which is as wide as necessary to hold the longest row label. Note that this field width is subtracted from the number of usable columns, NCOLS.

Mark 24 X04DBF.3

X04DBF NAG Library Manual

#### 12: LABCOL - CHARACTER(1)

Input

On entry: indicates the type of labelling to be applied to the columns of the matrix, except in MATLAB mode where LABCOL is ignored.

LABCOL = 'N'

Prints no column labels.

LABCOL = 'I'

Prints integer column labels.

LABCOL = 'C'

Prints character labels, which must be supplied in array CLABS.

Constraint: LABCOL = 'N', 'I' or 'C'.

### 13: CLABS(\*) - CHARACTER(\*) array

Input

**Note**: the dimension of the array CLABS must be at least N if LABCOL = 'C', and at least 1 otherwise.

On entry: if LABCOL = 'C', CLABS must contain labels for the columns of the matrix, except in MATLAB mode where CLABS is ignored.

Labels are right-justified when output. Any label that is too long for the column width, which is determined by FORM, is truncated.

#### 14: NCOLS – INTEGER

Input

On entry: the maximum output record length. If the number of columns of the matrix is too large to be accommodated in NCOLS characters, the matrix will be printed in parts, containing the largest possible number of matrix columns, and each part separated by a blank line.

NCOLS must be large enough to hold at least one column of the matrix using the format specifier in FORM. If a value less than 0 or greater than 132 is supplied for NCOLS, then the value 80 is used instead.

## 15: INDENT – INTEGER

Input

On entry: the number of columns by which the matrix (and any title and labels) should be indented. The effective value of NCOLS is reduced by INDENT columns. If a value less than 0 or greater than NCOLS is supplied for INDENT, the value 0 is used instead.

#### 16: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

X04DBF.4 Mark 24

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, MATRIX  $\neq$  'G', 'L' or 'U'.

IFAIL = 2

On entry, MATRIX = 'L' or 'U', but DIAG  $\neq$  'N', 'U' or 'B'.

IFAIL = 3

On entry, LDA < M.

IFAIL = 4

On entry, USEFRM  $\neq$  'A', 'B' or 'D'.

IFAIL = 5

On entry, the format specifier in FORM is more than 80 characters long.

IFAIL = 6

The format specifier in FORM cannot be used to output a number. The specifier probably has too wide a field width or contains an illegal edit descriptor.

IFAIL = 7

On entry, either LABROW or LABCOL  $\neq$  'N', 'I' or 'C'.

IFAIL = 8

The quantity NCOLS - INDENT - labwid (where *labwid* is the width needed for the row labels) is not large enough to hold at least one column of the matrix.

### 7 Accuracy

Not applicable.

#### **8** Further Comments

X04DBF may be used to print a vector, either as a row or as a column. The following code fragment illustrates possible calls.

Mark 24 X04DBF.5

## 9 Example

The example program calls X04DBF three times, first to print a 3 by 4 rectangular matrix, next to print a 4 by 4 upper triangular matrix, and then to print a 3 by 4 lower triangular matrix; various options for labelling and formatting are illustrated.

#### 9.1 Program Text

```
Program x04dbfe
     XO4DBF Example Program Text
     Mark 24 Release. NAG Copyright 2012.
!
      .. Use Statements ..
     Use nag_library, Only: nag_wp, x04dbf
     .. Implicit None Statement ..
      Implicit None
      .. Parameters ..
                                       :: nmax = 4, nout = 6
      Integer, Parameter
     Integer, Parameter
                                       :: lda = nmax
      Character (7), Parameter
                                       :: clabs(nmax) = (/
                                          'Un ','Deux ',
'Trois ','Quatre '/)
                                                                                 &
     Character (7), Parameter
                                       :: rlabs(nmax) = (/
                                                                                 &
                                           'Uno ','Due ',
'Tre ','Quattro'/)
     .. Local Scalars ..
!
     Real (Kind=nag_wp)
                                       :: aa
                                       :: i, ifail, indent, j, ncols
     Integer
!
      .. Local Arrays ..
     Complex (Kind=nag_wp)
                                        :: a(lda,nmax)
      .. Intrinsic Procedures ..
!
     Intrinsic
                                       :: cmplx, real
      .. Executable Statements ..
      Write (nout,*) 'XO4DBF Example Program Results'
     Write (nout, *)
     Flush (nout)
     Generate an array of data
     Do j = 1, nmax
        Do i = 1, lda
          aa = real(10*i+j,kind=nag_wp)
          a(i,j) = cmplx(aa,-aa,kind=nag_wp)
        End Do
     End Do
     ncols = 80
      indent = 0
     Print (nmax-1) by nmax rectangular matrix with default format and integer
!
!
     row and column labels, and bracketed complex elements
      Call x04dbf('General',' ',nmax-1,nmax,a,lda,'Bracketed',' ', &
        'Example 1:','Integer',rlabs,'Integer',clabs,ncols,indent,ifail)
     Write (nout,*)
     Flush (nout)
!
     Print nmax by nmax upper triangular matrix with user-supplied format
1
     and row and column labels, and complex elements with real part
     above imaginary part
      ifail = 0
```

X04DBF.6 Mark 24

### 9.2 Program Data

None.

## 9.3 Program Results

XO4DBF Example Program Results

```
Example 1:
                  -11.0000) (
                                 12.0000,
                                            -12.0000)
        11.0000,
        21.0000,
                                 22.0000,
2
                  -21.0000) (
                                            -22.0000)
  (
                 -31.0000) (
                                 32.0000,
                                            -32.0000)
3
        31.0000,
                  -13.0000) (
                                 14.0000.
                                            -14.0000)
1
        13.0000,
   (
2
        23.0000,
                  -23.0000) (
                                 24.0000,
                                            -24.0000)
        33.0000,
                  -33.0000) (
                                 34.0000,
                                            -34.0000)
Example 2:
                         Trois Quatre
             Un
                  Deux
                 12.00
                         13.00
                                 14.00
          11.00
   Uno
          -11.00 -12.00
                         -13.00
                                 -14.00
                  22.00
                         23.00
                                 24.00
   Due
                 -22.00 -23.00 -24.00
    Tre
                          33.00
                                  34.00
                          -33.00 -34.00
Quattro
                                  44.00
                                  -44.00
A = [
       1.00
            +0.00i) (
                          0.00
                                 +0.00i) (
                                              0.00
                                                     +0.00i) ...
      0.00
            +0.00i);
     21.00
            -21.00i) (
                          1.00
                                 +0.00i) (
                                              0.00
                                                     +0.00i) ...
            +0.00i);
      0.00
     31.00
            -31.00i) (
                          32.00 -32.00i) (
                                              1.00
                                                     +0.00i) ...
       0.00
            +0.00i);
   ];
```

Mark 24 X04DBF.7 (last)