

NAG Library Routine Document

F08UEF (DSBGST)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F08UEF (DSBGST) reduces a real symmetric-definite generalized eigenproblem $Az = \lambda Bz$ to the standard form $Cy = \lambda y$, where A and B are band matrices, A is a real symmetric matrix, and B has been factorized by F08UFF (DPBSTF).

2 Specification

```
SUBROUTINE F08UEF (VECT, UPLO, N, KA, KB, AB, LDAB, BB, LDBB, X, LDX, WORK,      &
                  INFO)
INTEGER          N, KA, KB, LDAB, LDBB, LDX, INFO
REAL (KIND=nag_wp) AB(LDAB,*), BB(LDBB,*), X(LDX,*), WORK(2*N)
CHARACTER(1)    VECT, UPLO
```

The routine may be called by its LAPACK name *dsbgst*.

3 Description

To reduce the real symmetric-definite generalized eigenproblem $Az = \lambda Bz$ to the standard form $Cy = \lambda y$, where A , B and C are banded, F08UEF (DSBGST) must be preceded by a call to F08UFF (DPBSTF) which computes the split Cholesky factorization of the positive definite matrix B : $B = S^T S$. The split Cholesky factorization, compared with the ordinary Cholesky factorization, allows the work to be approximately halved.

This routine overwrites A with $C = X^T A X$, where $X = S^{-1} Q$ and Q is a orthogonal matrix chosen (implicitly) to preserve the bandwidth of A . The routine also has an option to allow the accumulation of X , and then, if z is an eigenvector of C , Xz is an eigenvector of the original system.

4 References

Crawford C R (1973) Reduction of a band-symmetric generalized eigenvalue problem *Comm. ACM* **16** 41–44

Kaufman L (1984) Banded eigenvalue solvers on vector machines *ACM Trans. Math. Software* **10** 73–86

5 Parameters

1: VECT – CHARACTER(1) *Input*

On entry: indicates whether X is to be returned.

VECT = 'N'

X is not returned.

VECT = 'V'

X is returned.

Constraint: VECT = 'N' or 'V'.

- 2: UPLO – CHARACTER(1) *Input*
On entry: indicates whether the upper or lower triangular part of A is stored.
UPLO = 'U'
The upper triangular part of A is stored.
UPLO = 'L'
The lower triangular part of A is stored.
Constraint: UPLO = 'U' or 'L'.
- 3: N – INTEGER *Input*
On entry: n , the order of the matrices A and B .
Constraint: $N \geq 0$.
- 4: KA – INTEGER *Input*
On entry: if UPLO = 'U', the number of superdiagonals, k_a , of the matrix A .
If UPLO = 'L', the number of subdiagonals, k_a , of the matrix A .
Constraint: $KA \geq 0$.
- 5: KB – INTEGER *Input*
On entry: if UPLO = 'U', the number of superdiagonals, k_b , of the matrix B .
If UPLO = 'L', the number of subdiagonals, k_b , of the matrix B .
Constraint: $KA \geq KB \geq 0$.
- 6: AB(LDAB,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array AB must be at least $\max(1, N)$.
On entry: the upper or lower triangle of the n by n symmetric band matrix A .
The matrix is stored in rows 1 to $k_a + 1$, more precisely,
if UPLO = 'U', the elements of the upper triangle of A within the band must be stored with element A_{ij} in $AB(k_a + 1 + i - j, j)$ for $\max(1, j - k_a) \leq i \leq j$;
if UPLO = 'L', the elements of the lower triangle of A within the band must be stored with element A_{ij} in $AB(1 + i - j, j)$ for $j \leq i \leq \min(n, j + k_a)$.
On exit: the upper or lower triangle of AB is overwritten by the corresponding upper or lower triangle of C as specified by UPLO.
- 7: LDAB – INTEGER *Input*
On entry: the first dimension of the array AB as declared in the (sub)program from which F08UEF (DSBGST) is called.
Constraint: $LDAB \geq KA + 1$.
- 8: BB(LDBB,*) – REAL (KIND=nag_wp) array *Input*
Note: the second dimension of the array BB must be at least $\max(1, N)$.
On entry: the banded split Cholesky factor of B as specified by UPLO, N and KB and returned by F08UFF (DPBSTF).
- 9: LDBB – INTEGER *Input*
On entry: the first dimension of the array BB as declared in the (sub)program from which F08UEF (DSBGST) is called.
Constraint: $LDBB \geq KB + 1$.

10: X(LDX,*) – REAL (KIND=nag_wp) array *Output*

Note: the second dimension of the array X must be at least $\max(1, N)$ if VECT = 'V' and at least 1 if VECT = 'N'.

On exit: the n by n matrix $X = S^{-1}Q$, if VECT = 'V'.

If VECT = 'N', X is not referenced.

11: LDX – INTEGER *Input*

On entry: the first dimension of the array X as declared in the (sub)program from which F08UEF (DSBGST) is called.

Constraints:

if VECT = 'V', $LDX \geq \max(1, N)$;
if VECT = 'N', $LDX \geq 1$.

12: WORK($2 \times N$) – REAL (KIND=nag_wp) array *Workspace*

13: INFO – INTEGER *Output*

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

Forming the reduced matrix C is a stable procedure. However it involves implicit multiplication by B^{-1} . When F08UEF (DSBGST) is used as a step in the computation of eigenvalues and eigenvectors of the original problem, there may be a significant loss of accuracy if B is ill-conditioned with respect to inversion.

8 Further Comments

The total number of floating point operations is approximately $6n^2k_B$, when VECT = 'N', assuming $n \gg k_A, k_B$; there are an additional $(3/2)n^3(k_B/k_A)$ operations when VECT = 'V'.

The complex analogue of this routine is F08USF (ZHBGST).

9 Example

This example computes all the eigenvalues of $Az = \lambda Bz$, where

$$A = \begin{pmatrix} 0.24 & 0.39 & 0.42 & 0.00 \\ 0.39 & -0.11 & 0.79 & 0.63 \\ 0.42 & 0.79 & -0.25 & 0.48 \\ 0.00 & 0.63 & 0.48 & -0.03 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 2.07 & 0.95 & 0.00 & 0.00 \\ 0.95 & 1.69 & -0.29 & 0.00 \\ 0.00 & -0.29 & 0.65 & -0.33 \\ 0.00 & 0.00 & -0.33 & 1.17 \end{pmatrix}.$$

Here A is symmetric, B is symmetric positive definite, and A and B are treated as band matrices. B must first be factorized by F08UFF (DPBSTF). The program calls F08UEF (DSBGST) to reduce the problem to the standard form $Cy = \lambda y$, then F08HEF (DSBTRD) to reduce C to tridiagonal form, and F08JFF (DSTERF) to compute the eigenvalues.

9.1 Program Text

```

Program f08uefe

!      F08UEF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
Use nag_library, Only: dpbstf, dsbgst, dsbtrd, dsterf, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Integer                    :: i, info, j, ka, kb, ldab, ldbb, ldx, n
Character (1)              :: uplo
!      .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: ab(:,,:), bb(:,,:), d(:), e(:),      &
                                work(:,), x(:,)
!      .. Intrinsic Procedures ..
Intrinsic                  :: max, min
!      .. Executable Statements ..
Write (nout,*) 'F08UEF Example Program Results'
!      Skip heading in data file
Read (nin,*)
Read (nin,*) n, ka, kb
ldab = ka + 1
ldbb = kb + 1
ldx = n
Allocate (ab(ldab,n),bb(ldbb,n),d(n),e(n-1),work(2*n),x(ldx,n))

!      Read A and B from data file

Read (nin,*) uplo
If (uplo=='U') Then
  Do i = 1, n
    Read (nin,*)(ab(ka+1+i-j,j),j=i,min(n,i+ka))
  End Do
  Do i = 1, n
    Read (nin,*)(bb(kb+1+i-j,j),j=i,min(n,i+kb))
  End Do
Else If (uplo=='L') Then
  Do i = 1, n
    Read (nin,*)(ab(1+i-j,j),j=max(1,i-ka),i)
  End Do
  Do i = 1, n
    Read (nin,*)(bb(1+i-j,j),j=max(1,i-kb),i)
  End Do
End If

!      Compute the split Cholesky factorization of B
!      The NAG name equivalent of dpbstf is f08uff
Call dpbstf(uplo,n,kb,bb,ldbb,info)

Write (nout,*)
If (info>0) Then
  Write (nout,*) 'B is not positive definite.'
Else

!      Reduce the problem to standard form C*y = lambda*y, storing
!      the result in A
!      The NAG name equivalent of dsbgst is f08uef
Call dsbgst('N',uplo,n,ka,kb,ab,ldab,bb,ldbb,x,ldx,work,info)

!      Reduce C to tridiagonal form T = (Q**T)*C*Q
!      The NAG name equivalent of dsbtrd is f08hef
Call dsbtrd('N',uplo,n,ka,ab,ldab,d,e,x,ldx,work,info)

!      Calculate the eigenvalues of T (same as C)
!      The NAG name equivalent of dsterf is f08jff

```

```

      Call dsterf(n,d,e,info)

      If (info>0) Then
        Write (nout,*) 'Failure to converge.'
      Else

!       Print eigenvalues

        Write (nout,*) 'Eigenvalues'
        Write (nout,99999) d(1:n)
      End If
    End If

99999 Format (3X,(8F8.4))
      End Program f08uefe

```

9.2 Program Data

```

F08UEF Example Program Data
  4  2  1           :Values of N, KA and KB
  'L'             :Value of UPLO
  0.24
  0.39 -0.11
  0.42  0.79 -0.25
                0.63  0.48 -0.03   :End of matrix A
  2.07
  0.95  1.69
                -0.29  0.65
                -0.33  1.17   :End of matrix B

```

9.3 Program Results

F08UEF Example Program Results

```

Eigenvalues
  -0.8305 -0.6401  0.0992  1.8525

```
