

NAG Library Routine Document

F08WBF (DGGEVX)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F08WBF (DGGEVX) computes for a pair of n by n real nonsymmetric matrices (A, B) the generalized eigenvalues and, optionally, the left and/or right generalized eigenvectors using the QZ algorithm.

Optionally it also computes a balancing transformation to improve the conditioning of the eigenvalues and eigenvectors, reciprocal condition numbers for the eigenvalues, and reciprocal condition numbers for the right eigenvectors.

2 Specification

```

SUBROUTINE F08WBF (BALANC, JOBVL, JOBVR, SENSE, N, A, LDA, B, LDB, ALPHAR,      &
                  ALPHAI, BETA, VL, LDVL, VR, LDVR, ILO, IHI, LSCALE,        &
                  RSCALE, ABNRM, BBNRM, RCONDE, RCONDV, WORK, LWORK,        &
                  IWORK, BWORK, INFO)
INTEGER          N, LDA, LDB, LDVL, LDVR, ILO, IHI, LWORK, IWORK(*),      &
                  INFO
REAL (KIND=nag_wp) A(LDA,*), B(LDB,*), ALPHAR(N), ALPHAI(N), BETA(N),      &
                  VL(LDVL,*), VR(LDVR,*), LSCALE(N), RSCALE(N), ABNRM,      &
                  BBNRM, RCONDE(*), RCONDV(*), WORK(max(1,LWORK))
LOGICAL          BWORK(*)
CHARACTER(1)     BALANC, JOBVL, JOBVR, SENSE

```

The routine may be called by its LAPACK name *dggev*.

3 Description

A generalized eigenvalue for a pair of matrices (A, B) is a scalar λ or a ratio $\alpha/\beta = \lambda$, such that $A - \lambda B$ is singular. It is usually represented as the pair (α, β) , as there is a reasonable interpretation for $\beta = 0$, and even for both being zero.

The right eigenvector v_j corresponding to the eigenvalue λ_j of (A, B) satisfies

$$Av_j = \lambda_j Bv_j.$$

The left eigenvector u_j corresponding to the eigenvalue λ_j of (A, B) satisfies

$$u_j^H A = \lambda_j u_j^H B,$$

where u_j^H is the conjugate-transpose of u_j .

All the eigenvalues and, if required, all the eigenvectors of the generalized eigenproblem $Ax = \lambda Bx$, where A and B are real, square matrices, are determined using the QZ algorithm. The QZ algorithm consists of four stages:

1. A is reduced to upper Hessenberg form and at the same time B is reduced to upper triangular form.
2. A is further reduced to quasi-triangular form while the triangular form of B is maintained. This is the real generalized Schur form of the pair (A, B) .
3. The quasi-triangular form of A is reduced to triangular form and the eigenvalues extracted. This routine does not actually produce the eigenvalues λ_j , but instead returns α_j and β_j such that

$$\lambda_j = \alpha_j / \beta_j, \quad j = 1, 2, \dots, n.$$

The division by β_j becomes your responsibility, since β_j may be zero, indicating an infinite

eigenvalue. Pairs of complex eigenvalues occur with α_j/β_j and α_{j+1}/β_{j+1} complex conjugates, even though α_j and α_{j+1} are not conjugate.

4. If the eigenvectors are required they are obtained from the triangular matrices and then transformed back into the original coordinate system.

For details of the balancing option, see Section 3 in F08WHF (DGGBAL).

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

Wilkinson J H (1979) Kronecker's canonical form and the *QZ* algorithm *Linear Algebra Appl.* **28** 285–303

5 Parameters

- 1: BALANC – CHARACTER(1) *Input*
On entry: specifies the balance option to be performed.
 BALANC = 'N'
 Do not diagonally scale or permute.
 BALANC = 'P'
 Permute only.
 BALANC = 'S'
 Scale only.
 BALANC = 'B'
 Both permute and scale.
 Computed reciprocal condition numbers will be for the matrices after permuting and/or balancing. Permuting does not change condition numbers (in exact arithmetic), but balancing does. In the absence of other information, BALANC = 'B' is recommended.
Constraint: BALANC = 'N', 'P', 'S' or 'B'.
- 2: JOBVL – CHARACTER(1) *Input*
On entry: if JOBVL = 'N', do not compute the left generalized eigenvectors.
 If JOBVL = 'V', compute the left generalized eigenvectors.
Constraint: JOBVL = 'N' or 'V'.
- 3: JOBVR – CHARACTER(1) *Input*
On entry: if JOBVR = 'N', do not compute the right generalized eigenvectors.
 If JOBVR = 'V', compute the right generalized eigenvectors.
Constraint: JOBVR = 'N' or 'V'.
- 4: SENSE – CHARACTER(1) *Input*
On entry: determines which reciprocal condition numbers are computed.
 SENSE = 'N'
 None are computed.

- SENSE = 'E'
Computed for eigenvalues only.
- SENSE = 'V'
Computed for eigenvectors only.
- SENSE = 'B'
Computed for eigenvalues and eigenvectors.
- Constraint:* SENSE = 'N', 'E', 'V' or 'B'.
- 5: N – INTEGER *Input*
On entry: n , the order of the matrices A and B .
Constraint: $N \geq 0$.
- 6: A(LDA,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the matrix A in the pair (A, B) .
On exit: A has been overwritten. If $\text{JOBVL} = 'V'$ or $\text{JOBVR} = 'V'$ or both, then A contains the first part of the real Schur form of the ‘balanced’ versions of the input A and B .
- 7: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F08WBF (DGGEVX) is called.
Constraint: $\text{LDA} \geq \max(1, N)$.
- 8: B(LDB,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, N)$.
On entry: the matrix B in the pair (A, B) .
On exit: B has been overwritten.
- 9: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F08WBF (DGGEVX) is called.
Constraint: $\text{LDB} \geq \max(1, N)$.
- 10: ALPHAR(N) – REAL (KIND=nag_wp) array *Output*
On exit: the element $\text{ALPHAR}(j)$ contains the real part of α_j .
- 11: ALPHAI(N) – REAL (KIND=nag_wp) array *Output*
On exit: the element $\text{ALPHAI}(j)$ contains the imaginary part of α_j .
- 12: BETA(N) – REAL (KIND=nag_wp) array *Output*
On exit: $(\text{ALPHAR}(j) + \text{ALPHAI}(j) \times i) / \text{BETA}(j)$, for $j = 1, 2, \dots, N$, will be the generalized eigenvalues.
If $\text{ALPHAI}(j)$ is zero, then the j th eigenvalue is real; if positive, then the j th and $(j + 1)$ st eigenvalues are a complex conjugate pair, with $\text{ALPHAI}(j + 1)$ negative.
Note: the quotients $\text{ALPHAR}(j) / \text{BETA}(j)$ and $\text{ALPHAI}(j) / \text{BETA}(j)$ may easily overflow or underflow, and $\text{BETA}(j)$ may even be zero. Thus, you should avoid naively computing the ratio α_j / β_j . However, $\max |\alpha_j|$ will always be less than and usually comparable with $\|A\|_2$ in magnitude, and $\max |\beta_j|$ will always be less than and usually comparable with $\|B\|_2$.

- 13: VL(LDVL,*) – REAL (KIND=nag_wp) array *Output*
Note: the second dimension of the array VL must be at least $\max(1, N)$ if $\text{JOBVL} = 'V'$, and at least 1 otherwise.
On exit: if $\text{JOBVL} = 'V'$, the left eigenvectors u_j are stored one after another in the columns of VL, in the same order as the corresponding eigenvalues.
 If the j th eigenvalue is real, then $u_j = \text{VL}(:, j)$, the j th column of VL.
 If the j th and $(j + 1)$ th eigenvalues form a complex conjugate pair, then $u_j = \text{VL}(:, j) + i \times \text{VL}(:, j + 1)$ and $u_{(j + 1)} = \text{VL}(:, j) - i \times \text{VL}(:, j + 1)$. Each eigenvector will be scaled so the largest component has $|\text{real part}| + |\text{imag. part}| = 1$.
 If $\text{JOBVL} = 'N'$, VL is not referenced.
- 14: LDVL – INTEGER *Input*
On entry: the first dimension of the array VL as declared in the (sub)program from which F08WBF (DGGEVX) is called.
Constraints:
 if $\text{JOBVL} = 'V'$, $\text{LDVL} \geq \max(1, N)$;
 otherwise $\text{LDVL} \geq 1$.
- 15: VR(LDVR,*) – REAL (KIND=nag_wp) array *Output*
Note: the second dimension of the array VR must be at least $\max(1, N)$ if $\text{JOBVR} = 'V'$, and at least 1 otherwise.
On exit: if $\text{JOBVR} = 'V'$, the right eigenvectors v_j are stored one after another in the columns of VR, in the same order as their eigenvalues.
 If the j th eigenvalue is real, then $v(j) = \text{VR}(:, j)$, the j th column of VR.
 If the j th and $(j + 1)$ th eigenvalues form a complex conjugate pair, then $v_j = \text{VR}(:, j) + i \times \text{VR}(:, j + 1)$ and $v_{(j + 1)} = \text{VR}(:, j) - i \times \text{VR}(:, j + 1)$.
 Each eigenvector will be scaled so the largest component has $|\text{real part}| + |\text{imag. part}| = 1$.
 If $\text{JOBVR} = 'N'$, VR is not referenced.
- 16: LDVR – INTEGER *Input*
On entry: the first dimension of the array VR as declared in the (sub)program from which F08WBF (DGGEVX) is called.
Constraints:
 if $\text{JOBVR} = 'V'$, $\text{LDVR} \geq \max(1, N)$;
 otherwise $\text{LDVR} \geq 1$.
- 17: ILO – INTEGER *Output*
 18: IHI – INTEGER *Output*
On exit: ILO and IHI are integer values such that $A(i, j) = 0$ and $B(i, j) = 0$ if $i > j$ and $j = 1, 2, \dots, \text{ILO} - 1$ or $i = \text{IHI} + 1, \dots, N$.
 If $\text{BALANC} = 'N'$ or $'S'$, $\text{ILO} = 1$ and $\text{IHI} = N$.
- 19: LSCALE(N) – REAL (KIND=nag_wp) array *Output*
On exit: details of the permutations and scaling factors applied to the left side of A and B .
 If pl_j is the index of the row interchanged with row j , and dl_j is the scaling factor applied to row j , then:

$LSCALE(j) = pl_j$, for $j = 1, 2, \dots, ILO - 1$;

$LSCALE = dl_j$, for $j = ILO, \dots, IHI$;

$LSCALE = pl_j$, for $j = IHI + 1, \dots, N$.

The order in which the interchanges are made is N to $IHI + 1$, then 1 to $ILO - 1$.

20: RSCALE(N) – REAL (KIND=nag_wp) array Output

On exit: details of the permutations and scaling factors applied to the right side of A and B .

If pr_j is the index of the column interchanged with column j , and dr_j is the scaling factor applied to column j , then:

$RSCALE(j) = pr_j$, for $j = 1, 2, \dots, ILO - 1$;

if $RSCALE = dr_j$, for $j = ILO, \dots, IHI$;

if $RSCALE = pr_j$, for $j = IHI + 1, \dots, N$.

The order in which the interchanges are made is N to $IHI + 1$, then 1 to $ILO - 1$.

21: ABNRM – REAL (KIND=nag_wp) Output

On exit: the 1-norm of the balanced matrix A .

22: BBNRM – REAL (KIND=nag_wp) Output

On exit: the 1-norm of the balanced matrix B .

23: RCONDE(*) – REAL (KIND=nag_wp) array Output

Note: the dimension of the array RCONDE must be at least $\max(1, N)$.

On exit: if SENSE = 'E' or 'B', the reciprocal condition numbers of the eigenvalues, stored in consecutive elements of the array. For a complex conjugate pair of eigenvalues two consecutive elements of RCONDE are set to the same value. Thus RCONDE(j), RCONDV(j), and the j th columns of VL and VR all correspond to the j th eigenpair.

If SENSE = 'V', RCONDE is not referenced.

24: RCONDV(*) – REAL (KIND=nag_wp) array Output

Note: the dimension of the array RCONDV must be at least $\max(1, N)$.

On exit: if SENSE = 'V' or 'B', the estimated reciprocal condition numbers of the eigenvectors, stored in consecutive elements of the array. For a complex eigenvector two consecutive elements of RCONDV are set to the same value.

If SENSE = 'E', RCONDV is not referenced.

25: WORK(max(1, LWORK)) – REAL (KIND=nag_wp) array Workspace

On exit: if INFO = 0, WORK(1) contains the minimum value of LWORK required for optimal performance.

26: LWORK – INTEGER Input

On entry: the dimension of the array WORK as declared in the (sub)program from which F08WBF (DGGEVX) is called.

If LWORK = -1 , a workspace query is assumed; the routine only calculates the optimal size of the WORK array, returns this value as the first entry of the WORK array, and no error message related to LWORK is issued.

Suggested value: for optimal performance, LWORK must generally be larger than the minimum; increase workspace by, say, $nb \times N$, where nb is the optimal **block size**.

Constraints:

if SENSE = 'N',
 if BALANC = 'N' or 'P' and JOBVL = 'N' and JOBVR = 'N',
 LWORK $\geq \max(1, 2 \times N)$;
 otherwise LWORK $\geq \max(1, 6 \times N)$;
 if SENSE = 'E', LWORK $\geq \max(1, 10 \times N)$;
 if SENSE = 'B' or SENSE = 'V', LWORK $\geq \max(10 \times N, 2 \times N \times (N + 4) + 16)$.

27: IWORK(*) – INTEGER array *Workspace*

Note: the dimension of the array IWORK must be at least $N + 6$.

If SENSE = 'E', IWORK is not referenced.

28: BWORK(*) – LOGICAL array *Workspace*

Note: the dimension of the array BWORK must be at least $\max(1, N)$.

If SENSE = 'N', BWORK is not referenced.

29: INFO – INTEGER *Output*

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO = 1 to N

The QZ iteration failed. No eigenvectors have been calculated, but ALPHAR(j), ALPHAI(j), and BETA(j) should be correct for $j = \text{INFO} + 1, \dots, N$.

INFO = N + 1

Unexpected error returned from F08XEF (DHGEQZ).

INFO = N + 2

Error returned from F08YKF (DTGEVC).

7 Accuracy

The computed eigenvalues and eigenvectors are exact for a nearby matrices $(A + E)$ and $(B + F)$, where

$$\|(E, F)\|_F = O(\epsilon)\|(A, B)\|_F,$$

and ϵ is the *machine precision*.

An approximate error bound on the chordal distance between the i th computed generalized eigenvalue w and the corresponding exact eigenvalue λ is

$$\epsilon \times \|\text{ABNRM}, \text{BBNRM}\|_2 / \text{RCONDE}(i).$$

An approximate error bound for the angle between the i th computed eigenvector VL(i) or VR(i) is given by

$$\epsilon \times \|\text{ABNRM}, \text{BBNRM}\|_2 / \text{RCONDV}(i).$$

For further explanation of the reciprocal condition numbers RCONDE and RCONDV, see Section 4.11 of Anderson *et al.* (1999).

Note: interpretation of results obtained with the *QZ* algorithm often requires a clear understanding of the effects of small changes in the original data. These effects are reviewed in Wilkinson (1979), in relation to the significance of small values of α_j and β_j . It should be noted that if α_j and β_j are **both** small for any j , it may be that no reliance can be placed on **any** of the computed eigenvalues $\lambda_i = \alpha_i/\beta_i$. You are recommended to study Wilkinson (1979) and, if in difficulty, to seek expert advice on determining the sensitivity of the eigenvalues to perturbations in the data.

8 Further Comments

The total number of floating point operations is proportional to n^3 .

The complex analogue of this routine is F08WPF (ZGGEVX).

9 Example

This example finds all the eigenvalues and right eigenvectors of the matrix pair (A, B) , where

$$A = \begin{pmatrix} 3.9 & 12.5 & -34.5 & -0.5 \\ 4.3 & 21.5 & -47.5 & 7.5 \\ 4.3 & 21.5 & -43.5 & 3.5 \\ 4.4 & 26.0 & -46.0 & 6.0 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 1.0 & 2.0 & -3.0 & 1.0 \\ 1.0 & 3.0 & -5.0 & 4.0 \\ 1.0 & 3.0 & -4.0 & 3.0 \\ 1.0 & 3.0 & -4.0 & 4.0 \end{pmatrix},$$

together with estimates of the condition number and forward error bounds for each eigenvalue and eigenvector. The option to balance the matrix pair is used.

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

9.1 Program Text

```

Program f08wbfe

!      F08WBF Example Program Text

!      Mark 24 Release. NAG Copyright 2012.

!      .. Use Statements ..
Use nag_library, Only: dggevx, f06bnf, nag_wp, x02ajf, x02amf
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nb = 64, nin = 5, nout = 6
!      .. Local Scalars ..
Complex (Kind=nag_wp)      :: eig
Real (Kind=nag_wp)         :: abnorm, abnorm, bnorm, eps, erband, &
                             rcnd, small, tol
Integer                    :: i, ihi, ilo, info, j, lda, ldb, &
                             ldvr, lwork, n
Logical                    :: pair
!      .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: a(:, :), alphai(:), alphas(:), &
                             b(:, :), beta(:), lscale(:), &
                             rconde(:), rcondv(:), rscale(:), &
                             vr(:, :), work(:)
Real (Kind=nag_wp)         :: dummy(1,1)
Integer, Allocatable       :: iwork(:)
Logical, Allocatable       :: bwork(:)
!      .. Intrinsic Procedures ..
Intrinsic                  :: abs, cplx, max, nint, real
!      .. Executable Statements ..
Write (nout,*) 'F08WBF Example Program Results'
Skip heading in data file
Read (nin,*)

```

```

Read (nin,*) n
lda = n
ldb = n
ldvr = n
Allocate (a(lda,n),alphi(n),alphi(n),b(ldb,n),beta(n),lscale(n), &
         rconde(n),rcondv(n),rscale(n),vr(ldvr,n),iwork(n+6),bwork(n))

! Use routine workspace query to get optimal workspace.
lwork = -1
! The NAG name equivalent of dggev is f08wbf
Call dggev('Balance','No vectors (left)','Vectors (right)', &
         'Both reciprocal condition numbers',n,a,lda,b,ldb,alphi,alphi,beta, &
         dummy,1,vr,ldvr,ilo,ihl,lscale,rscale,abnrm,bbnrm,rconde,rcondv,dummy, &
         lwork,iwork,bwork,info)

! Make sure that there is enough workspace for blocksize nb.
lwork = max((nb+2*n)*n,nint(dummy(1,1)))
Allocate (work(lwork))

! Read in the matrices A and B

Read (nin,*)(a(i,1:n),i=1,n)
Read (nin,*)(b(i,1:n),i=1,n)

! Solve the generalized eigenvalue problem

! The NAG name equivalent of dggev is f08wbf
Call dggev('Balance','No vectors (left)','Vectors (right)', &
         'Both reciprocal condition numbers',n,a,lda,b,ldb,alphi,alphi,beta, &
         dummy,1,vr,ldvr,ilo,ihl,lscale,rscale,abnrm,bbnrm,rconde,rcondv,work, &
         lwork,iwork,bwork,info)

If (info>0) Then
  Write (nout,*)
  Write (nout,99999) 'Failure in DGGEVX. INFO =', info
Else

! Compute the machine precision, the safe range parameter
! small and sqrt(abnrm**2+bbnrm**2)

eps = x02ajf()
small = x02amf()
abnorm = f06bnf(abnrm,bbnrm)
tol = eps*abnorm

! Print out eigenvalues and vectors and associated condition
! number and bounds

pair = .False.
Do j = 1, n

! Print out information on the jth eigenvalue

Write (nout,*)
If ((abs(alphi(j))+abs(alphi(j)))*small>=abs(beta(j))) Then
  Write (nout,99998) 'Eigenvalue(', j, ')', &
    ' is numerically infinite or undetermined', 'ALPHAR(', j, &
    ') = ', alphi(j), ', ALPHAI(', j, ') = ', alphi(j), ', BETA(', &
    j, ') = ', beta(j)
Else
  If (alphi(j)==0.0E0_nag_wp) Then
    Write (nout,99997) 'Eigenvalue(', j, ') = ', alphi(j)/beta(j)
  Else
    eig = cmplx(alphi(j),alphi(j),kind=nag_wp)/ &
      cmplx(beta(j),kind=nag_wp)
    Write (nout,99996) 'Eigenvalue(', j, ') = ', eig
  End If
End If
rcnd = rconde(j)
Write (nout,*)
Write (nout,99995) 'Reciprocal condition number = ', rcnd

```



```

      If (rcnd>0.OEO_nag_wp) Then
        erwnd = tol/rcnd
        Write (nout,99995) 'Error bound           = ', erwnd
      Else
        Write (nout,*) 'Error bound is infinite'
      End If

!      Print out information on the jth eigenvector

!      Make first real part component be positive
      If (.Not. pair .And. real(vr(1,j),kind=nag_wp)<0.O_nag_wp) Then
        vr(1:n,j) = -vr(1:n,j)
      End If

      Write (nout,*)
      Write (nout,99994) 'Eigenvector(', j, ')'
      If (alpha(j)==0.OEO_nag_wp) Then
        Write (nout,99993)(vr(i,j),i=1,n)
      Else
        If (pair) Then
          Write (nout,99992)(vr(i,j-1),-vr(i,j),i=1,n)
        Else
          Write (nout,99992)(vr(i,j),vr(i,j+1),i=1,n)
        End If
        pair = .Not. pair
      End If
      rcnd = rcondv(j)
      Write (nout,*)
      Write (nout,99995) 'Reciprocal condition number = ', rcnd
      If (rcnd>0.OEO_nag_wp) Then
        erwnd = tol/rcnd
        Write (nout,99995) 'Error bound           = ', erwnd
      Else
        Write (nout,*) 'Error bound is infinite'
      End If
    End Do
  End If

99999 Format (1X,A,I4)
99998 Format (1X,A,I2,2A/1X,2(A,I2,A,1P,E11.4),A,I2,A,1P,E11.4)
99997 Format (1X,A,I2,A,1P,E11.4)
99996 Format (1X,A,I2,A,'(',1P,E11.4,',',1P,E11.4,')')
99995 Format (1X,A,1P,E8.1)
99994 Format (1X,A,I2,A)
99993 Format (1X,1P,E11.4)
99992 Format (1X,'(',1P,E11.4,',',1P,E11.4,')')
  End Program f08wbfe

```

9.2 Program Data

```

F08WBF Example Program Data
  4                               :Value of N
  3.9 12.5 -34.5 -0.5
  4.3 21.5 -47.5 7.5
  4.3 21.5 -43.5 3.5
  4.4 26.0 -46.0 6.0 :End of matrix A
  1.0 2.0 -3.0 1.0
  1.0 3.0 -5.0 4.0
  1.0 3.0 -4.0 3.0
  1.0 3.0 -4.0 4.0 :End of matrix B

```

9.3 Program Results

F08WBF Example Program Results

Eigenvalue(1) = 2.0000E+00

Reciprocal condition number = 9.5E-02

Error bound = 2.5E-14

```
Eigenvector( 1)
 1.0000E+00
 5.7143E-03
 6.2857E-02
 6.2857E-02

Reciprocal condition number = 1.3E-01
Error bound                  = 1.9E-14

Eigenvalue( 2) = ( 3.0000E+00, 4.0000E+00)

Reciprocal condition number = 1.7E-01
Error bound                  = 1.4E-14

Eigenvector( 2)
( 4.2550E-01,-5.7450E-01)
( 8.5099E-02,-1.1490E-01)
( 1.4298E-01,-8.6125E-04)
( 1.4298E-01,-8.6125E-04)

Reciprocal condition number = 3.8E-02
Error bound                  = 6.2E-14

Eigenvalue( 3) = ( 3.0000E+00,-4.0000E+00)

Reciprocal condition number = 1.7E-01
Error bound                  = 1.4E-14

Eigenvector( 3)
( 4.2550E-01, 5.7450E-01)
( 8.5099E-02, 1.1490E-01)
( 1.4298E-01, 8.6125E-04)
( 1.4298E-01, 8.6125E-04)

Reciprocal condition number = 3.8E-02
Error bound                  = 6.2E-14

Eigenvalue( 4) = 4.0000E+00

Reciprocal condition number = 5.1E-01
Error bound                  = 4.6E-15

Eigenvector( 4)
 1.0000E+00
 1.1111E-02
-3.3333E-02
 1.5556E-01

Reciprocal condition number = 7.1E-02
Error bound                  = 3.3E-14
```
