

NAG Library Routine Document

G07ABF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

G07ABF computes a confidence interval for the mean parameter of the Poisson distribution.

2 Specification

```
SUBROUTINE G07ABF (N, XMEAN, CLEVEL, TL, TU, IFAIL)
  INTEGER          N, IFAIL
  REAL (KIND=nag_wp) XMEAN, CLEVEL, TL, TU
```

3 Description

Given a random sample of size n , denoted by x_1, x_2, \dots, x_n , from a Poisson distribution with probability function

$$p(x) = e^{-\theta} \frac{\theta^x}{x!}, \quad x = 0, 1, 2, \dots$$

the point estimate, $\hat{\theta}$, for θ is the sample mean, \bar{x} .

Given n and \bar{x} this routine computes a $100(1 - \alpha)\%$ confidence interval for the parameter θ , denoted by $[\theta_l, \theta_u]$, where α is in the interval $(0, 1)$.

The lower and upper confidence limits are estimated by the solutions to the equations

$$e^{-n\theta_l} \sum_{x=T}^{\infty} \frac{(n\theta_l)^x}{x!} = \frac{\alpha}{2},$$

$$e^{-n\theta_u} \sum_{x=0}^T \frac{(n\theta_u)^x}{x!} = \frac{\alpha}{2},$$

where $T = \sum_{i=1}^n x_i = n\hat{\theta}$.

The relationship between the Poisson distribution and the χ^2 -distribution (see page 112 of Hastings and Peacock (1975)) is used to derive the equations

$$\theta_l = \frac{1}{2n} \chi_{2T, \alpha/2}^2,$$

$$\theta_u = \frac{1}{2n} \chi_{2T+2, 1-\alpha/2}^2,$$

where $\chi_{\nu, p}^2$ is the deviate associated with the lower tail probability p of the χ^2 -distribution with ν degrees of freedom.

In turn the relationship between the χ^2 -distribution and the gamma distribution (see page 70 of Hastings and Peacock (1975)) yields the following equivalent equations;

$$\theta_l = \frac{1}{2n} \gamma_{T,2;\alpha/2},$$

$$\theta_u = \frac{1}{2n} \gamma_{T+1,2;1-\alpha/2},$$

where $\gamma_{\alpha,\beta;\delta}$ is the deviate associated with the lower tail probability, δ , of the gamma distribution with shape parameter α and scale parameter β . These deviates are computed using G01FFF.

4 References

Hastings N A J and Peacock J B (1975) *Statistical Distributions* Butterworth

Snedecor G W and Cochran W G (1967) *Statistical Methods* Iowa State University Press

5 Parameters

- | | | |
|----|--|---------------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the sample size. | |
| | <i>Constraint:</i> $N \geq 1$. | |
| 2: | XMEAN – REAL (KIND=nag_wp) | <i>Input</i> |
| | <i>On entry:</i> the sample mean, \bar{x} . | |
| | <i>Constraint:</i> $XMEAN \geq 0.0$. | |
| 3: | CLEVEL – REAL (KIND=nag_wp) | <i>Input</i> |
| | <i>On entry:</i> the confidence level, $(1 - \alpha)$, for two-sided interval estimate. For example CLEVEL = 0.95 gives a 95% confidence interval. | |
| | <i>Constraint:</i> $0.0 < CLEVEL < 1.0$. | |
| 4: | TL – REAL (KIND=nag_wp) | <i>Output</i> |
| | <i>On exit:</i> the lower limit, θ_l , of the confidence interval. | |
| 5: | TU – REAL (KIND=nag_wp) | <i>Output</i> |
| | <i>On exit:</i> the upper limit, θ_u , of the confidence interval. | |
| 6: | IFAIL – INTEGER | <i>Input/Output</i> |
| | <i>On entry:</i> IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details. | |
| | For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit. | |
| | <i>On exit:</i> IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6). | |

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by $X04AAF$).

Errors or warnings detected by the routine:

$IFAIL = 1$

On entry, $N < 1$,
 or $XMEAN < 0.0$,
 or $CLEVEL \leq 0.0$,
 or $CLEVEL \geq 1.0$.

$IFAIL = 2$

When using the relationship with the gamma distribution to calculate one of the confidence limits, the series to calculate the gamma probabilities has failed to converge. Both TL and TU are set to zero. This is a very unlikely error exit and if it occurs please contact NAG.

$IFAIL = -99$

An unexpected error has been triggered by this routine. Please contact NAG.
 See Section 3.8 in the Essential Introduction for further information.

$IFAIL = -399$

Your licence key may have expired or may not have been installed correctly.
 See Section 3.7 in the Essential Introduction for further information.

$IFAIL = -999$

Dynamic memory allocation failed.
 See Section 3.6 in the Essential Introduction for further information.

7 Accuracy

For most cases the results should have a relative accuracy of $\max(0.5E-12, 50.0 \times \epsilon)$ where ϵ is the *machine precision* (see $X02AJF$). Thus on machines with sufficiently high precision the results should be accurate to 12 significant digits. Some accuracy may be lost when $\alpha/2$ or $1 - \alpha/2$ is very close to 0.0, which will occur if $CLEVEL$ is very close to 1.0. This should not affect the usual confidence intervals used.

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

The following example reads in data showing the number of noxious weed seeds and the frequency with which that number occurred in 98 subsamples of meadow grass. The data is taken from page 224 of Snedecor and Cochran (1967). The sample mean is computed as the point estimate of the Poisson parameter θ . G07ABF is then called to compute both a 95% and a 99% confidence interval for the parameter θ .

10.1 Program Text

```

Program g07abfe

!      G07ABF Example Program Text

!      Mark 25 Release. NAG Copyright 2014.

!      .. Use Statements ..
Use nag_library, Only: g07abf, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: clevel, sum, tl, tu, xmean
Integer                     :: ifail, ifreq, n, num
!      .. Intrinsic Procedures ..
Intrinsic                   :: real
!      .. Executable Statements ..
Write (nout,*) 'G07ABF Example Program Results'
Write (nout,*)

!      Skip heading in data file
Read (nin,*)

!      Read in counts and frequencies
sum = 0.0E0_nag_wp
n = 0
d_lp: Do
  Read (nin,*,Iostat=ifail) num, ifreq
  If (ifail/=0) Then
    Exit d_lp
  End If

!      Calculate sum
  sum = sum + real(num,kind=nag_wp)*real(ifreq,kind=nag_wp)
  n = n + ifreq
End Do d_lp

!      Estimate poisson parameter
xmean = sum/real(n,kind=nag_wp)
Write (nout,99999) 'The point estimate of the Poisson parameter =', &
  xmean
Write (nout,*)

!      Calculate 95% confidence interval
clevel = 0.95E0_nag_wp
ifail = 0
Call g07abf(n,xmean,clevel,tl,tu,ifail)

!      Display CI
Write (nout,*) '95 percent Confidence Interval for the estimate'
Write (nout,99998) '(, tl, ', ', tu, ' )'
Write (nout,*)

!      Calculate 99% confidence intervale
clevel = 0.99E0_nag_wp
ifail = 0
Call g07abf(n,xmean,clevel,tl,tu,ifail)

!      Display CI
Write (nout,*) '99 percent Confidence Interval for the estimate'
Write (nout,99998) '(, tl, ', ', tu, ' )'

99999 Format (1X,A,F7.4)
99998 Format (6X,A,F7.4,A,F7.4,A)
End Program g07abfe

```

10.2 Program Data

```
G07ABF Example Program Data
0 3
1 17
2 26
3 16
4 18
5 9
6 3
7 5
8 0
9 1
10 0
```

10.3 Program Results

```
G07ABF Example Program Results
```

```
The point estimate of the Poisson parameter = 3.0204
```

```
95 percent Confidence Interval for the estimate
( 2.6861 , 3.3848 )
```

```
99 percent Confidence Interval for the estimate
( 2.5874 , 3.5027 )
```
