

NAG Library Routine Document

G08AFF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

G08AFF performs the Kruskal–Wallis one-way analysis of variance by ranks on k independent samples of possibly unequal sizes.

2 Specification

```
SUBROUTINE G08AFF (X, LX, L, K, W, H, P, IFAIL)
INTEGER          LX, L(K), K, IFAIL
REAL (KIND=nag_wp) X(LX), W(LX), H, P
```

3 Description

The Kruskal–Wallis test investigates the differences between scores from k independent samples of unequal sizes, the i th sample containing l_i observations. The hypothesis under test, H_0 , often called the null hypothesis, is that the samples come from the same population, and this is to be tested against the alternative hypothesis H_1 that they come from different populations.

The test proceeds as follows:

- The pooled sample of all the observations is ranked. Average ranks are assigned to tied scores.
- The ranks of the observations in each sample are summed, to give the rank sums R_i , for $i = 1, 2, \dots, k$.
- The Kruskal–Wallis' test statistic H is computed as:

$$H = \frac{12}{N(N+1)} \sum_{i=1}^k \frac{R_i^2}{l_i} - 3(N+1), \quad \text{where } N = \sum_{i=1}^k l_i,$$

i.e., N is the total number of observations. If there are tied scores, H is corrected by dividing by:

$$1 - \frac{\sum (t^3 - t)}{N^3 - N}$$

where t is the number of tied scores in a sample and the summation is over all tied samples.

G08AFF returns the value of H , and also an approximation, p , to the probability of a value of at least H being observed, H_0 is true. (H approximately follows a χ_{k-1}^2 distribution). H_0 is rejected by a test of chosen size α if $p < \alpha$. The approximation p is acceptable unless $k = 3$ and l_1, l_2 or $l_3 \leq 5$ in which case tables should be consulted (e.g., O of Siegel (1956)) or $k = 2$ (in which case the Median test (see G08ACF) or the Mann–Whitney U test (see G08AHF) is more appropriate).

4 References

- Moore P G, Shirley E A and Edwards D E (1972) *Standard Statistical Calculations* Pitman
 Siegel S (1956) *Non-parametric Statistics for the Behavioral Sciences* McGraw–Hill

5 Parameters

- 1: X(LX) – REAL (KIND=nag_wp) array *Input*
On entry: the elements of X must contain the observations in the K samples. The first l_1 elements must contain the scores in the first sample, the next l_2 those in the second sample, and so on.
- 2: LX – INTEGER *Input*
On entry: N, the total number of observations.
Constraint: $LX = \sum_{i=1}^k L(i)$.
- 3: L(K) – INTEGER array *Input*
On entry: L(i) must contain the number of observations l_i in sample i , for $i = 1, 2, \dots, k$.
Constraint: $L(i) > 0$, for $i = 1, 2, \dots, k$.
- 4: K – INTEGER *Input*
On entry: k, the number of samples.
Constraint: $K \geq 2$.
- 5: W(LX) – REAL (KIND=nag_wp) array *Workspace*
- 6: H – REAL (KIND=nag_wp) *Output*
On exit: the value of the Kruskal–Wallis test statistic, H.
- 7: P – REAL (KIND=nag_wp) *Output*
On exit: the approximate significance, p, of the Kruskal–Wallis test statistic.
- 8: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, –1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
 For environments where it might be inappropriate to halt program execution when an error is detected, the value –1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value –1 or 1 is used it is essential to test the value of IFAIL on exit.**
On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or –1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $K < 2$.

IFAIL = 2

On entry, $L(i) \leq 0$ for some i , $i = 1, 2, \dots, k$.

IFAIL = 3

On entry, $LX \neq \sum_{i=1}^k L(i)$.

IFAIL = 4

On entry, all the observations were equal.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.8 in the Essential Introduction for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.7 in the Essential Introduction for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.6 in the Essential Introduction for further information.

7 Accuracy

For estimates of the accuracy of the significance p , see G01ECF. The χ^2 approximation is acceptable unless $k = 3$ and l_1, l_2 or $l_3 \leq 5$.

8 Parallelism and Performance

Not applicable.

9 Further Comments

The time taken by G08AFF is small, and increases with N and k .

If $k = 2$, the Median test (see G08ACF) or the Mann–Whitney U test (see G08AHF) is more appropriate.

10 Example

This example is taken from Moore *et al.* (1972). There are 5 groups of sizes 5, 8, 6, 8 and 8. The data represent the weight gain, in pounds, of pigs from five different litters under the same conditions.

10.1 Program Text

```

Program g08affe

!      G08AFF Example Program Text

!      Mark 25 Release. NAG Copyright 2014.

!      .. Use Statements ..
Use nag_library, Only: g08aff, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: h, p

```

```

Integer                                :: i, ifail, k, lx, nhi, nlo
! .. Local Arrays ..
Real (Kind=nag_wp), Allocatable        :: w(:), x(:)
Integer, Allocatable                   :: l(:)
! .. Intrinsic Procedures ..
Intrinsic                               :: sum
! .. Executable Statements ..
Write (nout,*) 'G08AFF Example Program Results'
Write (nout,*)

! Skip heading in data file
Read (nin,*)

! Read in problem size
Read (nin,*) k

Allocate (l(k))

! Read in number of observations in each sample
Read (nin,*) l(1:k)

! Calculate total number of observations
lx = sum(l(1:k))

Allocate (x(lx),w(lx))

! Read in data
Read (nin,*) x(1:lx)

! Display title
Write (nout,*) 'Kruskal-Wallis test'
Write (nout,*)

! Display input data
Write (nout,*) 'Data values'
Write (nout,*)
Write (nout,*) ' Group    Observations'
nlo = 1
Do i = 1, k
  nhi = nlo + l(i) - 1
  Write (nout,99999) i, x(nlo:nhi)
  nlo = nlo + l(i)
End Do

! Perform ANOVA
ifail = 0
Call g08aff(x,lx,l,k,w,h,p,ifail)

! Display results
Write (nout,*)
Write (nout,99998) 'Test statistic      ', h
Write (nout,99997) 'Degrees of freedom  ', k - 1
Write (nout,99998) 'Significance        ', p

99999 Format (1X,I5,5X,10F4.0)
99998 Format (1X,A,F9.3)
99997 Format (1X,A,I9)
End Program g08affe

```

10.2 Program Data

```

G08AFF Example Program Data
5                                :: K
5 8 6 8 8                       :: L
23.0 27.0 26.0 19.0 30.0 29.0
25.0 33.0 36.0 32.0 28.0 30.0
31.0 38.0 31.0 28.0 35.0 33.0
36.0 30.0 27.0 28.0 22.0 33.0
34.0 34.0 32.0 31.0 33.0 31.0
28.0 30.0 24.0 29.0 30.0      :: End of X

```

10.3 Program Results

G08AFF Example Program Results

Kruskal-Wallis test

Data values

Group	Observations
1	23. 27. 26. 19. 30.
2	29. 25. 33. 36. 32. 28. 30. 31.
3	38. 31. 28. 35. 33. 36.
4	30. 27. 28. 22. 33. 34. 34. 32.
5	31. 33. 31. 28. 30. 24. 29. 30.

Test statistic	10.537
Degrees of freedom	4
Significance	0.032
