

NAG Library Routine Document

D05BYF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

D05BYF computes the fractional quadrature weights associated with the Backward Differentiation Formulae (BDF) of orders 4, 5 and 6. These weights can then be used in the solution of weakly singular equations of Abel type.

2 Specification

```
SUBROUTINE D05BYF (IORDER, IQ, LENFW, WT, SW, LDSW, WORK, LWK, IFAIL)
INTEGER           IORDER, IQ, LENFW, LDSW, LWK, IFAIL
REAL (KIND=nag_wp) WT(LENFW), SW(LDSW,2*IORDER-1), WORK(LWK)
```

3 Description

D05BYF computes the weights $W_{i,j}$ and ω_i for a family of quadrature rules related to a BDF method for approximating the integral:

$$\frac{1}{\sqrt{\pi}} \int_0^t \frac{\phi(s)}{\sqrt{t-s}} ds \simeq \sqrt{h} \sum_{j=0}^{2p-2} W_{i,j} \phi(j \times h) + \sqrt{h} \sum_{j=2p-1}^i \omega_{i-j} \phi(j \times h), \quad 0 \leq t \leq T, \quad (1)$$

with $t = i \times h$ ($i \geq 0$), for some given h . In (1), p is the order of the BDF method used and $W_{i,j}$, ω_i are the fractional starting and the fractional convolution weights respectively. The algorithm for the generation of ω_i is based on Newton's iteration. Fast Fourier transform (FFT) techniques are used for computing these weights and subsequently $W_{i,j}$ (see Baker and Derakhshan (1987) and Henrici (1979) for practical details and Lubich (1986) for theoretical details). Some special functions can be represented as the fractional integrals of simpler functions and fractional quadratures can be employed for their computation (see Lubich (1986)). A description of how these weights can be used in the solution of weakly singular equations of Abel type is given in Section 9.

4 References

- Baker C T H and Derakhshan M S (1987) Computational approximations to some power series
Approximation Theory (eds L Collatz, G Meinardus and G N̄rnberger) **81** 11–20
- Henrici P (1979) Fast Fourier methods in computational complex analysis *SIAM Rev.* **21** 481–529
- Lubich Ch (1986) Discretized fractional calculus *SIAM J. Math. Anal.* **17** 704–719

5 Arguments

- 1: IORDER – INTEGER *Input*
On entry: p , the order of the BDF method to be used.
Constraint: $4 \leq \text{IORDER} \leq 6$.
- 2: IQ – INTEGER *Input*
On entry: determines the number of weights to be computed. By setting IQ to a value, 2^{IQ+1} fractional convolution weights are computed.
Constraint: $\text{IQ} \geq 0$.

| | | |
|--|--|---------------------|
| 3: | LENFW – INTEGER | <i>Input</i> |
| <i>On entry:</i> the dimension of the array WT as declared in the (sub)program from which D05BYF is called. | | |
| | <i>Constraint:</i> $\text{LENFW} \geq 2^{\text{IQ}+2}$. | |
| 4: | WT(LENFW) – REAL (KIND=nag_wp) array | <i>Output</i> |
| <i>On exit:</i> the first $2^{\text{IQ}+1}$ elements of WT contains the fractional convolution weights ω_i , for $i = 0, 1, \dots, 2^{\text{IQ}+1} - 1$. The remainder of the array is used as workspace. | | |
| 5: | SW(LDSW, $2 \times \text{IORDER} - 1$) – REAL (KIND=nag_wp) array | <i>Output</i> |
| <i>On exit:</i> SW($i, j + 1$) contains the fractional starting weights $W_{i-1,j}$, for $i = 1, 2, \dots, N$ and $j = 0, 1, \dots, 2 \times \text{IORDER} - 2$, where $N = (2^{\text{IQ}+1} + 2 \times \text{IORDER} - 1)$. | | |
| 6: | LDSW – INTEGER | <i>Input</i> |
| <i>On entry:</i> the first dimension of the array SW as declared in the (sub)program from which D05BYF is called. | | |
| | <i>Constraint:</i> $\text{LDSW} \geq 2^{\text{IQ}+1} + 2 \times \text{IORDER} - 1$. | |
| 7: | WORK(LWK) – REAL (KIND=nag_wp) array | <i>Workspace</i> |
| 8: | LWK – INTEGER | <i>Input</i> |
| <i>On entry:</i> the dimension of the array WORK as declared in the (sub)program from which D05BYF is called. | | |
| | <i>Constraint:</i> $\text{LWK} \geq 2^{\text{IQ}+3}$. | |
| 9: | IFAIL – INTEGER | <i>Input/Output</i> |
| <i>On entry:</i> IFAIL must be set to 0, -1 or 1 . If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details. | | |
| For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0 . When the value -1 or 1 is used it is essential to test the value of IFAIL on exit. | | |
| <i>On exit:</i> IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6). | | |

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $\text{IORDER} < 4$ or $\text{IORDER} > 6$,
 or $\text{IQ} < 0$,
 or $\text{LENFW} < 2^{\text{IQ}+2}$,
 or $\text{LDSW} < 2^{\text{IQ}+1} + 2 \times \text{IORDER} - 1$,
 or $\text{LWK} < 2^{\text{IQ}+3}$.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

Not applicable.

8 Parallelism and Performance

D05BYF is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

D05BYF makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

Fractional quadrature weights can be used for solving weakly singular integral equations of Abel type. In this section, we propose the following algorithm which you may find useful in solving a linear weakly singular integral equation of the form

$$y(t) = f(t) + \frac{1}{\sqrt{\pi}} \int_0^t \frac{K(t,s)y(s)}{\sqrt{t-s}} ds, \quad 0 \leq t \leq T, \quad (2)$$

using D05BYF. In (2), $K(t,s)$ and $f(t)$ are given and the solution $y(t)$ is sought on a uniform mesh of size h such that $T = N \times h$. Discretization of (2) yields

$$y_i = f(i \times h) + \sqrt{h} \sum_{j=0}^{2p-2} W_{i,j} K(i \times h, j \times h) y_j + \sqrt{h} \sum_{j=2p-1}^i \omega_{i-j} K(i \times h, j \times h) y_j, \quad (3)$$

where $y_i \simeq y(i \times h)$, for $i = 1, 2, \dots, N$. We propose the following algorithm for computing y_i from (3) after a call to D05BYF:

- (a) Set $N = 2^{IQ+1} + 2 \times IORDER - 2$ and $h = T/N$.
- (b) Equation (3) requires $2 \times IORDER - 2$ starting values, y_j , for $j = 1, 2, \dots, 2 \times IORDER - 2$, with $y_0 = f(0)$. These starting values can be computed by solving the system

$$y_i = f(i \times h) + \sqrt{h} \sum_{j=0}^{2 \times IORDER - 2} SW(i+1, j+1) K(i \times h, j \times h) y_j, \quad i = 1, 2, \dots, 2 \times IORDER - 2.$$

(c) Compute the inhomogeneous terms

$$\sigma_i = f(i \times h) + \sqrt{h} \sum_{j=0}^{2 \times \text{IORDER}-2} \text{SW}(i+1, j+1) K(i \times h, j \times h) y_j, \quad i = 2 \times \text{IORDER} - 1, 2 \times \text{IORDER}, \dots, N.$$

(d) Start the iteration for $i = 2 \times \text{IORDER} - 1, 2 \times \text{IORDER}, \dots, N$ to compute y_i from:

$$\left(1 - \sqrt{h} \text{WT}(1) K(i \times h, i \times h)\right) y_i = \sigma_i + \sqrt{h} \sum_{j=2 \times \text{IORDER}-1}^{i-1} \text{WT}(i-j+1) K(i \times h, j \times h) y_j.$$

Note that for nonlinear weakly singular equations, the solution of a nonlinear algebraic system is required at step (b) and a single nonlinear equation at step (d).

10 Example

The following example generates the first 16 fractional convolution and 23 fractional starting weights generated by the fourth-order BDF method.

10.1 Program Text

```
Program d05byfe

!      D05BYF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
Use nag_library, Only: d05byf, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter :: iorder = 4, iq = 3
Integer, Parameter :: itiq = 2** (iq+1)
Integer, Parameter :: itpmt = 2*iorder - 1
Integer, Parameter :: ldsw = itiq + itpmt
Integer, Parameter :: lenfw = 2*itiq
Integer, Parameter :: lwk = 4*itiq
Integer, Parameter :: nout = 6
!      .. Local Scalars ..
Integer :: i, ifail
!      .. Local Arrays ..
Real (Kind=nag_wp) :: sw(ldsw,itpmt), work(lwk), wt(lenfw)
!      .. Executable Statements ..
Write (nout,*) 'D05BYF Example Program Results'

ifail = 0
Call d05byf(iorder,iq,lenfw,wt,sw,ldsw,work,lwk,ifail)

Write (nout,*) 'Fractional convolution weights'
Write (nout,*) 'Fractional starting weights'
Write (nout,*)

Do i = 1, itiq
    Write (nout,99999) i - 1, wt(i)
End Do

Write (nout,*) 'Fractional starting weights'
Write (nout,*) 'Fractional starting weights'
Write (nout,*)

Do i = 1, ldsw
    Write (nout,99999) i - 1, sw(i,1:itpmt)
End Do

99999 Format (1X,I5,7F9.4)
End Program d05byfe
```

10.2 Program Data

None.

10.3 Program Results

D05BYF Example Program Results

Fractional convolution weights

| | |
|----|--------|
| 0 | 0.6928 |
| 1 | 0.6651 |
| 2 | 0.4589 |
| 3 | 0.3175 |
| 4 | 0.2622 |
| 5 | 0.2451 |
| 6 | 0.2323 |
| 7 | 0.2164 |
| 8 | 0.2006 |
| 9 | 0.1878 |
| 10 | 0.1780 |
| 11 | 0.1700 |
| 12 | 0.1629 |
| 13 | 0.1566 |
| 14 | 0.1508 |
| 15 | 0.1457 |

Fractional starting weights

| | | | | | | | |
|----|--------|--------|---------|---------|----------|--------|---------|
| 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 1 | 0.0565 | 2.8928 | -6.7497 | 11.6491 | -11.1355 | 5.5374 | -1.1223 |
| 2 | 0.0371 | 1.7401 | -2.8628 | 6.5207 | -6.4058 | 3.2249 | -0.6583 |
| 3 | 0.0300 | 1.3207 | -2.4642 | 6.3612 | -5.4478 | 2.7025 | -0.5481 |
| 4 | 0.0258 | 1.1217 | -2.2620 | 5.3683 | -3.7553 | 2.2132 | -0.4549 |
| 5 | 0.0230 | 0.9862 | -2.0034 | 4.5005 | -3.2772 | 2.7262 | -0.4320 |
| 6 | 0.0208 | 0.9001 | -1.8989 | 4.2847 | -3.5881 | 2.8201 | 0.2253 |
| 7 | 0.0190 | 0.8506 | -1.9250 | 4.4164 | -4.0181 | 2.7932 | 0.1564 |
| 8 | 0.0173 | 0.8177 | -1.9697 | 4.5348 | -4.2425 | 2.7458 | -0.0697 |
| 9 | 0.0160 | 0.7886 | -1.9781 | 4.5318 | -4.2769 | 2.6997 | -0.2127 |
| 10 | 0.0149 | 0.7603 | -1.9548 | 4.4545 | -4.2332 | 2.6541 | -0.2620 |
| 11 | 0.0140 | 0.7338 | -1.9198 | 4.3619 | -4.1782 | 2.6059 | -0.2716 |
| 12 | 0.0132 | 0.7097 | -1.8842 | 4.2754 | -4.1246 | 2.5544 | -0.2767 |
| 13 | 0.0125 | 0.6880 | -1.8497 | 4.1933 | -4.0662 | 2.5011 | -0.2845 |
| 14 | 0.0119 | 0.6681 | -1.8153 | 4.1109 | -4.0004 | 2.4479 | -0.2915 |
| 15 | 0.0114 | 0.6497 | -1.7805 | 4.0279 | -3.9304 | 2.3962 | -0.2951 |
| 16 | 0.0110 | 0.6327 | -1.7461 | 3.9463 | -3.8598 | 2.3466 | -0.2958 |
| 17 | 0.0105 | 0.6168 | -1.7126 | 3.8677 | -3.7907 | 2.2990 | -0.2950 |
| 18 | 0.0102 | 0.6020 | -1.6804 | 3.7926 | -3.7238 | 2.2536 | -0.2935 |
| 19 | 0.0098 | 0.5882 | -1.6495 | 3.7209 | -3.6589 | 2.2101 | -0.2917 |
| 20 | 0.0095 | 0.5752 | -1.6199 | 3.6523 | -3.5961 | 2.1686 | -0.2895 |
| 21 | 0.0093 | 0.5631 | -1.5916 | 3.5867 | -3.5356 | 2.1291 | -0.2871 |
| 22 | 0.0090 | 0.5517 | -1.5644 | 3.5240 | -3.4774 | 2.0914 | -0.2844 |
