

# NAG Library Routine Document

## E02BDF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

E02BDF computes the definite integral of a cubic spline from its B-spline representation.

### 2 Specification

```
SUBROUTINE E02BDF (NCAP7, LAMDA, C, DINT, IFAIL)
  INTEGER          NCAP7, IFAIL
  REAL (KIND=nag_wp) LAMDA(NCAP7), C(NCAP7), DINT
```

### 3 Description

E02BDF computes the definite integral of the cubic spline  $s(x)$  between the limits  $x = a$  and  $x = b$ , where  $a$  and  $b$  are respectively the lower and upper limits of the range over which  $s(x)$  is defined. It is assumed that  $s(x)$  is represented in terms of its B-spline coefficients  $c_i$ , for  $i = 1, 2, \dots, \bar{n} + 3$  and (augmented) ordered knot set  $\lambda_i$ , for  $i = 1, 2, \dots, \bar{n} + 7$ , with  $\lambda_i = a$ , for  $i = 1, 2, 3, 4$  and  $\lambda_i = b$ , for  $i = \bar{n} + 4, \dots, \bar{n} + 7$ , (see E02BAF), i.e.,

$$s(x) = \sum_{i=1}^q c_i N_i(x).$$

Here  $q = \bar{n} + 3$ ,  $\bar{n}$  is the number of intervals of the spline and  $N_i(x)$  denotes the normalized B-spline of degree 3 (order 4) defined upon the knots  $\lambda_i, \lambda_{i+1}, \dots, \lambda_{i+4}$ .

The method employed uses the formula given in Section 3 of Cox (1975).

E02BDF can be used to determine the definite integrals of cubic spline fits and interpolants produced by E02BAF.

### 4 References

Cox M G (1975) An algorithm for spline interpolation *J. Inst. Math. Appl.* **15** 95–108

### 5 Arguments

1: NCAP7 – INTEGER *Input*

*On entry:*  $\bar{n} + 7$ , where  $\bar{n}$  is the number of intervals of the spline (which is one greater than the number of interior knots, i.e., the knots strictly within the range  $a$  to  $b$ ) over which the spline is defined.

*Constraint:* NCAP7  $\geq$  8.

2: LAMDA(NCAP7) – REAL (KIND=nag\_wp) array *Input*

*On entry:* LAMDA( $j$ ) must be set to the value of the  $j$ th member of the complete set of knots,  $\lambda_j$ , for  $j = 1, 2, \dots, \bar{n} + 7$ .

*Constraint:* the LAMDA( $j$ ) must be in nondecreasing order with LAMDA(NCAP7 – 3)  $>$  LAMDA(4) and satisfy LAMDA(1) = LAMDA(2) = LAMDA(3) = LAMDA(4) and LAMDA(NCAP7 – 3) = LAMDA(NCAP7 – 2) = LAMDA(NCAP7 – 1) = LAMDA(NCAP7).

- 3: C(NCAP7) – REAL (KIND=nag\_wp) array *Input*  
*On entry:* the coefficient  $c_i$  of the B-spline  $N_i(x)$ , for  $i = 1, 2, \dots, \bar{n} + 3$ . The remaining elements of the array are not referenced.
- 4: DINT – REAL (KIND=nag\_wp) *Output*  
*On exit:* the value of the definite integral of  $s(x)$  between the limits  $x = a$  and  $x = b$ , where  $a = \lambda_4$  and  $b = \lambda_{\bar{n}+4}$ .
- 5: IFAIL – INTEGER *Input/Output*  
*On entry:* IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.  
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**  
*On exit:* IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

NCAP7 < 8, i.e., the number of intervals is not positive.

IFAIL = 2

At least one of the following restrictions on the knots is violated:

$$\text{LAMDA}(\text{NCAP7} - 3) > \text{LAMDA}(4),$$

$$\text{LAMDA}(j) \geq \text{LAMDA}(j - 1),$$

for  $j = 2, 3, \dots, \text{NCAP7}$ , with equality in the cases  $j = 2, 3, 4, \text{NCAP7} - 2, \text{NCAP7} - 1$ , and NCAP7.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

## 7 Accuracy

The rounding errors are such that the computed value of the integral is exact for a slightly perturbed set of B-spline coefficients  $c_i$  differing in a relative sense from those supplied by no more than  $2.2 \times (\bar{n} + 3) \times \textit{machine precision}$ .

## 8 Parallelism and Performance

E02BDF is not threaded in any implementation.

## 9 Further Comments

The time taken is approximately proportional to  $\bar{n} + 7$ .

## 10 Example

This example determines the definite integral over the interval  $0 \leq x \leq 6$  of a cubic spline having 6 interior knots at the positions  $\lambda = 1, 3, 3, 3, 4, 4$ , the 8 additional knots  $0, 0, 0, 0, 6, 6, 6, 6$ , and the 10 B-spline coefficients  $10, 12, 13, 15, 22, 26, 24, 18, 14, 12$ .

The input data items (using the notation of Section 5) comprise the following values in the order indicated:

$\bar{n}$   
 LAMDA( $j$ ),           for  $j = 1, 2, \dots, \text{NCAP7}$   
 C( $j$ ),                for  $j = 1, 2, \dots, \text{NCAP7} - 3$

### 10.1 Program Text

```

Program e02bdfe

!      E02BDF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: e02bdf, nag_wp
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Real (Kind=nag_wp)          :: dint
      Integer                     :: ifail, ncap, ncap7
!      .. Local Arrays ..
      Real (Kind=nag_wp), Allocatable :: c(:), lamda(:)
!      .. Executable Statements ..
      Write (nout,*) 'E02BDF Example Program Results'

!      Skip heading in data file
      Read (nin,*)

      Read (nin,*) ncap
      ncap7 = ncap + 7
      Allocate (lamda(ncap7),c(ncap7))

      Read (nin,*) lamda(1:ncap7)
      Read (nin,*) c(1:(ncap+3))

      ifail = 0
      Call e02bdf(ncap7,lamda,c,dint,ifail)

```

```
Write (nout,*)  
Write (nout,99999) 'Definite integral = ', dint  
99999 Format (1X,A,E11.3)  
End Program e02bdfe
```

## 10.2 Program Data

E02BDF Example Program Data

```
7  
0.0    0.0    0.0    0.0    1.0    3.0    3.0    3.0  
4.0    4.0    6.0    6.0    6.0    6.0  
10.0   12.0   13.0   15.0   22.0   26.0   24.0   18.0  
14.0   12.0
```

## 10.3 Program Results

E02BDF Example Program Results

Definite integral = 0.100E+03

---