

NAG Library Routine Document

F02JCF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F02JCF solves the quadratic eigenvalue problem

$$(\lambda^2 A + \lambda B + C)x = 0,$$

where A , B and C are real n by n matrices.

The routine returns the $2n$ eigenvalues, λ_j , for $j = 1, 2, \dots, 2n$, and can optionally return the corresponding right eigenvectors, x_j and/or left eigenvectors, y_j as well as estimates of the condition numbers of the computed eigenvalues and backward errors of the computed right and left eigenvectors. A left eigenvector satisfies the equation

$$y^H(\lambda^2 A + \lambda B + C) = 0,$$

where y^H is the complex conjugate transpose of y .

λ is represented as the pair (α, β) , such that $\lambda = \alpha/\beta$. Note that the computation of α/β may overflow and indeed β may be zero.

2 Specification

```

SUBROUTINE F02JCF (SCAL, JOBVL, JOBVR, SENSE, TOL, N, A, LDA, B, LDB, C,      &
                  LDC, ALPHAR, ALPHAI, BETA, VL, LDVL, VR, LDVR, S,      &
                  BEVL, BEVR, IWARN, IFAIL)
INTEGER          SCAL, SENSE, N, LDA, LDB, LDC, LDVL, LDVR, IWARN,      &
                IFAIL
REAL (KIND=nag_wp) TOL, A(LDA,*), B(LDB,*), C(LDC,*), ALPHAR(2*N),      &
                ALPHAI(2*N), BETA(2*N), VL(LDVL,*), VR(LDVR,*),      &
                S(*), BEVL(*), BEVR(*)
CHARACTER(1)     JOBVL, JOBVR

```

3 Description

The quadratic eigenvalue problem is solved by linearizing the problem and solving the resulting $2n$ by $2n$ generalized eigenvalue problem. The linearization is chosen to have favourable conditioning and backward stability properties. An initial preprocessing step is performed that reveals and deflates the zero and infinite eigenvalues contributed by singular leading and trailing matrices.

The algorithm is backward stable for problems that are not too heavily damped, that is $\|B\| \leq 10\sqrt{\|A\| \cdot \|C\|}$.

Further details on the algorithm are given in Hammarling *et al.* (2013).

4 References

Fan H -Y, Lin W.-W and Van Dooren P. (2004) Normwise scaling of second order polynomial matrices. *SIAM J. Matrix Anal. Appl.* **26**, 1 252–256

Gaubert S and Sharify M (2009) Tropical scaling of polynomial matrices *Lecture Notes in Control and Information Sciences Series* **389** 291–303 Springer–Verlag

Hammarling S, Munro C J and Tisseur F (2013) An algorithm for the complete solution of quadratic eigenvalue problems. *ACM Trans. Math. Software.* **39(3):18:1–18:119** <http://eprints.ma.man.ac.uk/1815/>

5 Arguments

- 1: SCAL – INTEGER *Input*
- On entry:* determines the form of scaling to be performed on A , B and C .
- SCAL = 0
No scaling.
- SCAL = 1 (the recommended value)
Fan, Lin and Van Dooren scaling if $\frac{\|B\|}{\sqrt{\|A\| \times \|C\|}} < 10$ and no scaling otherwise where $\|Z\|$ is the Frobenius norm of Z .
- SCAL = 2
Fan, Lin and Van Dooren scaling.
- SCAL = 3
Tropical scaling with largest root.
- SCAL = 4
Tropical scaling with smallest root.
- Constraint:* SCAL = 0, 1, 2, 3 or 4.
- 2: JOBVL – CHARACTER(1) *Input*
- On entry:* if JOBVL = 'N', do not compute left eigenvectors.
If JOBVL = 'V', compute the left eigenvectors.
If SENSE = 1, 2, 4, 5, 6 or 7, JOBVL must be set to 'V'.
Constraint: JOBVL = 'N' or 'V'.
- 3: JOBVR – CHARACTER(1) *Input*
- On entry:* if JOBVR = 'N', do not compute right eigenvectors.
If JOBVR = 'V', compute the right eigenvectors.
If SENSE = 1, 3, 4, 5, 6 or 7, JOBVR must be set to 'V'.
Constraint: JOBVR = 'N' or 'V'.
- 4: SENSE – INTEGER *Input*
- On entry:* determines whether, or not, condition numbers and backward errors are computed.
- SENSE = 0
Do not compute condition numbers, or backward errors.
- SENSE = 1
Just compute condition numbers for the eigenvalues.
- SENSE = 2
Just compute backward errors for the left eigenpairs.
- SENSE = 3
Just compute backward errors for the right eigenpairs.
- SENSE = 4
Compute backward errors for the left and right eigenpairs.
- SENSE = 5
Compute condition numbers for the eigenvalues and backward errors for the left eigenpairs.

SENSE = 6

Compute condition numbers for the eigenvalues and backward errors for the right eigenpairs.

SENSE = 7

Compute condition numbers for the eigenvalues and backward errors for the left and right eigenpairs.

Constraint: SENSE = 0, 1, 2, 3, 4, 5, 6 or 7.

- 5: TOL – REAL (KIND=nag_wp) *Input*
On entry: TOL is used as the tolerance for making decisions on rank in the deflation procedure. If TOL is zero on entry then $n \times \mathbf{machine\ precision}$ is used in place of TOL, where **machine precision** is as returned by routine X02AJF. A diagonal element of a triangular matrix, R , is regarded as zero if $|r_{jj}| \leq \text{TOL} \times \text{size}(X)$, or $n \times \mathbf{machine\ precision} \times \text{size}(X)$ when TOL is zero, where $\text{size}(X)$ is based on the size of the absolute values of the elements of the matrix X containing the matrix R . See Hammarling *et al.* (2013) for the motivation. If TOL is -1.0 on entry then no deflation is attempted. The recommended value for TOL is zero.
- 6: N – INTEGER *Input*
On entry: the order of the matrices A , B and C .
Constraint: $N \geq 0$.
- 7: A(LDA,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array A must be at least N .
On entry: the n by n matrix A .
On exit: A is used as internal workspace, but if $\text{JOBVL} = 'V'$ or $\text{JOBVR} = 'V'$, then A is restored on exit.
- 8: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F02JCF is called.
Constraint: $\text{LDA} \geq N$.
- 9: B(LDB,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array B must be at least N .
On entry: the n by n matrix B .
On exit: B is used as internal workspace, but is restored on exit.
- 10: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F02JCF is called.
Constraint: $\text{LDB} \geq N$.
- 11: C(LDC,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array C must be at least N .
On entry: the n by n matrix C .
On exit: C is used as internal workspace, but if $\text{JOBVL} = 'V'$ or $\text{JOBVR} = 'V'$, C is restored on exit.

- 12: LDC – INTEGER *Input*
On entry: the first dimension of the array C as declared in the (sub)program from which F02JCF is called.
Constraint: $LDC \geq N$.
- 13: ALPHAR($2 \times N$) – REAL (KIND=nag_wp) array *Output*
On exit: ALPHAR(j), for $j = 1, 2, \dots, 2n$, contains the real part of α_j for the j th eigenvalue pair (α_j, β_j) of the quadratic eigenvalue problem.
- 14: ALPHAI($2 \times N$) – REAL (KIND=nag_wp) array *Output*
On exit: ALPHAI(j), for $j = 1, 2, \dots, 2n$, contains the imaginary part of α_j for the j th eigenvalue pair (α_j, β_j) of the quadratic eigenvalue problem. If ALPHAI(j) is zero then the j th eigenvalue is real; if ALPHAI(j) is positive then the j th and $(j + 1)$ th eigenvalues are a complex conjugate pair, with ALPHAI($j + 1$) negative.
- 15: BETA($2 \times N$) – REAL (KIND=nag_wp) array *Output*
On exit: BETA(j), for $j = 1, 2, \dots, 2n$, contains the second part of the j th eigenvalue pair (α_j, β_j) of the quadratic eigenvalue problem, with $\beta_j \geq 0$. Infinite eigenvalues have β_j set to zero.
- 16: VL(LDVL,*) – REAL (KIND=nag_wp) array *Output*
Note: the second dimension of the array VL must be at least $2 \times N$ if JOBVL = 'V'.
On exit: if JOBVL = 'V', the left eigenvectors y_j are stored one after another in the columns of VL, in the same order as the corresponding eigenvalues. If the j th eigenvalue is real, then $y_j = VL(:, j)$, the j th column of VL. If the j th and $(j + 1)$ th eigenvalues form a complex conjugate pair, then $y_j = VL(:, j) + i \times VL(:, j + 1)$ and $y_{j+1} = VL(:, j) - i \times VL(:, j + 1)$. Each eigenvector will be normalized with length unity and with the element of largest modulus real and positive.
 If JOBVL = 'N', VL is not referenced.
- 17: LDVL – INTEGER *Input*
On entry: the first dimension of the array VL as declared in the (sub)program from which F02JCF is called.
Constraint: $LDVL \geq N$.
- 18: VR(LDVR,*) – REAL (KIND=nag_wp) array *Output*
Note: the second dimension of the array VR must be at least $2 \times N$ if JOBVR = 'V'.
On exit: if JOBVR = 'V', the right eigenvectors x_j are stored one after another in the columns of VR, in the same order as the corresponding eigenvalues. If the j th eigenvalue is real, then $x_j = VR(:, j)$, the j th column of VR. If the j th and $(j + 1)$ th eigenvalues form a complex conjugate pair, then $x_j = VR(:, j) + i \times VR(:, j + 1)$ and $x_{j+1} = VR(:, j) - i \times VR(:, j + 1)$. Each eigenvector will be normalized with length unity and with the element of largest modulus real and positive.
 If JOBVR = 'N', VR is not referenced.
- 19: LDVR – INTEGER *Input*
On entry: the first dimension of the array VR as declared in the (sub)program from which F02JCF is called.
Constraint: $LDVR \geq N$.

- 20: $S(*)$ – REAL (KIND=nag_wp) array *Output*
Note: the dimension of the array S must be at least $2 \times N$ if $SENSE = 1, 5, 6$ or 7 .
Note: also: computing the condition numbers of the eigenvalues requires that both the left and right eigenvectors be computed.
On exit: if $SENSE = 1, 5, 6$ or 7 , $S(j)$ contains the condition number estimate for the j th eigenvalue (large condition numbers imply that the problem is near one with multiple eigenvalues). Infinite condition numbers are returned as the largest model real number (X02ALF).
 If $SENSE = 0, 2, 3$ or 4 , S is not referenced.
- 21: $BEVL(*)$ – REAL (KIND=nag_wp) array *Output*
Note: the dimension of the array $BEVL$ must be at least $2 \times N$ if $SENSE = 2, 4, 5$ or 7 .
On exit: if $SENSE = 2, 4, 5$ or 7 , $BEVL(j)$ contains the backward error estimate for the computed left eigenpair (λ_j, y_j) .
 If $SENSE = 0, 1, 3$ or 6 , $BEVL$ is not referenced.
- 22: $BEVR(*)$ – REAL (KIND=nag_wp) array *Output*
Note: the dimension of the array $BEVR$ must be at least $2 \times N$ if $SENSE = 3, 4, 6$ or 7 .
On exit: if $SENSE = 3, 4, 6$ or 7 , $BEVR(j)$ contains the backward error estimate for the computed right eigenpair (λ_j, x_j) .
 If $SENSE = 0, 1, 2$ or 5 , $BEVR$ is not referenced.
- 23: $IWARN$ – INTEGER *Output*
On exit: $IWARN$ will be positive if there are warnings, otherwise $IWARN$ will be 0.
 If $IFAIL = 0$ then:
 if $IWARN = 1$ then one, or both, of the matrices A and C is zero. In this case no scaling is performed, even if $SCAL > 0$;
 if $IWARN = 2$ then the matrices A and C are singular, or nearly singular, so the problem is potentially ill-posed;
 if $IWARN = 3$ then both the conditions for $IWARN = 1$ and $IWARN = 2$ above, apply. If $IWARN = 4$, $\|B\| \geq 10\sqrt{\|A\| \cdot \|C\|}$ and backward stability cannot be guaranteed.
 If $IFAIL = 2$, $IWARN$ returns the value of $INFO$ from F08XAF (DGGES).
 If $IFAIL = 3$, $IWARN$ returns the value of $INFO$ from F08WAF (DGGEV).
- 24: $IFAIL$ – INTEGER *Input/Output*
On entry: $IFAIL$ must be set to 0, -1 or 1 . If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of $IFAIL$ on exit.**
On exit: $IFAIL = 0$ unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by $X04AAF$).

Errors or warnings detected by the routine:

$IFAIL = 1$

The quadratic matrix polynomial is nonregular (singular).

$IFAIL = 2$

The QZ iteration failed in $F08XAF$ (DGGES).

$IWARN$ returns the value of $INFO$ returned by $F08XAF$ (DGGES). This failure is unlikely to happen, but if it does, please contact NAG.

$IFAIL = 3$

The QZ iteration failed in $F08WAF$ (DGGEV).

$IWARN$ returns the value of $INFO$ returned by $F08WAF$ (DGGEV). This failure is unlikely to happen, but if it does, please contact NAG.

$IFAIL = -1$

On entry, $SCAL = \langle value \rangle$.

Constraint: $SCAL = 0, 1, 2, 3$ or 4 .

$IFAIL = -2$

On entry, $JOBVL = \langle value \rangle$.

Constraint: $JOBVL = 'N'$ or $'V'$.

On entry, $SENSE = \langle value \rangle$ and $JOBVL = \langle value \rangle$.

Constraint: when $JOBVL = 'N'$, $SENSE = 0$ or 3 ,
when $JOBVL = 'V'$, $SENSE = 1, 2, 4, 5, 6$ or 7 .

$IFAIL = -3$

On entry, $JOBVR = \langle value \rangle$.

Constraint: $JOBVR = 'N'$ or $'V'$.

On entry, $SENSE = \langle value \rangle$ and $JOBVR = \langle value \rangle$.

Constraint: when $JOBVR = 'N'$, $SENSE = 0$ or 2 ,
when $JOBVR = 'V'$, $SENSE = 1, 3, 4, 5, 6$ or 7 .

$IFAIL = -4$

On entry, $SENSE = \langle value \rangle$.

Constraint: $SENSE = 0, 1, 2, 3, 4, 5, 6$ or 7 .

$IFAIL = -6$

On entry, $N = \langle value \rangle$.

Constraint: $N \geq 0$.

$IFAIL = -8$

On entry, $LDA = \langle value \rangle$ and $N = \langle value \rangle$.

Constraint: $LDA \geq N$.

$IFAIL = -10$

On entry, $LDB = \langle value \rangle$ and $N = \langle value \rangle$.

Constraint: $LDB \geq N$.

IFAIL = -12

On entry, LDC = $\langle value \rangle$ and N = $\langle value \rangle$.
Constraint: LDC \geq N.

IFAIL = -17

On entry, LDVL = $\langle value \rangle$, N = $\langle value \rangle$ and JOBVL = $\langle value \rangle$.
Constraint: when JOBVL = 'V', LDVL \geq N.

IFAIL = -19

On entry, LDVR = $\langle value \rangle$, N = $\langle value \rangle$ and JOBVR = $\langle value \rangle$.
Constraint: when JOBVR = 'V', LDVR \geq N.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

The algorithm is backward stable for problems that are not too heavily damped, that is $\|B\| \leq 10\sqrt{\|A\| \cdot \|C\|}$.

8 Parallelism and Performance

F02JCF is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

F02JCF makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

None.

10 Example

To solve the quadratic eigenvalue problem

$$(\lambda^2 A + \lambda B + C)x = 0$$

where

$$A = \begin{pmatrix} 1 & 2 & 2 \\ 3 & 1 & 1 \\ 3 & 2 & 1 \end{pmatrix}, \quad B = \begin{pmatrix} 3 & 2 & 1 \\ 2 & 1 & 3 \\ 1 & 3 & 2 \end{pmatrix} \quad \text{and} \quad C = \begin{pmatrix} 1 & 1 & 2 \\ 2 & 3 & 1 \\ 3 & 1 & 2 \end{pmatrix}.$$

The example also returns the left eigenvectors, condition numbers for the computed eigenvalues and backward errors of the computed right and left eigenpairs.

10.1 Program Text

```

Program f02jcf

!      F02JCF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
Use nag_library, Only: f02jcf, x02alf, x04caf
Use nag_precisions, Only: wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Real (Kind=wp), Parameter      :: one = 1.0_wp
Real (Kind=wp), Parameter      :: tol = 0.0E0_wp
Real (Kind=wp), Parameter      :: zero = 0.0_wp
Integer, Parameter             :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=wp)                 :: inf, tmp
Integer                         :: i, ifail, iwarn, j, lda, ldb, ldc, &
                                ldvl, ldvr, n, scal, sense, tdvl, &
                                tdvr
!      .. Local Arrays ..
Real (Kind=wp), Allocatable     :: a(:, :), alphai(:), alphas(:), &
                                b(:, :), beta(:), bevl(:), bevr(:), &
                                c(:, :), ei(:), er(:), s(:), vl(:, :), &
                                vr(:, :)
!      .. Intrinsic Procedures ..
Intrinsic                       :: abs
!      .. Executable Statements ..
Write (nout,*) 'F02JCF Example Program Results'
!      Skip heading in data file
Read (nin,*)
Read (nin,*) n
lda = n
ldb = n
ldc = n
ldvl = n
ldvr = n
tdvl = 2*n
tdvr = 2*n
Allocate (a(lda,n),b(ldb,n),c(ldc,n),alphai(2*n),alphar(2*n),beta(2*n), &
         ei(2*n),er(2*n),vl(ldvl,tdvl),vr(ldvr,tdvr),s(2*n),bevr(2*n), &
         bevl(2*n))

!      Read in the matrices A, B and C
Read (nin,*)(a(i,1:n),i=1,n)
Read (nin,*)(b(i,1:n),i=1,n)
Read (nin,*)(c(i,1:n),i=1,n)

!      Use default scaling and compute eigenvalue condition numbers and
!      backward errors for both left and right eigenpairs
scal = 1
sense = 7

!      Solve the quadratic eigenvalue problem

ifail = -1
Call f02jcf(scal,'V','V',sense,tol,n,a,lda,b,ldb,c,ldc,alphar,alphai, &
         beta,vl,ldvl,vr,ldvr,s,bevl,bevr,iwarn,ifail)

```



```

If (iwarn/=0) Then
  Write (nout,*)
  Write (nout,99999) 'Warning from f02jcf. IWARN =', iwarn
End If

Write (nout,*)
If (ifail/=0) Then
  Write (nout,99999) 'Failure in f02jcf. IFAIL =', ifail
Else
!
  Infinity
  inf = x02alf()
  Do j = 1, 2*n
    If (beta(j)>=one) Then
      er(j) = alphas(j)/beta(j)
      ei(j) = alphai(j)/beta(j)
    Else
      tmp = inf*beta(j)
      If ((abs(alphas(j))<tmp) .And. (abs(alphai(j))<tmp)) Then
        er(j) = alphas(j)/beta(j)
        ei(j) = alphai(j)/beta(j)
      Else
        er(j) = inf
        ei(j) = zero
      End If
    End If
    If (er(j)<inf) Then
      Write (nout,99998) 'Eigenvalue(', j, ') = (', er(j), ', ', ei(j), &
        ',)'
    Else
      Write (nout,99997) 'Eigenvalue(', j, ') is infinite'
    End If
  End Do

  Write (nout,*)
  ifail = 0
  Call x04caf('General', ' ', n, 2*n, vr, ldvr, &
    'Right eigenvectors (matrix VR)', ifail)

  Write (nout,*)
  ifail = 0
  Call x04caf('General', ' ', n, 2*n, vl, ldvl, &
    'Left eigenvectors (matrix VL)', ifail)

  Write (nout,*)
  Write (nout,*) 'Eigenvalue Condition numbers'
  Do j = 1, 2*n
    Write (nout,99996) s(j)
  End Do

  Write (nout,*)
  Write (nout,*) 'Backward errors for eigenvalues and right eigenvectors' &
  Do j = 1, 2*n
    Write (nout,99996) bevr(j)
  End Do

  Write (nout,*)
  Write (nout,*) 'Backward errors for eigenvalues and left eigenvectors'
  Do j = 1, 2*n
    Write (nout,99996) bevl(j)
  End Do
End If

99999 Format (1X,A,I4)
99998 Format (1X,A,I3,A,1P,E11.4,A,1P,E11.4,A)
99997 Format (1X,A,I3,A)
99996 Format (1X,1P,E11.4)
End Program f02jcfe

```

10.2 Program Data

F02JCF Example Program Data

```

3           : n

1.0  2.0  2.0
3.0  1.0  1.0
3.0  2.0  1.0 : A

3.0  2.0  1.0
2.0  1.0  3.0
1.0  3.0  2.0 : B

1.0  1.0  2.0
2.0  3.0  1.0
3.0  1.0  2.0 : C

```

10.3 Program Results

F02JCF Example Program Results

```

Eigenvalue( 1) = (-3.8513E+00,  0.0000E+00)
Eigenvalue( 2) = (-5.9217E-01,  8.0280E-01)
Eigenvalue( 3) = (-5.9217E-01, -8.0280E-01)
Eigenvalue( 4) = ( 5.2326E-01,  6.2251E-01)
Eigenvalue( 5) = ( 5.2326E-01, -6.2251E-01)
Eigenvalue( 6) = ( 7.8909E-01,  0.0000E+00)

```

Right eigenvectors (matrix VR)

	1	2	3	4	5	6
1	-0.2108	0.3751	-0.1877	-0.6593	0.0424	-0.3478
2	0.7695	0.5020	-0.2433	0.0302	0.0197	0.8277
3	-0.6028	0.7162	0.0000	0.7498	0.0000	-0.4405

Left eigenvectors (matrix VL)

	1	2	3	4	5	6
1	0.1052	0.7816	0.0000	0.8079	0.0000	0.0358
2	0.7381	0.5075	-0.1352	-0.1124	-0.0314	0.7072
3	-0.6664	0.3202	-0.1038	-0.5704	0.0913	-0.7061

Eigenvalue Condition numbers

```

2.3092E+00
7.0275E-01
7.0275E-01
2.7013E+00
2.7013E+00
2.0144E+00

```

Backward errors for eigenvalues and right eigenvectors

```

1.1321E-16
5.1930E-16
5.1930E-16
2.4397E-16
2.4397E-16
1.3853E-16

```

Backward errors for eigenvalues and left eigenvectors

```

9.5738E-17
5.2313E-16
5.2313E-16
1.8837E-16
1.8837E-16
3.7483E-16

```