

NAG Library Routine Document

F06SNF (ZGERC)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F06SNF (ZGERC) computes the rank-1 update of a complex general matrix using a conjugated vector.

2 Specification

```
SUBROUTINE F06SNF (M, N, ALPHA, X, INCX, Y, INCY, A, LDA)
INTEGER M, N, INCX, INCY, LDA
COMPLEX (KIND=nag_wp) ALPHA, X(*), Y(*), A(LDA,*)
```

The routine may be called by its BLAS name *zgerc*.

3 Description

F06SNF (ZGERC) performs the rank-1 update operation

$$A \leftarrow \alpha xy^H + A,$$

where A is an m by n complex matrix, x is an m element complex vector, y is an n -element complex vector, and α is a complex scalar.

4 References

None.

5 Arguments

- | | |
|---|--------------|
| 1: M – INTEGER | <i>Input</i> |
| <i>On entry:</i> m , the number of rows of the matrix A .
<i>Constraint:</i> $M \geq 0$. | |
| 2: N – INTEGER | <i>Input</i> |
| <i>On entry:</i> n , the number of columns of the matrix A .
<i>Constraint:</i> $N \geq 0$. | |
| 3: ALPHA – COMPLEX (KIND=nag_wp) | <i>Input</i> |
| <i>On entry:</i> the scalar α . | |
| 4: X(*) – COMPLEX (KIND=nag_wp) array | <i>Input</i> |
| <i>Note:</i> the dimension of the array X must be at least $\max(1, 1 + (M - 1) \times \text{INCX})$.
<i>On entry:</i> the m element vector x .
If $\text{INCX} > 0$, x_i must be stored in $X(1 + (i-1) \times \text{INCX})$, for $i = 1, 2, \dots, M$.
If $\text{INCX} < 0$, x_i must be stored in $X(1 - (M-i) \times \text{INCX})$, for $i = 1, 2, \dots, M$.
Intermediate elements of X are not referenced. | |

5:	INCX – INTEGER	<i>Input</i>
<i>On entry:</i> the increment in the subscripts of X between successive elements of x .		
<i>Constraint:</i> $\text{INCX} \neq 0$.		
6:	Y(*) – COMPLEX (KIND=nag_wp) array	<i>Input</i>
Note: the dimension of the array Y must be at least $\max(1, 1 + (N - 1) \times \text{INCY})$.		
<i>On entry:</i> the n -element vector y .		
If $\text{INCY} > 0$, y_i must be stored in $\text{Y}(1 + (i - 1) \times \text{INCY})$, for $i = 1, 2, \dots, N$.		
If $\text{INCY} < 0$, y_i must be stored in $\text{Y}(1 - (N - i) \times \text{INCY})$, for $i = 1, 2, \dots, N$.		
Intermediate elements of Y are not referenced.		
7:	INCY – INTEGER	<i>Input</i>
<i>On entry:</i> the increment in the subscripts of Y between successive elements of y .		
<i>Constraint:</i> $\text{INCY} \neq 0$.		
8:	A(LDA,*) – COMPLEX (KIND=nag_wp) array	<i>Input/Output</i>
Note: the second dimension of the array A must be at least N .		
<i>On entry:</i> the m by n matrix A .		
<i>On exit:</i> the updated matrix A .		
9:	LDA – INTEGER	<i>Input</i>
<i>On entry:</i> the first dimension of the array A as declared in the (sub)program from which F06SNF (ZGERC) is called.		
<i>Constraint:</i> $\text{LDA} \geq \max(1, M)$.		

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Parallelism and Performance

F06SNF (ZGERC) is not threaded in any implementation.

9 Further Comments

None.

10 Example

None.
