

NAG Library Routine Document

F07BGF (DGBCON)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07BGF (DGBCON) estimates the condition number of a real band matrix A , where A has been factorized by F07BDF (DGBTRF).

2 Specification

SUBROUTINE F07BGF (NORM, N, KL, KU, AB, LDAB, IPIV, ANORM, RCOND, WORK, &
IWORK, INFO)

INTEGER N, KL, KU, LDAB, IPIV(*), IWORK(N), INFO
REAL (KIND=nag_wp) AB(LDAB,*), ANORM, RCOND, WORK(3*N)
CHARACTER(1) NORM

The routine may be called by its LAPACK name *dgbcon*.

3 Description

F07BGF (DGBCON) estimates the condition number of a real band matrix A , in either the 1-norm or the ∞ -norm:

$$\kappa_1(A) = \|A\|_1 \|A^{-1}\|_1 \quad \text{or} \quad \kappa_\infty(A) = \|A\|_\infty \|A^{-1}\|_\infty.$$

Note that $\kappa_\infty(A) = \kappa_1(A^T)$.

Because the condition number is infinite if A is singular, the routine actually returns an estimate of the **reciprocal** of the condition number.

The routine should be preceded by a call to F06RBF to compute $\|A\|_1$ or $\|A\|_\infty$, and a call to F07BDF (DGBTRF) to compute the LU factorization of A . The routine then uses Higham's implementation of Hager's method (see Higham (1988)) to estimate $\|A^{-1}\|_1$ or $\|A^{-1}\|_\infty$.

4 References

Higham N J (1988) FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation *ACM Trans. Math. Software* **14** 381–396

5 Arguments

1: NORM – CHARACTER(1) *Input*

On entry: indicates whether $\kappa_1(A)$ or $\kappa_\infty(A)$ is estimated.

NORM = '1' or 'O'
 $\kappa_1(A)$ is estimated.

NORM = 'I'
 $\kappa_\infty(A)$ is estimated.

Constraint: NORM = '1', 'O' or 'I'.

- 2: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 3: KL – INTEGER *Input*
On entry: k_l , the number of subdiagonals within the band of the matrix A .
Constraint: $KL \geq 0$.
- 4: KU – INTEGER *Input*
On entry: k_u , the number of superdiagonals within the band of the matrix A .
Constraint: $KU \geq 0$.
- 5: AB(LDAB,*) – REAL (KIND=nag_wp) array *Input*
Note: the second dimension of the array AB must be at least $\max(1, N)$.
On entry: the LU factorization of A , as returned by F07BDF (DGBTRF).
- 6: LDAB – INTEGER *Input*
On entry: the first dimension of the array AB as declared in the (sub)program from which F07BGF (DGBCON) is called.
Constraint: $LDAB \geq 2 \times KL + KU + 1$.
- 7: IPIV(*) – INTEGER array *Input*
Note: the dimension of the array IPIV must be at least $\max(1, N)$.
On entry: the pivot indices, as returned by F07BDF (DGBTRF).
- 8: ANORM – REAL (KIND=nag_wp) *Input*
On entry: if $NORM = '1'$ or $'O'$, the 1-norm of the **original** matrix A .
 If $NORM = 'I'$, the ∞ -norm of the **original** matrix A .
 ANORM may be computed by calling F06RBF with the same value for the argument $NORM$.
 ANORM must be computed either **before** calling F07BDF (DGBTRF) or else from a **copy** of the original matrix A (see Section 10).
Constraint: $ANORM \geq 0.0$.
- 9: RCOND – REAL (KIND=nag_wp) *Output*
On exit: an estimate of the reciprocal of the condition number of A . RCOND is set to zero if exact singularity is detected or the estimate underflows. If RCOND is less than **machine precision**, A is singular to working precision.
- 10: WORK($3 \times N$) – REAL (KIND=nag_wp) array *Workspace*
- 11: IWORK(N) – INTEGER array *Workspace*
- 12: INFO – INTEGER *Output*
On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed estimate RCOND is never less than the true value ρ , and in practice is nearly always less than 10ρ , although examples can be constructed where RCOND is much larger.

8 Parallelism and Performance

F07BGF (DGBCON) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

A call to F07BGF (DGBCON) involves solving a number of systems of linear equations of the form $Ax = b$ or $A^T x = b$; the number is usually 4 or 5 and never more than 11. Each solution involves approximately $2n(2k_l + k_u)$ floating-point operations (assuming $n \gg k_l$ and $n \gg k_u$) but takes considerably longer than a call to F07BEF (DGBTRS) with one right-hand side, because extra care is taken to avoid overflow when A is approximately singular.

The complex analogue of this routine is F07BUF (ZGBCON).

10 Example

This example estimates the condition number in the 1-norm of the matrix A , where

$$A = \begin{pmatrix} -0.23 & 2.54 & -3.66 & 0.00 \\ -6.98 & 2.46 & -2.73 & -2.13 \\ 0.00 & 2.56 & 2.46 & 4.07 \\ 0.00 & 0.00 & -4.78 & -3.82 \end{pmatrix}.$$

Here A is nonsymmetric and is treated as a band matrix, which must first be factorized by F07BDF (DGBTRF). The true condition number in the 1-norm is 56.40.

10.1 Program Text

```

Program f07bgfe

!      F07BGF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: dgbcon, dgbtrf, dlangb => f06rbf, nag_wp, x02ajf
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
      Character (1), Parameter    :: norm = '1'
!      .. Local Scalars ..
      Real (Kind=nag_wp)          :: anorm, rcond
      Integer                     :: i, info, j, k, kl, ku, ldab, n
!      .. Local Arrays ..

```

```

      Real (Kind=nag_wp), Allocatable  :: ab(:, :), work(:)
      Integer, Allocatable             :: ipiv(:), iwork(:)
!   .. Intrinsic Procedures ..
      Intrinsic                        :: max, min
!   .. Executable Statements ..
      Write (nout,*) 'F07BGF Example Program Results'
!   Skip heading in data file
      Read (nin,*)
      Read (nin,*) n, kl, ku
      ldab = 2*kl + ku + 1
      Allocate (ab(ldab,n),work(3*n),ipiv(n),iwork(n))

!   Read A from data file

      k = kl + ku + 1
      Read (nin,*)((ab(k+i-j,j),j=max(i-kl,1),min(i+ku,n)),i=1,n)

!   Compute norm of A
!   f06rbf is the NAG name equivalent of the LAPACK auxiliary dlangb
      anorm = dlangb(norm,n,kl,ku,ab(kl+1,1),ldab,work)

!   Factorize A

!   The NAG name equivalent of dgbtrf id f07bdf
      Call dgbtrf(n,n,kl,ku,ab,ldab,ipiv,info)

      Write (nout,*)
      If (info==0) Then

!       Estimate condition number

!       The NAG name equivalent of dgbcon is f07bgf
      Call dgbcon(norm,n,kl,ku,ab,ldab,ipiv,anorm,rcond,work,iwork,info)

      If (rcond>=x02ajf()) Then
        Write (nout,99999) 'Estimate of condition number =',      &
          1.0_nag_wp/rcond
      Else
        Write (nout,*) 'A is singular to working precision'
      End If
      Else
        Write (nout,*) 'The factor U is singular'
      End If

99999 Format (1X,A,1P,E10.2)
      End Program f07bgfe

```

10.2 Program Data

```

F07BGF Example Program Data
  4  1  2           :Values of N, KL and KU
-0.23  2.54 -3.66
-6.98  2.46 -2.73 -2.13
        2.56  2.46  4.07
        -4.78 -3.82   :End of matrix A

```

10.3 Program Results

F07BGF Example Program Results

Estimate of condition number = 5.64E+01
