

NAG Library Routine Document

G02LAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G02LAF fits an orthogonal scores partial least squares (PLS) regression by using singular value decomposition.

2 Specification

```
SUBROUTINE G02LAF (N, MX, X, LDX, ISX, IP, MY, Y, LDY, XBAR, YBAR,
ISCALE, XSTD, YSTD, MAXFAC, XRES, LDXRES, YRES,
LDYRES, W, LDW, P, LDP, T, LDT, C, LDC, U, LDU, XCV,
YCV, LDYCV, IFAIL)

INTEGER N, MX, LDX, ISX(MX), IP, MY, LDY, ISCALE, MAXFAC,
LDXRES, LDYRES, LDW, LDP, LDT, LDC, LDU, LDYCV,
IFAIL

REAL (KIND=nag_wp) X(LDX, MX), Y(LDY, MY), XBAR(IP), YBAR(MY), XSTD(IP),
YSTD(MY), XRES(LDXRES, IP), YRES(LDYRES, MY),
W(LDW, MAXFAC), P(LDP, MAXFAC), T(LDT, MAXFAC),
C(LDC, MAXFAC), U(LDU, MAXFAC), XCV(MAXFAC),
YCV(LDYCV, MY)
```

3 Description

Let X_1 be the mean-centred n by m data matrix X of n observations on m predictor variables. Let Y_1 be the mean-centred n by r data matrix Y of n observations on r response variables.

The first of the k factors PLS methods extract from the data predicts both X_1 and Y_1 by regressing on t_1 a column vector of n scores:

$$\begin{aligned}\hat{X}_1 &= t_1 p_1^T \\ \hat{Y}_1 &= t_1 c_1^T, \quad \text{with } t_1^T t_1 = 1,\end{aligned}$$

where the column vectors of m x -loadings p_1 and r y -loadings c_1 are calculated in the least squares sense:

$$\begin{aligned}p_1^T &= t_1^T X_1 \\ c_1^T &= t_1^T Y_1.\end{aligned}$$

The x -score vector $t_1 = X_1 w_1$ is the linear combination of predictor data X_1 that has maximum covariance with the y -scores $u_1 = Y_1 c_1$, where the x -weights vector w_1 is the normalised first left singular vector of $X_1^T Y_1$.

The method extracts subsequent PLS factors by repeating the above process with the residual matrices:

$$\begin{aligned}X_i &= X_{i-1} - \hat{X}_{i-1} \\ Y_i &= Y_{i-1} - \hat{Y}_{i-1}, \quad i = 2, 3, \dots, k,\end{aligned}$$

and with orthogonal scores:

$$t_i^T t_j = 0, \quad j = 1, 2, \dots, i-1.$$

Optionally, in addition to being mean-centred, the data matrices X_1 and Y_1 may be scaled by standard deviations of the variables. If data are supplied mean-centred, the calculations are not affected within numerical accuracy.

4 References

None.

5 Arguments

- 1: N – INTEGER *Input*
On entry: n , the number of observations.
Constraint: $N > 1$.
- 2: MX – INTEGER *Input*
On entry: the number of predictor variables.
Constraint: $MX > 1$.
- 3: X(LDX, MX) – REAL (KIND=nag_wp) array *Input*
On entry: $X(i, j)$ must contain the i th observation on the j th predictor variable, for $i = 1, 2, \dots, N$ and $j = 1, 2, \dots, MX$.
- 4: LDX – INTEGER *Input*
On entry: the first dimension of the array X as declared in the (sub)program from which G02LAF is called.
Constraint: $LDX \geq N$.
- 5: ISX(MX) – INTEGER array *Input*
On entry: indicates which predictor variables are to be included in the model.
 $ISX(j) = 1$
 The j th predictor variable (with variates in the j th column of X) is included in the model.
 $ISX(j) = 0$
 Otherwise.
Constraint: the sum of elements in ISX must equal IP.
- 6: IP – INTEGER *Input*
On entry: m , the number of predictor variables in the model.
Constraint: $1 < IP \leq MX$.
- 7: MY – INTEGER *Input*
On entry: r , the number of response variables.
Constraint: $MY \geq 1$.
- 8: Y(LDY, MY) – REAL (KIND=nag_wp) array *Input*
On entry: $Y(i, j)$ must contain the i th observation for the j th response variable, for $i = 1, 2, \dots, N$ and $j = 1, 2, \dots, MY$.
- 9: LDY – INTEGER *Input*
On entry: the first dimension of the array Y as declared in the (sub)program from which G02LAF is called.
Constraint: $LDY \geq N$.

10:	XBAR(IP) – REAL (KIND=nag_wp) array	<i>Output</i>
<i>On exit:</i> mean values of predictor variables in the model.		
11:	YBAR(MY) – REAL (KIND=nag_wp) array	<i>Output</i>
<i>On exit:</i> the mean value of each response variable.		
12:	ISCALE – INTEGER	<i>Input</i>
<i>On entry:</i> indicates how predictor variables are scaled.		
ISCALE = 1 Data are scaled by the standard deviation of variables.		
ISCALE = 2 Data are scaled by user-supplied scalings.		
ISCALE = -1 No scaling.		
<i>Constraint:</i> ISCALE = -1, 1 or 2.		
13:	XSTD(IP) – REAL (KIND=nag_wp) array	<i>Input/Output</i>
<i>On entry:</i> if ISCALE = 2, XSTD(j) must contain the user-supplied scaling for the j th predictor variable in the model, for $j = 1, 2, \dots, IP$. Otherwise XSTD need not be set.		
<i>On exit:</i> if ISCALE = 1, standard deviations of predictor variables in the model. Otherwise XSTD is not changed.		
14:	YSTD(MY) – REAL (KIND=nag_wp) array	<i>Input/Output</i>
<i>On entry:</i> if ISCALE = 2, YSTD(j) must contain the user-supplied scaling for the j th response variable in the model, for $j = 1, 2, \dots, MY$. Otherwise YSTD need not be set.		
<i>On exit:</i> if ISCALE = 1, the standard deviation of each response variable. Otherwise YSTD is not changed.		
15:	MAXFAC – INTEGER	<i>Input</i>
<i>On entry:</i> k , the number of latent variables to calculate.		
<i>Constraint:</i> $1 \leq MAXFAC \leq IP$.		
16:	XRES(LDXRES, IP) – REAL (KIND=nag_wp) array	<i>Output</i>
<i>On exit:</i> the predictor variables' residual matrix X_k .		
17:	LDXRES – INTEGER	<i>Input</i>
<i>On entry:</i> the first dimension of the array XRES as declared in the (sub)program from which G02LAF is called.		
<i>Constraint:</i> LDXRES $\geq N$.		
18:	YRES(LDYRES, MY) – REAL (KIND=nag_wp) array	<i>Output</i>
<i>On exit:</i> the residuals for each response variable, Y_k .		
19:	LDYRES – INTEGER	<i>Input</i>
<i>On entry:</i> the first dimension of the array YRES as declared in the (sub)program from which G02LAF is called.		
<i>Constraint:</i> LDYRES $\geq N$.		

- 20: $W(LDW, MAXFAC)$ – REAL (KIND=nag_wp) array *Output*
On exit: the j th column of W contains the x -weights w_j , for $j = 1, 2, \dots, MAXFAC$.
- 21: LDW – INTEGER *Input*
On entry: the first dimension of the array W as declared in the (sub)program from which G02LAF is called.
Constraint: $LDW \geq IP$.
- 22: $P(LDP, MAXFAC)$ – REAL (KIND=nag_wp) array *Output*
On exit: the j th column of P contains the x -loadings p_j , for $j = 1, 2, \dots, MAXFAC$.
- 23: LDP – INTEGER *Input*
On entry: the first dimension of the array P as declared in the (sub)program from which G02LAF is called.
Constraint: $LDP \geq IP$.
- 24: $T(LDT, MAXFAC)$ – REAL (KIND=nag_wp) array *Output*
On exit: the j th column of T contains the x -scores t_j , for $j = 1, 2, \dots, MAXFAC$.
- 25: LDT – INTEGER *Input*
On entry: the first dimension of the array T as declared in the (sub)program from which G02LAF is called.
Constraint: $LDT \geq N$.
- 26: $C(LDC, MAXFAC)$ – REAL (KIND=nag_wp) array *Output*
On exit: the j th column of C contains the y -loadings c_j , for $j = 1, 2, \dots, MAXFAC$.
- 27: LDC – INTEGER *Input*
On entry: the first dimension of the array C as declared in the (sub)program from which G02LAF is called.
Constraint: $LDC \geq MY$.
- 28: $U(LDU, MAXFAC)$ – REAL (KIND=nag_wp) array *Output*
On exit: the j th column of U contains the y -scores u_j , for $j = 1, 2, \dots, MAXFAC$.
- 29: LDU – INTEGER *Input*
On entry: the first dimension of the array U as declared in the (sub)program from which G02LAF is called.
Constraint: $LDU \geq N$.
- 30: $XCV(MAXFAC)$ – REAL (KIND=nag_wp) array *Output*
On exit: $XCV(j)$ contains the cumulative percentage of variance in the predictor variables explained by the first j factors, for $j = 1, 2, \dots, MAXFAC$.
- 31: $YCV(LDYCV, MY)$ – REAL (KIND=nag_wp) array *Output*
On exit: $YCV(i, j)$ is the cumulative percentage of variance of the j th response variable explained by the first i factors, for $i = 1, 2, \dots, MAXFAC$ and $j = 1, 2, \dots, MY$.

32: LDYCV – INTEGER *Input*

On entry: the first dimension of the array YCV as declared in the (sub)program from which G02LAF is called.

Constraint: $\text{LDYCV} \geq \text{MAXFAC}$.

33: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, element $\langle \text{value} \rangle$ of ISX is invalid.

On entry, ISCALE = $\langle \text{value} \rangle$.

Constraint: ISCALE = -1 or 1.

On entry, MX = $\langle \text{value} \rangle$.

Constraint: MX > 1.

On entry, MY = $\langle \text{value} \rangle$.

Constraint: MY ≥ 1 .

On entry, N = $\langle \text{value} \rangle$.

Constraint: N > 1.

IFAIL = 2

On entry, IP = $\langle \text{value} \rangle$ and MX = $\langle \text{value} \rangle$.

Constraint: $1 < \text{IP} \leq \text{MX}$.

On entry, LDC = $\langle \text{value} \rangle$ and MY = $\langle \text{value} \rangle$.

Constraint: LDC $\geq \text{MY}$.

On entry, LDP = $\langle \text{value} \rangle$ and IP = $\langle \text{value} \rangle$.

Constraint: LDP $\geq \text{IP}$.

On entry, LDT = $\langle \text{value} \rangle$ and N = $\langle \text{value} \rangle$.

Constraint: LDT $\geq \text{N}$.

On entry, LDU = $\langle \text{value} \rangle$ and N = $\langle \text{value} \rangle$.

Constraint: LDU $\geq \text{N}$.

On entry, LDW = $\langle \text{value} \rangle$ and IP = $\langle \text{value} \rangle$.

Constraint: LDW $\geq \text{IP}$.

On entry, LDX = $\langle \text{value} \rangle$ and N = $\langle \text{value} \rangle$.

Constraint: LDX $\geq \text{N}$.

On entry, LDXRES = $\langle value \rangle$ and N = $\langle value \rangle$.
 Constraint: $LDXRES \geq N$.

On entry, LDY = $\langle value \rangle$ and N = $\langle value \rangle$.
 Constraint: $LDY \geq N$.

On entry, LDYCV = $\langle value \rangle$ and MAXFAC = $\langle value \rangle$.
 Constraint: $LDYCV \geq MAXFAC$.

On entry, LDYRES = $\langle value \rangle$ and N = $\langle value \rangle$.
 Constraint: $LDYRES \geq N$.

On entry, MAXFAC = $\langle value \rangle$ and IP = $\langle value \rangle$.
 Constraint: $1 \leq MAXFAC \leq IP$.

IFAIL = 3

On entry, IP is not equal to the sum of ISX elements: IP = $\langle value \rangle$, sum(ISX) = $\langle value \rangle$.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

The computed singular value decomposition is nearly the exact singular value decomposition for a nearby matrix $(A + E)$, where

$$\|E\|_2 = O(\epsilon)\|A\|_2,$$

and ϵ is the *machine precision*.

8 Parallelism and Performance

G02LAF makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

G02LAF allocates internally $2mr + A + \max(3(A + B), 5A) + r$ elements of real storage, where $A = \min(m, r)$ and $B = \max(m, r)$.

10 Example

This example reads in data from an experiment to measure the biological activity in a chemical compound, and a PLS model is estimated.

10.1 Program Text

```

Program g02lafe

!     G02LAF Example Program Text

!     Mark 26 Release. NAG Copyright 2016.

!     .. Use Statements ..
Use nag_library, Only: g02laf, nag_wp, x04caf
!     .. Implicit None Statement ..
Implicit None
!     .. Parameters ..
Integer, Parameter :: nin = 5, nout = 6
!     .. Local Scalars ..
Integer :: i, ifail, ip, iscale, j, ldc, ldp, &
            ldt, ldu, ldw, ldx, ldxres, ldy, &
            ldycv, ldyres, maxfac, mx, my, n
Character (80) :: fmt
!     .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: c(:,:,:), p(:,:,:),
                                 t(:,:,:), u(:,:,:),
                                 w(:,:,:), x(:,:,:),
                                 xbar(:), xcv(:), &
                                 xres(:,:,:),
                                 xstd(:), y(:,:,:),
                                 ybar(:), &
                                 ycv(:,:,:),
                                 yres(:,:,:),
                                 ystd(:)
Integer, Allocatable :: isx(:)
!     .. Intrinsic Procedures ..
Intrinsic :: count
!     .. Executable Statements ..
Write (nout,*) 'G02LAF Example Program Results'
Write (nout,*)
Flush (nout)

!     Skip heading in data file
Read (nin,*)

!     Read in the problem size
Read (nin,*) n, mx, my, iscale, maxfac

ldx = n
ldy = n
Allocate (x(ldx,mx),isx(mx),y(ldy,my))

!     Read in data
Read (nin,*)(x(i,1:mx),y(i,1:my),i=1,n)

!     Read in variable inclusion flags
Read (nin,*)(isx(j),j=1,mx)

!     Calculate IP
ip = count(isx(1:mx)==1)

ldxres = n
ldyres = n
ldw = ip
ldp = ip
ldt = n
ldc = my
ldu = n
ldycv = maxfac
Allocate (xbar(ip),ybar(my),xstd(ip),ystd(my),xres(ldxres,ip), &
          yres(ldyres,my),w(ldw,maxfac),p(ldp,maxfac),t(ldt,maxfac), &
          c(ldc,maxfac),u(ldu,maxfac),xcv(maxfac),ycv(ldycv,my))

!     Fit a PLS model

```

```

ifail = 0
Call g02laf(n,mx,x,ldx,isx,ip,my,y,ldy,xbar,ybar,yscale,xstd,ystd,
    maxfac,xres,ldxres,yres,ldyres,w,ldw,p,ldp,t,ldt,c,ldc,u,ldu,xcv,ycv,   &
    ldycv,ifail)

!     Display results
ifail = 0
Call x04caf('General',' ',ip,maxfac,p,ldp,'x-loadings, P',ifail)
Write (nout,*)
Flush (nout)
ifail = 0
Call x04caf('General',' ',n,maxfac,t,ldt,'x-scores, T',ifail)
Write (nout,*)
Flush (nout)
ifail = 0
Call x04caf('General',' ',my,maxfac,c,ldc,'y-loadings, C',ifail)
Write (nout,*)
Flush (nout)
ifail = 0
Call x04caf('General',' ',n,maxfac,u,ldu,'y-scores, U',ifail)
Write (nout,*)
Write (nout,*) 'Explained Variance'
Write (nout,*) 'Model effects Dependent variable(s)'
Write (fmt,99999)'(', my + 1, '(F12.6,3X))'
Write (nout,fmt)(xcv(i),ycv(i,1:my),i=1,maxfac)

99999 Format (A,I0,A)
End Program g02lafe

```

10.2 Program Data

G02LAF Example Program Data

15	15	1	1	4		:	N, MX, MY, SCALE, MAXFAC
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	1.9607	-1.6324	0.5746	1.9607			
-1.6324	0.5740	2.8369	1.4092	-3.1398	0.00		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	1.9607	-1.6324	0.5746	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	0.28		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	0.0744	-1.7333	0.0902	1.9607			
-1.6324	0.5746	2.8369	1.4092	-3.1398	0.20		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	0.51		
-2.6931	-2.5271	-1.2871	2.8369	1.4092			
-3.1398	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	0.11		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	-4.7548	3.6521	0.8524	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	2.73		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	-1.2201	0.8829	2.2253	0.18		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			
-0.0701	2.4064	1.7438	1.1057	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	1.53		
-2.6931	-2.5271	-1.2871	0.0744	-1.7333			
0.0902	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	-0.10		
2.2261	-5.3648	0.3049	3.0777	0.3891			
-0.0701	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	-0.52		
-4.1921	-1.0285	-0.9801	3.0777	0.3891			
-0.0701	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	0.40		
-4.9217	1.2977	0.4473	3.0777	0.3891			
-0.0701	0.0744	-1.7333	0.0902	0.0744			
-1.7333	0.0902	2.8369	1.4092	-3.1398	0.30		
-2.6931	-2.5271	-1.2871	3.0777	0.3891			

```

-0.0701  2.2261 -5.3648  0.3049  2.2261
-5.3648  0.3049  2.8369  1.4092 -3.1398 -1.00
-2.6931 -2.5271 -1.2871  3.0777  0.3891
-0.0701 -4.9217  1.2977  0.4473  0.0744
-1.7333  0.0902  2.8369  1.4092 -3.1398  1.57
-2.6931 -2.5271 -1.2871  3.0777  0.3891
-0.0701 -4.1921 -1.0285 -0.9801  0.0744
-1.7333  0.0902  2.8369  1.4092 -3.1398  0.59 : End of X,Y
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 : ISX

```

10.3 Program Results

G02LAF Example Program Results

	x-loadings, P			
	1	2	3	4
1	-0.6708	-1.0047	0.6505	0.6169
2	0.4943	0.1355	-0.9010	-0.2388
3	-0.4167	-1.9983	-0.5538	0.8474
4	0.3930	1.2441	-0.6967	-0.4336
5	0.3267	0.5838	-1.4088	-0.6323
6	0.0145	0.9607	1.6594	0.5361
7	-2.4471	0.3532	-1.1321	-1.3554
8	3.5198	0.6005	0.2191	0.0380
9	1.0973	2.0635	-0.4074	-0.3522
10	-2.4466	2.5640	-0.4806	0.3819
11	2.2732	-1.3110	-0.7686	-1.8959
12	-1.7987	2.4088	-0.9475	-0.4727
13	0.3629	0.2241	-2.6332	2.3739
14	0.3629	0.2241	-2.6332	2.3739
15	-0.3629	-0.2241	2.6332	-2.3739

	x-scores, T			
	1	2	3	4
1	-0.1896	0.3898	-0.2502	-0.2479
2	0.0201	-0.0013	-0.1726	-0.2042
3	-0.1889	0.3141	-0.1727	-0.1350
4	0.0210	-0.0773	-0.0950	-0.0912
5	-0.0090	-0.2649	-0.4195	-0.1327
6	0.5479	0.2843	0.1914	0.2727
7	-0.0937	-0.0579	0.6799	-0.6129
8	0.2500	0.2033	-0.1046	-0.1014
9	-0.1005	-0.2992	0.2131	0.1223
10	-0.1810	-0.4427	0.0559	0.2114
11	0.0497	-0.0762	-0.1526	-0.0771
12	0.0173	-0.2517	-0.2104	0.1044
13	-0.6002	0.3596	0.1876	0.4812
14	0.3796	0.1338	0.1410	0.1999
15	0.0773	-0.2139	0.1085	0.2106

y-loadings, C

	1	2	3	4
1	3.5425	1.0475	0.2548	0.1866

y-scores, U				
	1	2	3	4
1	-1.7670	0.1812	-0.0600	-0.0320
2	-0.6724	-0.2735	-0.0662	-0.0402
3	-0.9852	0.4097	0.0158	0.0198
4	0.2267	-0.0107	0.0180	0.0177
5	-1.3370	-0.3619	-0.0173	0.0073
6	8.9056	0.6000	0.0701	0.0422
7	-1.0634	0.0332	0.0235	-0.0151
8	4.2143	0.3184	0.0232	0.0219
9	-2.1580	-0.2652	0.0153	0.0011
10	-3.7999	-0.4520	0.0082	0.0034
11	-0.2033	-0.2446	-0.0392	-0.0214
12	-0.5942	-0.2398	0.0089	0.0165
13	-5.6764	0.5487	0.0375	0.0185
14	4.3707	-0.1161	-0.0639	-0.0535

15	0.5395	-0.1274	0.0261	0.0139
----	--------	---------	--------	--------

Explained Variance

Model effects	Dependent variable(s)
16.902124	89.638060
29.674338	97.476270
44.332404	97.939839
56.172041	98.188474
