

# NAG Library Routine Document

## S17AWF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

S17AWF returns an array of values of the derivative of the Airy function  $\text{Ai}(x)$ .

### 2 Specification

```
SUBROUTINE S17AWF (N, X, F, IVALID, IFAIL)
  INTEGER          N, IVALID(N), IFAIL
  REAL (KIND=nag_wp) X(N), F(N)
```

### 3 Description

S17AWF evaluates an approximation to the derivative of the Airy function  $\text{Ai}(x_i)$  for an array of arguments  $x_i$ , for  $i = 1, 2, \dots, n$ . It is based on a number of Chebyshev expansions.

For  $x < -5$ ,

$$\text{Ai}'(x) = \sqrt[4]{-x} \left[ a(t) \cos z + \frac{b(t)}{\zeta} \sin z \right],$$

where  $z = \frac{\pi}{4} + \zeta$ ,  $\zeta = \frac{2}{3}\sqrt{-x^3}$  and  $a(t)$  and  $b(t)$  are expansions in variable  $t = -2\left(\frac{5}{x}\right)^3 - 1$ .

For  $-5 \leq x \leq 0$ ,

$$\text{Ai}'(x) = x^2 f(t) - g(t),$$

where  $f$  and  $g$  are expansions in  $t = -2\left(\frac{x}{5}\right)^3 - 1$ .

For  $0 < x < 4.5$ ,

$$\text{Ai}'(x) = e^{-11x/8} y(t),$$

where  $y(t)$  is an expansion in  $t = 4\left(\frac{x}{9}\right) - 1$ .

For  $4.5 \leq x < 9$ ,

$$\text{Ai}'(x) = e^{-5x/2} v(t),$$

where  $v(t)$  is an expansion in  $t = 4\left(\frac{x}{9}\right) - 3$ .

For  $x \geq 9$ ,

$$\text{Ai}'(x) = \sqrt[4]{x} e^{-z} u(t),$$

where  $z = \frac{2}{3}\sqrt{x^3}$  and  $u(t)$  is an expansion in  $t = 2\left(\frac{18}{z}\right) - 1$ .

For  $|x| <$  the square of the *machine precision*, the result is set directly to  $\text{Ai}'(0)$ . This both saves time and avoids possible intermediate underflows.

For large negative arguments, it becomes impossible to calculate a result for the oscillating function with any accuracy and so the routine must fail. This occurs for  $x < -\left(\frac{\sqrt{\pi}}{\epsilon}\right)^{4/7}$ , where  $\epsilon$  is the *machine precision*.

For large positive arguments, where  $Ai'$  decays in an essentially exponential manner, there is a danger of underflow so the routine must fail.

## 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

## 5 Arguments

- 1: N – INTEGER *Input*  
*On entry:*  $n$ , the number of points.  
*Constraint:*  $N \geq 0$ .
- 2: X(N) – REAL (KIND=nag\_wp) array *Input*  
*On entry:* the argument  $x_i$  of the function, for  $i = 1, 2, \dots, N$ .
- 3: F(N) – REAL (KIND=nag\_wp) array *Output*  
*On exit:*  $Ai'(x_i)$ , the function values.
- 4: IVALID(N) – INTEGER array *Output*  
*On exit:* IVALID( $i$ ) contains the error code for  $x_i$ , for  $i = 1, 2, \dots, N$ .  
 IVALID( $i$ ) = 0  
     No error.  
 IVALID( $i$ ) = 1  
      $x_i$  is too large and positive. F( $i$ ) contains zero. The threshold value is the same as for IFAIL = 1 in S17AJF, as defined in the Users' Note for your implementation.  
 IVALID( $i$ ) = 2  
      $x_i$  is too large and negative. F( $i$ ) contains zero. The threshold value is the same as for IFAIL = 2 in S17AJF, as defined in the Users' Note for your implementation.
- 5: IFAIL – INTEGER *Input/Output*  
*On entry:* IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.  
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**  
*On exit:* IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, at least one value of X was invalid.  
Check IVALID for more information.

IFAIL = 2

On entry, N =  $\langle value \rangle$ .  
Constraint: N  $\geq$  0.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.  
See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.  
See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.  
See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

## 7 Accuracy

For negative arguments the function is oscillatory and hence absolute error is the appropriate measure. In the positive region the function is essentially exponential in character and here relative error is needed. The absolute error,  $E$ , and the relative error,  $\epsilon$ , are related in principle to the relative error in the argument,  $\delta$ , by

$$E \simeq |x^2 \text{Ai}(x)|\delta \quad \epsilon \simeq \left| \frac{x^2 \text{Ai}(x)}{\text{Ai}'(x)} \right| \delta.$$

In practice, approximate equality is the best that can be expected. When  $\delta$ ,  $\epsilon$  or  $E$  is of the order of the *machine precision*, the errors in the result will be somewhat larger.

For small  $x$ , positive or negative, errors are strongly attenuated by the function and hence will be roughly bounded by the *machine precision*.

For moderate to large negative  $x$ , the error, like the function, is oscillatory; however the amplitude of the error grows like

$$\frac{|x|^{7/4}}{\sqrt{\pi}}.$$

Therefore it becomes impossible to calculate the function with any accuracy if  $|x|^{7/4} > \frac{\sqrt{\pi}}{\delta}$ .

For large positive  $x$ , the relative error amplification is considerable:

$$\frac{\epsilon}{\delta} \simeq \sqrt{x^3}.$$

However, very large arguments are not possible due to the danger of underflow. Thus in practice error amplification is limited.

## 8 Parallelism and Performance

S17AWF is not threaded in any implementation.

## 9 Further Comments

None.

## 10 Example

This example reads values of X from a file, evaluates the function at each value of  $x_i$  and prints the results.

### 10.1 Program Text

```

Program s17awfe

!      S17AWF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: nag_wp, s17awf
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Integer                    :: i, ifail, n
!      .. Local Arrays ..
      Real (Kind=nag_wp), Allocatable :: f(:), x(:)
      Integer, Allocatable       :: ivalid(:)
!      .. Executable Statements ..
      Write (nout,*) 'S17AWF Example Program Results'

!      Skip heading in data file
      Read (nin,*)

      Write (nout,*)
      Write (nout,*) '      X      F      IVALID'
      Write (nout,*)

      Read (nin,*) n

      Allocate (x(n),f(n),ivalid(n))

      Read (nin,*) x(1:n)

      ifail = 0
      Call s17awf(n,x,f,ivalid,ifail)

      Do i = 1, n
         Write (nout,99999) x(i), f(i), ivalid(i)
      End Do

99999 Format (1X,1P,2E12.3,I5)
End Program s17awfe

```

### 10.2 Program Data

S17AWF Example Program Data

7

-10.0 -1.0 0.0 1.0 5.0 10.0 20.0

### **10.3 Program Results**

S17AWF Example Program Results

X	F	INVALID
-1.000E+01	9.963E-01	0
-1.000E+00	-1.016E-02	0
0.000E+00	-2.588E-01	0
1.000E+00	-1.591E-01	0
5.000E+00	-2.474E-04	0
1.000E+01	-3.521E-10	0
2.000E+01	-7.586E-27	0

---