

NAG Toolbox

nag_lapack_dgelss (f08ka)

1 Purpose

nag_lapack_dgelss (f08ka) computes the minimum norm solution to a real linear least squares problem

$$\min_x \|b - Ax\|_2.$$

2 Syntax

```
[a, b, s, rank, info] = nag_lapack_dgelss(a, b, rcond, 'm', m, 'n', n, 'nrhs_p', nrhs_p)
```

```
[a, b, s, rank, info] = f08ka(a, b, rcond, 'm', m, 'n', n, 'nrhs_p', nrhs_p)
```

3 Description

nag_lapack_dgelss (f08ka) uses the singular value decomposition (SVD) of A , where A is an m by n matrix which may be rank-deficient.

Several right-hand side vectors b and solution vectors x can be handled in a single call; they are stored as the columns of the m by r right-hand side matrix B and the n by r solution matrix X .

The effective rank of A is determined by treating as zero those singular values which are less than **rcond** times the largest singular value.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

5.1 Compulsory Input Parameters

1: **a**(lda,:) – REAL (KIND=nag_wp) array

The first dimension of the array **a** must be at least $\max(1, \mathbf{m})$.

The second dimension of the array **a** must be at least $\max(1, \mathbf{n})$.

The m by n matrix A .

2: **b**(ldb,:) – REAL (KIND=nag_wp) array

The first dimension of the array **b** must be at least $\max(1, \mathbf{m}, \mathbf{n})$.

The second dimension of the array **b** must be at least $\max(1, \mathbf{nrhs_p})$.

The m by r right-hand side matrix B .

3: **rcond** – REAL (KIND=nag_wp)

Used to determine the effective rank of A . Singular values $\mathbf{s}(i) \leq \mathbf{rcond} \times \mathbf{s}(1)$ are treated as zero. If **rcond** < 0, *machine precision* is used instead.

5.2 Optional Input Parameters

1: **m** – INTEGER

Default: the first dimension of the array **a**.

m, the number of rows of the matrix *A*.

Constraint: $\mathbf{m} \geq 0$.

2: **n** – INTEGER

Default: the second dimension of the array **a**.

n, the number of columns of the matrix *A*.

Constraint: $\mathbf{n} \geq 0$.

3: **nrhs_p** – INTEGER

Default: the second dimension of the array **b**.

r, the number of right-hand sides, i.e., the number of columns of the matrices *B* and *X*.

Constraint: $\mathbf{nrhs_p} \geq 0$.

5.3 Output Parameters

1: **a(lda, :)** – REAL (KIND=nag_wp) array

The first dimension of the array **a** will be $\max(1, \mathbf{m})$.

The second dimension of the array **a** will be $\max(1, \mathbf{n})$.

The first $\min(m, n)$ rows of *A* are overwritten with its right singular vectors, stored row-wise.

2: **b(ldb, :)** – REAL (KIND=nag_wp) array

The first dimension of the array **b** will be $\max(1, \mathbf{m}, \mathbf{n})$.

The second dimension of the array **b** will be $\max(1, \mathbf{nrhs_p})$.

b stores the *n* by *r* solution matrix *X*. If $m \geq n$ and **rank** = *n*, the residual sum of squares for the solution in the *i*th column is given by the sum of squares of elements $n + 1, \dots, m$ in that column.

3: **s(:)** – REAL (KIND=nag_wp) array

The dimension of the array **s** will be $\max(1, \min(\mathbf{m}, \mathbf{n}))$

The singular values of *A* in decreasing order.

4: **rank** – INTEGER

The effective rank of *A*, i.e., the number of singular values which are greater than $\mathbf{rcond} \times \mathbf{s}(1)$.

5: **info** – INTEGER

info = 0 unless the function detects an error (see Section 6).

6 Error Indicators and Warnings

info = $-i$

If **info** = $-i$, parameter *i* had an illegal value on entry. The parameters are numbered as follows:

1: **m**, 2: **n**, 3: **nrhs_p**, 4: **a**, 5: **lda**, 6: **b**, 7: **ldb**, 8: **s**, 9: **rcond**, 10: **rank**, 11: **work**, 12: **lwork**, 13: **info**.

It is possible that **info** refers to a parameter that is omitted from the MATLAB interface. This usually indicates that an error in one of the other input parameters has caused an incorrect value to be inferred.

info > 0

The algorithm for computing the SVD failed to converge; if **info** = i , i off-diagonal elements of an intermediate bidiagonal form did not converge to zero.

7 Accuracy

See Section 4.5 of Anderson *et al.* (1999) for details.

8 Further Comments

The complex analogue of this function is nag_lapack_zgelss (f08kn).

9 Example

This example solves the linear least squares problem

$$\min_x \|b - Ax\|_2$$

for the solution, x , of minimum norm, where

$$A = \begin{pmatrix} -0.09 & 0.14 & -0.46 & 0.68 & 1.29 \\ -1.56 & 0.20 & 0.29 & 1.09 & 0.51 \\ -1.48 & -0.43 & 0.89 & -0.71 & -0.96 \\ -1.09 & 0.84 & 0.77 & 2.11 & -1.27 \\ 0.08 & 0.55 & -1.13 & 0.14 & 1.74 \\ -1.59 & -0.72 & 1.06 & 1.24 & 0.34 \end{pmatrix} \quad \text{and} \quad b = \begin{pmatrix} 7.4 \\ 4.2 \\ -8.3 \\ 1.8 \\ 8.6 \\ 2.1 \end{pmatrix}.$$

A tolerance of 0.01 is used to determine the effective rank of A .

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

9.1 Program Text

```
function f08ka_example

fprintf('f08ka example results\n\n');

% Least squares problem min ||b - Ax|| where A and b are:
a = [-0.09, 0.14, -0.46, 0.68, 1.29;
     -1.56, 0.20, 0.29, 1.09, 0.51;
     -1.48, -0.43, 0.89, -0.71, -0.96;
     -1.09, 0.84, 0.77, 2.11, -1.27;
     0.08, 0.55, -1.13, 0.14, 1.74;
     -1.59, -0.72, 1.06, 1.24, 0.34];
b = [ 7.4;
     4.2;
     -8.3;
     1.8;
     8.6;
     2.1];
[m,n] = size(a);

% Treat singular values less than 0.01 as zero
rcond = 0.01;
[vr, x, s, rank, info] = f08ka( ...
                        a, b, rcond);

disp('Least squares solution');
disp(x(1:n)');
```

```
disp('Tolerance used to estimate the rank of A');
fprintf('%12.2e\n',rcond);
disp('Estimated rank of A');
fprintf('%5d\n\n',rank);
disp('Singular values of A');
disp(s');
```

9.2 Program Results

f08ka example results

Least squares solution

0.6344	0.9699	-1.4403	3.3678	3.3992
--------	--------	---------	--------	--------

Tolerance used to estimate the rank of A

1.00e-02

Estimated rank of A

4

Singular values of A

3.9997	2.9962	2.0001	0.9988	0.0025
--------	--------	--------	--------	--------
