

## NAG Toolbox

### nag\_lapack\_dggbal (f08wh)

#### 1 Purpose

nag\_lapack\_dggbal (f08wh) balances a pair of real square matrices  $(A, B)$  of order  $n$ . Balancing usually improves the accuracy of computed generalized eigenvalues and eigenvectors.

#### 2 Syntax

```
[a, b, ilo, ihi, lscale, rscale, info] = nag_lapack_dggbal(job, a, b, 'n', n)
```

```
[a, b, ilo, ihi, lscale, rscale, info] = f08wh(job, a, b, 'n', n)
```

#### 3 Description

Balancing may reduce the 1-norms of the matrices and improve the accuracy of the computed eigenvalues and eigenvectors in the real generalized eigenvalue problem

$$Ax = \lambda Bx.$$

nag\_lapack\_dggbal (f08wh) is usually the first step in the solution of the above generalized eigenvalue problem. Balancing is optional but it is highly recommended.

The term ‘balancing’ covers two steps, each of which involves similarity transformations on  $A$  and  $B$ . The function can perform either or both of these steps. Both steps are optional.

1. The function first attempts to permute  $A$  and  $B$  to block upper triangular form by a similarity transformation:

$$PAP^T = F = \begin{pmatrix} F_{11} & F_{12} & F_{13} \\ & F_{22} & F_{23} \\ & & F_{33} \end{pmatrix}$$

$$PBP^T = G = \begin{pmatrix} G_{11} & G_{12} & G_{13} \\ & G_{22} & G_{23} \\ & & G_{33} \end{pmatrix}$$

where  $P$  is a permutation matrix,  $F_{11}$ ,  $F_{33}$ ,  $G_{11}$  and  $G_{33}$  are upper triangular. Then the diagonal elements of the matrix pairs  $(F_{11}, G_{11})$  and  $(F_{33}, G_{33})$  are generalized eigenvalues of  $(A, B)$ . The rest of the generalized eigenvalues are given by the matrix pair  $(F_{22}, G_{22})$  which are in rows and columns  $i_{10}$  to  $i_{hi}$ . Subsequent operations to compute the generalized eigenvalues of  $(A, B)$  need only be applied to the matrix pair  $(F_{22}, G_{22})$ ; this can save a significant amount of work if  $i_{10} > 1$  and  $i_{hi} < n$ . If no suitable permutation exists (as is often the case), the function sets  $i_{10} = 1$  and  $i_{hi} = n$ .

2. The function applies a diagonal similarity transformation to  $(F, G)$ , to make the rows and columns of  $(F_{22}, G_{22})$  as close in norm as possible:

$$DF\hat{D} = \begin{pmatrix} I & 0 & 0 \\ 0 & D_{22} & 0 \\ 0 & 0 & I \end{pmatrix} \begin{pmatrix} F_{11} & F_{12} & F_{13} \\ & F_{22} & F_{23} \\ & & F_{33} \end{pmatrix} \begin{pmatrix} I & 0 & 0 \\ 0 & \hat{D}_{22} & 0 \\ 0 & 0 & I \end{pmatrix}$$

$$DG\hat{D} = \begin{pmatrix} I & 0 & 0 \\ 0 & D_{22} & 0 \\ 0 & 0 & I \end{pmatrix} \begin{pmatrix} G_{11} & G_{12} & G_{13} \\ & G_{22} & G_{23} \\ & & G_{33} \end{pmatrix} \begin{pmatrix} I & 0 & 0 \\ 0 & \hat{D}_{22} & 0 \\ 0 & 0 & I \end{pmatrix}$$

This transformation usually improves the accuracy of computed generalized eigenvalues and eigenvectors.

## 4 References

Ward R C (1981) Balancing the generalized eigenvalue problem *SIAM J. Sci. Stat. Comp.* **2** 141–152

## 5 Parameters

### 5.1 Compulsory Input Parameters

1: **job** – CHARACTER(1)

Specifies the operations to be performed on matrices  $A$  and  $B$ .

**job** = 'N'

No balancing is done. Initialize **ilo** = 1, **ihi** = **n**, **lscale**( $i$ ) = 1.0 and **rscale**( $i$ ) = 1.0, for  $i = 1, 2, \dots, n$ .

**job** = 'P'

Only permutations are used in balancing.

**job** = 'S'

Only scalings are used in balancing.

**job** = 'B'

Both permutations and scalings are used in balancing.

*Constraint:* **job** = 'N', 'P', 'S' or 'B'.

2: **a**(*lda*,:) – REAL (KIND=nag\_wp) array

The first dimension of the array **a** must be at least  $\max(1, \mathbf{n})$ .

The second dimension of the array **a** must be at least  $\max(1, \mathbf{n})$ .

The  $n$  by  $n$  matrix  $A$ .

3: **b**(*ldb*,:) – REAL (KIND=nag\_wp) array

The first dimension of the array **b** must be at least  $\max(1, \mathbf{n})$ .

The second dimension of the array **b** must be at least  $\max(1, \mathbf{n})$ .

The  $n$  by  $n$  matrix  $B$ .

### 5.2 Optional Input Parameters

1: **n** – INTEGER

*Default:* the first dimension of the arrays **a**, **b** and the second dimension of the arrays **a**, **b**,  $n$ , the order of the matrices  $A$  and  $B$ .

*Constraint:*  $\mathbf{n} \geq 0$ .

### 5.3 Output Parameters

1: **a**(*lda*,:) – REAL (KIND=nag\_wp) array

The first dimension of the array **a** will be  $\max(1, \mathbf{n})$ .

The second dimension of the array **a** will be  $\max(1, \mathbf{n})$ .

**a** stores the balanced matrix. If **job** = 'N', **a** is not referenced.

2: **b**(*ldb*,:) – REAL (KIND=nag\_wp) array

The first dimension of the array **b** will be  $\max(1, \mathbf{n})$ .

The second dimension of the array **b** will be  $\max(1, \mathbf{n})$ .

**b** stores the balanced matrix. If **job** = 'N', **b** is not referenced.

3: **ilo** – INTEGER

4: **ihi** – INTEGER

$i_{lo}$  and  $i_{hi}$  are set such that  $\mathbf{a}(i, j) = 0$  and  $\mathbf{b}(i, j) = 0$  if  $i > j$  and  $1 \leq j < i_{lo}$  or  $i_{hi} < i \leq n$ .

If **job** = 'N' or 'S',  $i_{lo} = 1$  and  $i_{hi} = n$ .

5: **lscale(n)** – REAL (KIND=nag\_wp) array

Details of the permutations and scaling factors applied to the left side of the matrices  $A$  and  $B$ . If  $P_i$  is the index of the row interchanged with row  $i$  and  $d_i$  is the scaling factor applied to row  $i$ , then

$$\mathbf{lscale}(i) = P_i, \text{ for } i = 1, 2, \dots, i_{lo} - 1;$$

$$\mathbf{lscale}(i) = d_i, \text{ for } i = i_{lo}, \dots, i_{hi};$$

$$\mathbf{lscale}(i) = P_i, \text{ for } i = i_{hi} + 1, \dots, n.$$

The order in which the interchanges are made is  $n$  to  $i_{hi} + 1$ , then 1 to  $i_{lo} - 1$ .

6: **rscale(n)** – REAL (KIND=nag\_wp) array

Details of the permutations and scaling factors applied to the right side of the matrices  $A$  and  $B$ .

If  $P_j$  is the index of the column interchanged with column  $j$  and  $\hat{d}_j$  is the scaling factor applied to column  $j$ , then

$$\mathbf{rscale}(j) = P_j, \text{ for } j = 1, 2, \dots, i_{lo} - 1;$$

$$\mathbf{rscale}(j) = \hat{d}_j, \text{ for } j = i_{lo}, \dots, i_{hi};$$

$$\mathbf{rscale}(j) = P_j, \text{ for } j = i_{hi} + 1, \dots, n.$$

The order in which the interchanges are made is  $n$  to  $i_{hi} + 1$ , then 1 to  $i_{lo} - 1$ .

7: **info** – INTEGER

**info** = 0 unless the function detects an error (see Section 6).

## 6 Error Indicators and Warnings

**info** =  $-i$

If **info** =  $-i$ , parameter  $i$  had an illegal value on entry. The parameters are numbered as follows:

1: **job**, 2: **n**, 3: **a**, 4: **lda**, 5: **b**, 6: **ldb**, 7: **ilo**, 8: **ihi**, 9: **lscale**, 10: **rscale**, 11: **work**, 12: **info**.

It is possible that **info** refers to a parameter that is omitted from the MATLAB interface. This usually indicates that an error in one of the other input parameters has caused an incorrect value to be inferred.

## 7 Accuracy

The errors are negligible, compared to those in subsequent computations.

## 8 Further Comments

nag\_lapack\_dggbal (f08wh) is usually the first step in computing the real generalized eigenvalue problem but it is an optional step. The matrix  $B$  is reduced to the upper triangular form using the  $QR$  factorization function nag\_lapack\_dgeqrf (f08ae) and this orthogonal transformation  $Q$  is applied to the matrix  $A$  by calling nag\_lapack\_dormqr (f08ag). This is followed by nag\_lapack\_dgghrd (f08we) which reduces the matrix pair into the generalized Hessenberg form.

If the matrix pair  $(A, B)$  is balanced by this function, then any generalized eigenvectors computed subsequently are eigenvectors of the balanced matrix pair. In that case, to compute the generalized eigenvectors of the original matrix, `nag_lapack_dggbak` (f08wj) must be called.

The total number of floating-point operations is approximately proportional to  $n^2$ .

The complex analogue of this function is `nag_lapack_zggbal` (f08wv).

## 9 Example

See Section 10 in `nag_lapack_dhgeqz` (f08xe) and `nag_lapack_dtgevc` (f08yk).

### 9.1 Program Text

```
function f08wh_example

fprintf('f08wh example results\n\n');

a = [1, 1, 1, 1, 1;
     2, 4, 8, 16, 32;
     3, 9, 27, 81, 243;
     4, 16, 64, 256, 1024;
     5, 25, 125, 625, 3125];
b = [1, 2, 3, 4, 5;
     1, 4, 9, 16, 25;
     1, 8, 27, 64, 125;
     1, 16, 81, 256, 625;
     1, 32, 243, 1024, 3125];

% Balance matrix pair (A,B)
job = 'Balance';
[a, b, ilo, ihi, lscale, rscale, info] = ...
    f08wh(job, a, b);

fprintf('Lower index for permuted central block matrix pair = %d\n', ilo);
fprintf('Upper index for permuted central block matrix pair = %d\n', ihi);
disp('Contents of left scaling vector:');
disp(lscale);
disp('Contents of right scaling vector:');
disp(rscale);
disp('Balanced matrix A');
disp(a);
disp('Balanced matrix B');
disp(b);
```

### 9.2 Program Results

```
f08wh example results

Lower index for permuted central block matrix pair = 1
Upper index for permuted central block matrix pair = 5
Contents of left scaling vector:
    1.0000    1.0000    0.1000    0.1000    0.1000

Contents of right scaling vector:
    1.0000    1.0000    0.1000    0.1000    0.1000

Balanced matrix A
    1.0000    1.0000    0.1000    0.1000    0.1000
    2.0000    4.0000    0.8000    1.6000    3.2000
    0.3000    0.9000    0.2700    0.8100    2.4300
    0.4000    1.6000    0.6400    2.5600    10.2400
    0.5000    2.5000    1.2500    6.2500    31.2500

Balanced matrix B
```

1.0000	2.0000	0.3000	0.4000	0.5000
1.0000	4.0000	0.9000	1.6000	2.5000
0.1000	0.8000	0.2700	0.6400	1.2500
0.1000	1.6000	0.8100	2.5600	6.2500
0.1000	3.2000	2.4300	10.2400	31.2500

---