

## NAG Toolbox

### nag\_tsa\_uni\_arima\_resid (g13as)

#### 1 Purpose

`nag_tsa_uni_arima_resid` (g13as) is a diagnostic checking function suitable for use after fitting a Box–Jenkins ARMA model to a univariate time series using `nag_tsa_uni_arima_estim` (g13ae) or `nag_tsa_uni_arima_estim_easy` (g13af). The residual autocorrelation function is returned along with an estimate of its asymptotic standard errors and correlations. Also, `nag_tsa_uni_arima_resid` (g13as) calculates the Box–Ljung portmanteau statistic and its significance level for testing model adequacy.

#### 2 Syntax

```
[r, rcm, chi, idf, siglev, ifail] = nag_tsa_uni_arima_resid(v, mr, m, par,
ishow, 'n', n, 'npar', npar)

[r, rcm, chi, idf, siglev, ifail] = g13as(v, mr, m, par, ishow, 'n', n, 'npar',
npar)
```

#### 3 Description

Consider the univariate multiplicative autoregressive-moving average model

$$\phi(B)\Phi(B^s)(W_t - \mu) = \theta(B)\Theta(B^s)\epsilon_t \quad (1)$$

where  $W_t$ , for  $t = 1, 2, \dots, n$ , denotes a time series and  $\epsilon_t$ , for  $t = 1, 2, \dots, n$ , is a residual series assumed to be normally distributed with zero mean and variance  $\sigma^2$  ( $> 0$ ). The  $\epsilon_t$ 's are also assumed to be uncorrelated. Here  $\mu$  is the overall mean term,  $s$  is the seasonal period and  $B$  is the backward shift operator such that  $B^r W_t = W_{t-r}$ . The polynomials in (1) are defined as follows:

$$\phi(B) = 1 - \phi_1 B - \phi_2 B^2 - \dots - \phi_p B^p$$

is the non-seasonal autoregressive (AR) operator;

$$\theta(B) = 1 - \theta_1 B - \theta_2 B^2 - \dots - \theta_q B^q$$

is the non-seasonal moving average (MA) operator;

$$\Phi(B^s) = 1 - \Phi_1 B^s - \Phi_2 B^{2s} - \dots - \Phi_P B^{Ps}$$

is the seasonal AR operator; and

$$\Theta(B^s) = 1 - \Theta_1 B^s - \Theta_2 B^{2s} - \dots - \Theta_Q B^{Qs}$$

is the seasonal MA operator. The model (1) is assumed to be stationary, that is the zeros of  $\phi(B)$  and  $\Phi(B^s)$  are assumed to lie outside the unit circle. The model (1) is also assumed to be invertible, that is the zeros of  $\theta(B)$  and  $\Theta(B^s)$  are assumed to lie outside the unit circle. When both  $\Phi(B^s)$  and  $\Theta(B^s)$  are absent from the model, that is when  $P = Q = 0$ , then the model is said to be non-seasonal.

The estimated residual autocorrelation coefficient at lag  $l$ ,  $\hat{r}_l$ , is computed as:

$$\hat{r}_l = \frac{\sum_{t=l+1}^n (\hat{\epsilon}_{t-l} - \bar{\epsilon})(\hat{\epsilon}_t - \bar{\epsilon})}{\sum_{t=1}^n (\hat{\epsilon}_t - \bar{\epsilon})^2}, \quad l = 1, 2, \dots$$

where  $\hat{\epsilon}_t$  denotes an estimate of the  $t$ th residual,  $\epsilon_t$ , and  $\bar{\epsilon} = \sum_{t=1}^n \hat{\epsilon}_t / n$ . A portmanteau statistic,  $Q_{(m)}$ , is calculated from the formula (see Box and Ljung (1978)):

$$Q_{(m)} = n(n+2) \sum_{l=1}^m \hat{r}_l^2 / (n-l)$$

where  $m$  denotes the number of residual autocorrelations computed. (Advice on the choice of  $m$  is given in Section 9.2.) Under the hypothesis of model adequacy,  $Q_{(m)}$  has an asymptotic  $\chi^2$ -distribution on  $m - p - q - P - Q$  degrees of freedom. Let  $\hat{r}^T = (\hat{r}_1, \hat{r}_2, \dots, \hat{r}_m)$  then the variance-covariance matrix of  $\hat{r}$  is given by:

$$\text{Var}(\hat{r}) = [I_m - X(X^T X)^{-1} X^T] / n.$$

The construction of the matrix  $X$  is discussed in McLeod (1978). (Note that the mean,  $\mu$ , and the residual variance,  $\sigma^2$ , play no part in calculating  $\text{Var}(\hat{r})$  and therefore are not required as input to `nag_tsa_uni_arima_resid` (g13as).)

**Note:** for additive models with fixed parameter values (i.e., fitted by `nag_tsa_multi_varma_estimate` (g13dd)) `nag_tsa_multi_varma_diag` (g13ds) should be used instead of `nag_tsa_uni_arima_resid` (g13as).

## 4 References

Box G E P and Ljung G M (1978) On a measure of lack of fit in time series models *Biometrika* **65** 297–303

McLeod A I (1978) On the distribution of the residual autocorrelations in Box–Jenkins models *J. Roy. Statist. Soc. Ser. B* **40** 296–302

## 5 Parameters

### 5.1 Compulsory Input Parameters

1: **v(n)** – REAL (KIND=nag\_wp) array

**v(t)** must contain an estimate of  $\epsilon_t$ , for  $t = 1, 2, \dots, n$ .

If `nag_tsa_uni_arima_resid` (g13as) is used following a call to `nag_tsa_uni_arima_estim` (g13ae) then the actual argument **v** must be **exr(icount(1) + 1)** as returned by `nag_tsa_uni_arima_estim` (g13ae).

If `nag_tsa_uni_arima_resid` (g13as) is used following a call to `nag_tsa_uni_arima_estim_easy` (g13af) then the actual argument **v** must be **res** as returned by `nag_tsa_uni_arima_estim_easy` (g13af).

*Constraint:* **v** must contain at least two distinct elements.

2: **mr(7)** – INTEGER array

The orders vector ( $p, d, q, P, D, Q, s$ ) as supplied to `nag_tsa_uni_arima_estim` (g13ae) or `nag_tsa_uni_arima_estim_easy` (g13af).

*Constraints:*

$$\begin{aligned} p, q, P, Q, s &\geq 0; \\ p + q + P + Q &> 0; \\ \text{if } s = 0, &\text{ then } P = 0 \text{ and } Q = 0. \end{aligned}$$

3: **m** – INTEGER

The value of  $m$ , the number of residual autocorrelations to be computed. See Section 9.2 for advice on the value of **m**.

*Constraint:* **npar** < **m** < **n**.

- 4: **par(npar)** – REAL (KIND=nag\_wp) array  
 The parameter estimates in the order  $\phi_1, \phi_2, \dots, \phi_p, \theta_1, \theta_2, \dots, \theta_q, \Phi_1, \Phi_2, \dots, \Phi_P, \Theta_1, \Theta_2, \dots, \Theta_Q$  only.  
*Constraint:* the elements in **par** must satisfy the stationarity and invertibility conditions.
- 5: **ishow** – INTEGER  
 Must be nonzero if the residual autocorrelations, their standard errors and the portmanteau statistics are to be printed and zero otherwise.  
 These quantities are available also as output variables in **r**, **rcm**, **chi**, **idf** and **siglev**.

## 5.2 Optional Input Parameters

- 1: **n** – INTEGER  
*Default:* the dimension of the array **v**.  
 $n$ , the number of observations in the residual series.  
 If `nag_tsa_uni_arima_resid` (g13as) is used following a call to `nag_tsa_uni_arima_estim` (g13ae), then **n** must be the value **icount**(2) returned by `nag_tsa_uni_arima_estim` (g13ae).  
 If `nag_tsa_uni_arima_resid` (g13as) is used following a call to `nag_tsa_uni_arima_estim_easy` (g13af), then **n** must be the value **nres** returned by `nag_tsa_uni_arima_estim_easy` (g13af).  
*Constraint:*  $n \geq 3$ .
- 2: **npar** – INTEGER  
*Default:* the dimension of the array **par**.  
 The total number of  $\phi$ ,  $\theta$ ,  $\Phi$  and  $\Theta$  parameters, i.e.,  $npar = p + q + P + Q$ .  
*Constraint:*  $npar = mr(1) + mr(3) + mr(4) + mr(6)$ .

## 5.3 Output Parameters

- 1: **r(m)** – REAL (KIND=nag\_wp) array  
 An estimate of the residual autocorrelation coefficient at lag  $l$ , for  $l = 1, 2, \dots, m$ . If **ifail** = 3 on exit then all elements of **r** are set to zero.
- 2: **rcm(ldrcm, m)** – REAL (KIND=nag\_wp) array  
 The estimated standard errors and correlations of the elements in the array **r**. The correlation between  $r(i)$  and  $r(j)$  is returned as **rcm**( $i, j$ ) except that if  $i = j$  then **rcm**( $i, j$ ) contains the standard error of  $r(i)$ . If on exit, **ifail**  $\geq 5$ , then all off-diagonal elements of **rcm** are set to zero and all diagonal elements are set to  $1/\sqrt{n}$ .
- 3: **chi** – REAL (KIND=nag\_wp)  
 The value of the portmanteau statistic,  $Q_{(m)}$ . If **ifail** = 3 on exit then **chi** is returned as zero.
- 4: **idf** – INTEGER  
 The number of degrees of freedom of **chi**.
- 5: **siglev** – REAL (KIND=nag\_wp)  
 The significance level of **chi** based on **idf** degrees of freedom. If **ifail** = 3 on exit, **siglev** is returned as one.

6: **ifail** – INTEGER

**ifail** = 0 unless the function detects an error (see Section 5).

## 6 Error Indicators and Warnings

**Note:** `nag_tsa_uni_arima_resid` (g13as) may return useful information for one or more of the following detected errors or warnings.

Errors or warnings detected by the function:

**ifail** = 1

On entry, **mr**(1) < 0,  
 or **mr**(3) < 0,  
 or **mr**(4) < 0,  
 or **mr**(6) < 0,  
 or **mr**(7) < 0,  
 or **mr**(7) = 0 and either **mr**(4) > 0 or **mr**(6) > 0,  
 or **mr**(1) = **mr**(3) = **mr**(4) = **mr**(6) = 0,  
 or **m** ≤ **npar**,  
 or **m** ≥ **n**,  
 or **n** < 3,  
 or **npar** ≠ **mr**(1) + **mr**(3) + **mr**(4) + **mr**(6),  
 or *ldrcm* < **m**,  
 or *liw* is too small,  
 or *lwork* is too small.

**ifail** = 2

On entry, the autoregressive (or moving average) parameters are extremely close to or outside the stationarity (or invertibility) region. To proceed, you must supply different parameter estimates in the array **par**.

**ifail** = 3 (*warning*)

On entry, the residuals are practically identical giving zero (or near zero) variance. In this case **chi** is set to zero and **siglev** to one and all the elements of **r** are set to zero.

**ifail** = 4

This is an unlikely exit brought about by an excessive number of iterations being needed to evaluate the zeros of the AR or MA polynomials. All output arguments are undefined.

**ifail** = 5

On entry, one or more of the AR operators has a factor in common with one or more of the MA operators. To proceed, this common factor must be deleted from the model. In this case, the off-diagonal elements of **rcm** are returned as zero and the diagonal elements set to  $1/\sqrt{n}$ . All other output quantities will be correct.

**ifail** = 6

This is an unlikely exit. At least one of the diagonal elements of **rcm** was found to be either negative or zero. In this case all off-diagonal elements of **rcm** are returned as zero and all diagonal elements of **rcm** set to  $1/\sqrt{n}$ .

**ifail** = -99

An unexpected error has been triggered by this routine. Please contact NAG.

**ifail** = –399

Your licence key may have expired or may not have been installed correctly.

**ifail** = –999

Dynamic memory allocation failed.

## 7 Accuracy

The computations are believed to be stable.

## 8 Further Comments

### 8.1 Timing

The time taken by `nag_tsa_uni_arima_resid` (g13as) depends upon the number of residual autocorrelations to be computed,  $m$ .

### 8.2 Choice of $m$

The number of residual autocorrelations to be computed,  $m$  should be chosen to ensure that when the ARMA model (1) is written as either an infinite order autoregressive process:

$$W_t - \mu = \sum_{j=1}^{\infty} \pi_j (W_{t-j} - \mu) + \epsilon_t$$

or as an infinite order moving average process:

$$W_t - \mu = \sum_{j=1}^{\infty} \psi_j \epsilon_{t-j} + \epsilon_t$$

then the two sequences  $\{\pi_1, \pi_2, \dots\}$  and  $\{\psi_1, \psi_2, \dots\}$  are such that  $\pi_j$  and  $\psi_j$  are approximately zero for  $j > m$ . An overestimate of  $m$  is therefore preferable to an under-estimate of  $m$ . In many instances the choice  $m = 10$  will suffice. In practice, to be on the safe side, you should try setting  $m = 20$ .

### 8.3 Approximate Standard Errors

When **ifail** = 5 or 6 all the standard errors in **rcm** are set to  $1/\sqrt{n}$ . This is the asymptotic standard error of  $\hat{r}_l$  when all the autoregressive and moving average parameters are assumed to be known rather than estimated.

### 8.4 Alternative Applications

`nag_tsa_uni_arima_resid` (g13as) may be used for diagnostic checking of suitable univariate ARMA models, as described in Section 3, fitted by `nag_tsa_multi_inputmod_estim` (g13be) or `nag_tsa_multi_varma_estimate` (g13dd). Great care must be taken in obtaining the input values for `nag_tsa_uni_arima_resid` (g13as) from the output values from `nag_tsa_multi_inputmod_estim` (g13be) or `nag_tsa_multi_varma_estimate` (g13dd).

## 9 Example

This example fits an ARIMA(1, 1, 2) model to a series of 30 observations. 10 residual autocorrelations are computed.

## 9.1 Program Text

```
function g13as_example

fprintf('g13as example results\n\n');

% data
x = [-217 -177 -166 -136 -110 -95 -64 -37 -14 -25 ...
     -51 -62 -73 -88 -113 -120 -83 -33 -19 21 ...
     17 44 44 78 88 122 126 114 85 64];
n = nag_int(numel(x));

% orders
mr = [nag_int(1);1;2;0;0;0;0];

% sizes
c = 0;

% Initial estimates
par = [0; 0; 0];

% Fit ARIMA model
[par, c, s, ndf, sd, cm, st, nst, itc, isf, res, nres, ifail] = ...
    g13af( ...
        mr, par, c, x);

% Perform diagnostic checks
m = nag_int(10);
ishow = nag_int(1);

[r, rcm, chi, idf, siglev, ifail] = ...
    g13as( ...
        res, mr, m, par, ishow, 'n', nres);
```

## 9.2 Program Results

g13as example results

RESIDUAL AUTOCORRELATION FUNCTION

-----

LAG K	1	2	3	4	5	6	7
R(K)	0.020	-0.040	-0.019	0.068	-0.143	-0.046	-0.205
ST.ERROR	0.007	0.125	0.128	0.150	0.168	0.168	0.178

-----

LAG K	8	9	10
R(K)	-0.108	-0.001	-0.058
ST.ERROR	0.179	0.181	0.183

-----

BOX - LJUNG PORTMANTEAU STATISTIC = 3.465  
SIGNIFICANCE LEVEL = 0.839  
(BASED ON 7 DEGREES OF FREEDOM)

VALUE OF IFAIL PARAMETER ON EXIT FROM G13ASF = 0

---