

NAG Library Function Document

nag_quad_md_simplex (d01pac)

1 Purpose

nag_quad_md_simplex (d01pac) returns a sequence of approximations to the integral of a function over a multidimensional simplex, together with an error estimate for the last approximation.

2 Specification

```
#include <nag.h>
#include <nagd01.h>

void nag_quad_md_simplex (Integer ndim, double vert[],
    double (*functn)(Integer ndim, const double x[], Nag_Comm *comm),
    Integer *minord, Integer maxord, double finvls[], double *esterr,
    Nag_Comm *comm, NagError *fail)
```

3 Description

nag_quad_md_simplex (d01pac) computes a sequence of approximations **finvls**[$j - 1$], for $j = \mathbf{minord} + 1, \dots, \mathbf{maxord}$, to an integral

$$\int_S f(x_1, x_2, \dots, x_n) dx_1 dx_2 \cdots dx_n$$

where S is an n -dimensional simplex defined in terms of its $n + 1$ vertices. **finvls**[$j - 1$] is an approximation which will be exact (except for rounding errors) whenever the integrand is a polynomial of total degree $2j - 1$ or less.

The type of method used has been described in Grundmann and Moller (1978), and is implemented in an extrapolated form using the theory from de Doncker (1979).

4 References

de Doncker E (1979) New Euler–Maclaurin Expansions and their application to quadrature over the s -dimensional simplex *Math. Comput.* **33** 1003–1018

Grundmann A and Moller H M (1978) Invariant integration formulas for the n -simplex by combinatorial methods *SIAM J. Numer. Anal.* **15** 282–290

5 Arguments

1: **ndim** – Integer *Input*

On entry: n , the number of dimensions of the integral.

Constraint: **ndim** ≥ 2 .

2: **vert**[dim] – double *Input/Output*

Note: the dimension, dim , of the array **vert** must be at least $(2 \times (\mathbf{ndim} + 1)) \times (\mathbf{ndim} + 1)$.

Where **VERT**(i, j) appears in this document, it refers to the array element **vert**[($j - 1$) \times (**ndim** + 1) + $i - 1$].

On entry: **VERT**(i, j) must be set to the j th component of the i th vertex for the simplex integration region, for $i = 1, 2, \dots, n + 1$ and $j = 1, 2, \dots, n$. If **minord** > 0 , **vert** must be unchanged since the previous call of nag_quad_md_simplex (d01pac).

On exit: these values are unchanged. The rest of the array **vert** is used for workspace and contains information to be used if another call of `nag_quad_md_simplex (d01pac)` is made with **minord** > 0. In particular **VERT**($n + 1, 2n + 2$) contains the volume of the simplex.

- 3: **functn** – function, supplied by the user *External Function*
functn must return the value of the integrand f at a given point.

The specification of **functn** is:

```
double functn (Integer ndim, const double x[], Nag_Comm *comm)
```

1: **ndim** – Integer *Input*

On entry: n , the number of dimensions of the integral.

2: **x[ndim]** – const double *Input*

On entry: the coordinates of the point at which the integrand f must be evaluated.

3: **comm** – Nag_Comm * *Communication Structure*

Pointer to structure of type Nag_Comm; the following members are relevant to **functn**.

user – double *

iuser – Integer *

p – Pointer

The type Pointer will be `void *`. Before calling `nag_quad_md_simplex (d01pac)` you may allocate memory and initialize these pointers with various quantities for use by **functn** when called from `nag_quad_md_simplex (d01pac)` (see Section 3.2.1.1 in the Essential Introduction).

- 4: **minord** – Integer * *Input/Output*

On entry: must specify the highest order of the approximations currently available in the array **finvls**. **minord** = 0 indicates an initial call; **minord** > 0 indicates that **finvls**[0], **finvls**[1], ..., **finvls**[**minord** - 1] have already been computed in a previous call of `nag_quad_md_simplex (d01pac)`.

Constraint: **minord** ≥ 0.

On exit: **minord** = **maxord**.

- 5: **maxord** – Integer *Input*

On entry: the highest order of approximation to the integral to be computed.

Constraint: **maxord** > **minord**.

- 6: **finvls**[**maxord**] – double *Input/Output*

On entry: if **minord** > 0, **finvls**[0], **finvls**[1], ..., **finvls**[**minord** - 1] must contain approximations to the integral previously computed by `nag_quad_md_simplex (d01pac)`.

On exit: contains these values unchanged, and the newly computed values **finvls**[**minord**], **finvls**[**minord** + 1], ..., **finvls**[**maxord** - 1]. **finvls**[$j - 1$] is an approximation to the integral of polynomial degree $2j - 1$.

- 7: **esterr** – double * *Output*

On exit: an absolute error estimate for **finvls**[**maxord** - 1].

- 8: **comm** – Nag_Comm * *Communication Structure*
The NAG communication argument (see Section 3.2.1.1 in the Essential Introduction).
- 9: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ACCURACY

The volume of the simplex integration region is too large or too small to be represented on the machine.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, **minord** = $\langle value \rangle$.
Constraint: **minord** ≥ 0 .

On entry, **ndim** = $\langle value \rangle$.
Constraint: **ndim** ≥ 2 .

NE_INT_2

On entry, **maxord** = $\langle value \rangle$ and **minord** = $\langle value \rangle$.
Constraint: **maxord** $>$ **minord**.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

7 Accuracy

An absolute error estimate is output through the argument **esterr**.

8 Parallelism and Performance

`nag_quad_md_simplex` (d01pac) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

`nag_quad_md_simplex` (d01pac) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The running time for `nag_quad_md_simplex` (d01pac) will usually be dominated by the time used to evaluate the integrand **functn**. The maximum time that could be used by `nag_quad_md_simplex` (d01pac) will be approximately given by

$$T \times \frac{(\mathbf{maxord} + \mathbf{ndim})!}{(\mathbf{maxord} - 1)!(\mathbf{ndim} + 1)!}$$

where T is the time needed for one call of **functn**.

10 Example

This example demonstrates the use of the function with the integral

$$\int_0^1 \int_0^{1-x} \int_0^{1-x-y} \exp(x+y+z) \cos(x+y+z) dz dy dx = \frac{1}{4}.$$

10.1 Program Text

```

/* nag_quad_md_simplex (d01pac) Example Program.
 *
 * Copyright 2011, Numerical Algorithms Group.
 *
 * Mark 23, 2011.
 */

#include <stdio.h>
#include <math.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagd01.h>

#ifdef __cplusplus
extern "C" {
#endif
    static double NAG_CALL functn(Integer ndim, const double x[], Nag_Comm *comm);
#ifdef __cplusplus
}
#endif

int main(void)
{
#define VERT(I, J) vert[(J-1)* (ndim+1) + I-1]
    /* Scalars */
    Integer exit_status = 0;
    Integer i, j, maxord, minord, mxord, ndim;
    double esterr;
    /* Arrays */
    Integer iuser[1];
    double *finvls = 0, *vert = 0;
    /* Nag types */
    NagError fail;
    Nag_Comm comm;

    INIT_FAIL(fail);

    printf("nag_quad_md_simplex (d01pac) Example Program Results\n");
    /* Skip heading in data file */
    scanf("%*[\n] ");
    /* Input mxord and ndim */
    scanf("%ld %ld%*[\n] ", &mxord, &ndim);

    if (!(finvls = NAG_ALLOC(mxord, double)) ||
        !(vert = NAG_ALLOC(2*(ndim+1)*(ndim+1), double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    for (i = 1; i <= ndim+1; i++)
        for (j = 1; j <= ndim; j++) VERT(i, j) = 0.0;
    for (j = 2; j <= ndim+1; j++) VERT(j, j - 1) = 1.0;

    minord = 0;
    iuser[0] = 0; /* Function counter */
    comm.iuser = iuser;
    for (maxord = 1; maxord <= mxord; maxord++)
    {

```

```

/* nag_quad_md_simplex (d01pac).
 * Multidimensional quadrature over an n-simplex.
 */
nag_quad_md_simplex(ndim, vert, functn, &minord, maxord, finvls,
                    &esterr, &comm, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_quad_md_simplex (d01pac).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

if (maxord == 1)
    printf("maxord      Estimated      Estimated      Integrand\n"
           "              value          accuracy      evaluations\n");
printf("%4ld%13.5f%16.3e%15ld\n",
        maxord, finvls[maxord-1], esterr, comm.iuser[0]);
}

END:
NAG_FREE(finvls);
NAG_FREE(vert);

return exit_status;
}

static double NAG_CALL functn(Integer ndim, const double x[], Nag_Comm *comm)
{
    comm->iuser[0]++;
    return exp(x[0] + x[1] + x[2]) * cos(x[0] + x[1] + x[2]);
}

```

10.2 Program Data

None.

10.3 Program Results

nag_quad_md_simplex (d01pac) Example Program Results

maxord	Estimated value	Estimated accuracy	Integrand evaluations
1	0.25816	2.582e-01	1
2	0.25011	8.058e-03	5
3	0.25000	1.067e-04	15
4	0.25000	4.098e-07	35
5	0.25000	1.731e-09	70
