

# NAG Library Function Document

## nag\_ztrtri (f07twc)

### 1 Purpose

nag\_ztrtri (f07twc) computes the inverse of a complex triangular matrix.

### 2 Specification

```
#include <nag.h>
#include <nagf07.h>

void nag_ztrtri (Nag_OrderType order, Nag_UploType uplo, Nag_DiagType diag,
                Integer n, Complex a[], Integer pda, NagError *fail)
```

### 3 Description

nag\_ztrtri (f07twc) forms the inverse of a complex triangular matrix  $A$ . Note that the inverse of an upper (lower) triangular matrix is also upper (lower) triangular.

### 4 References

Du Croz J J and Higham N J (1992) Stability of methods for matrix inversion *IMA J. Numer. Anal.* **12** 1–19

### 5 Arguments

- 1: **order** – Nag\_OrderType *Input*  
*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag\_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.  
*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.
- 2: **uplo** – Nag\_UploType *Input*  
*On entry:* specifies whether  $A$  is upper or lower triangular.  
**uplo** = Nag\_Upper  
 $A$  is upper triangular.  
**uplo** = Nag\_Lower  
 $A$  is lower triangular.  
*Constraint:* **uplo** = Nag\_Upper or Nag\_Lower.
- 3: **diag** – Nag\_DiagType *Input*  
*On entry:* indicates whether  $A$  is a nonunit or unit triangular matrix.  
**diag** = Nag\_NonUnitDiag  
 $A$  is a nonunit triangular matrix.  
**diag** = Nag\_UnitDiag  
 $A$  is a unit triangular matrix; the diagonal elements are not referenced and are assumed to be 1.  
*Constraint:* **diag** = Nag\_NonUnitDiag or Nag\_UnitDiag.

- 4: **n** – Integer *Input*  
*On entry:*  $n$ , the order of the matrix  $A$ .  
*Constraint:*  $n \geq 0$ .
- 5: **a**[*dim*] – Complex *Input/Output*  
**Note:** the dimension, *dim*, of the array **a** must be at least  $\max(1, \mathbf{pda} \times \mathbf{n})$ .  
*On entry:* the  $n$  by  $n$  triangular matrix  $A$ .  
If **order** = 'Nag\_ColMajor',  $A_{ij}$  is stored in  $\mathbf{a}[(j-1) \times \mathbf{pda} + i - 1]$ .  
If **order** = 'Nag\_RowMajor',  $A_{ij}$  is stored in  $\mathbf{a}[(i-1) \times \mathbf{pda} + j - 1]$ .  
If **uplo** = 'Nag\_Upper', the upper triangular part of  $A$  must be stored and the elements of the array below the diagonal are not referenced.  
If **uplo** = 'Nag\_Lower', the lower triangular part of  $A$  must be stored and the elements of the array above the diagonal are not referenced.  
If **diag** = 'Nag\_UnitDiag', the diagonal elements of  $A$  are assumed to be 1, and are not referenced.  
*On exit:*  $A$  is overwritten by  $A^{-1}$ , using the same storage format as described above.
- 6: **pda** – Integer *Input*  
*On entry:* the stride separating row or column elements (depending on the value of **order**) of the matrix  $A$  in the array **a**.  
*Constraint:*  $\mathbf{pda} \geq \max(1, \mathbf{n})$ .
- 7: **fail** – NagError \* *Input/Output*  
The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INT

On entry,  $\mathbf{n} = \langle value \rangle$ .

Constraint:  $\mathbf{n} \geq 0$ .

On entry,  $\mathbf{pda} = \langle value \rangle$ .

Constraint:  $\mathbf{pda} > 0$ .

### NE\_INT\_2

On entry,  $\mathbf{pda} = \langle value \rangle$  and  $\mathbf{n} = \langle value \rangle$ .

Constraint:  $\mathbf{pda} \geq \max(1, \mathbf{n})$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

### NE\_SINGULAR

$a(\langle value \rangle, \langle value \rangle)$  is exactly zero.  $A$  is singular its inverse cannot be computed.

## 7 Accuracy

The computed inverse  $X$  satisfies

$$|XA - I| \leq c(n)\epsilon|X||A|,$$

where  $c(n)$  is a modest linear function of  $n$ , and  $\epsilon$  is the *machine precision*.

Note that a similar bound for  $|AX - I|$  cannot be guaranteed, although it is almost always satisfied.

The computed inverse satisfies the forward error bound

$$|X - A^{-1}| \leq c(n)\epsilon|A^{-1}||A||X|.$$

See Du Croz and Higham (1992).

## 8 Parallelism and Performance

nag\_ztrtri (f07twc) is not threaded by NAG in any implementation.

nag\_ztrtri (f07twc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The total number of real floating-point operations is approximately  $\frac{4}{3}n^3$ .

The real analogue of this function is nag\_dtrtri (f07tjc).

## 10 Example

This example computes the inverse of the matrix  $A$ , where

$$A = \begin{pmatrix} 4.78 + 4.56i & 0.00 + 0.00i & 0.00 + 0.00i & 0.00 + 0.00i \\ 2.00 - 0.30i & -4.11 + 1.25i & 0.00 + 0.00i & 0.00 + 0.00i \\ 2.89 - 1.34i & 2.36 - 4.25i & 4.15 + 0.80i & 0.00 + 0.00i \\ -1.89 + 1.15i & 0.04 - 3.69i & -0.02 + 0.46i & 0.33 - 0.26i \end{pmatrix}.$$

### 10.1 Program Text

```

/* nag_ztrtri (f07twc) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf07.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    Integer      i, j, n, pda;
    Integer      exit_status = 0;
    Nag_UploType uplo;
    Nag_MatrixType matrix;
    Nag_Error    fail;
    Nag_OrderType order;

```

```

/* Arrays */
char          nag_enum_arg[40];
Complex      *a = 0;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I - 1]
order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J - 1]
order = Nag_RowMajor;
#endif

INIT_FAIL(fail);

printf("nag_ztrtri (f07twc) Example Program Results\n\n");

/* Skip heading in data file */
scanf("%*[\n] ");
scanf("%ld%*[\n] ", &n);
#ifdef NAG_COLUMN_MAJOR
pda = n;
#else
pda = n;
#endif

/* Allocate memory */
if (!(a = NAG_ALLOC(n * n, Complex)))
{
printf("Allocation failure\n");
exit_status = -1;
goto END;
}

/* Read A from data file */
scanf(" %39s%*[\n] ", nag_enum_arg);
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_arg);

if (uplo == Nag_Upper)
{
matrix = Nag_UpperMatrix;
for (i = 1; i <= n; ++i)
{
for (j = i; j <= n; ++j)
scanf(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
}
scanf("%*[\n] ");
}
else
{
matrix = Nag_LowerMatrix;
for (i = 1; i <= n; ++i)
{
for (j = 1; j <= i; ++j)
scanf(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
}
scanf("%*[\n] ");
}

/* Compute inverse of A */
/* nag_ztrtri (f07twc).
 * Inverse of complex triangular matrix
 */
nag_ztrtri(order, uplo, Nag_NonUnitDiag, n, a, pda, &fail);
if (fail.code != NE_NOERROR)
{
printf("Error from nag_ztrtri (f07twc).\n%s\n", fail.message);
exit_status = 1;
goto END;
}

```

```

    }

/* Print inverse */
/* nag_gen_complx_mat_print_comp (x04dbc).
 * Print complex general matrix (comprehensive)
 */
fflush(stdout);
nag_gen_complx_mat_print_comp(order, matrix, Nag_NonUnitDiag, n, n, a, pda,
                              Nag_BracketForm, "%7.4f", "Inverse",
                              Nag_IntegerLabels, 0, Nag_IntegerLabels, 0, 80,
                              0, 0, &fail);

if (fail.code != NE_NOERROR)
{
    printf("Error from nag_gen_complx_mat_print_comp (x04dbc).\n%s\n",
          fail.message);
    exit_status = 1;
    goto END;
}
END:
NAG_FREE(a);

return exit_status;
}

```

## 10.2 Program Data

```

nag_ztrtri (f07twc) Example Program Data
4                                     :Value of n
Nag_Lower                             :Value of uplo
( 4.78, 4.56)
( 2.00,-0.30) (-4.11, 1.25)
( 2.89,-1.34) ( 2.36,-4.25) ( 4.15, 0.80)
(-1.89, 1.15) ( 0.04,-3.69) (-0.02, 0.46) ( 0.33,-0.26) :End of matrix A

```

## 10.3 Program Results

nag\_ztrtri (f07twc) Example Program Results

```

Inverse
          1          2          3          4
1 ( 0.1095,-0.1045)
2 ( 0.0582,-0.0411) (-0.2227,-0.0677)
3 ( 0.0032, 0.1905) ( 0.1538,-0.2192) ( 0.2323,-0.0448)
4 ( 0.7602, 0.2814) ( 1.6184,-1.4346) ( 0.1289,-0.2250) ( 1.8697, 1.4731)

```

---