

NAG Library Function Document

nag_ztbrfs (f07vvc)

1 Purpose

nag_ztbrfs (f07vvc) returns error bounds for the solution of a complex triangular band system of linear equations with multiple right-hand sides, $AX = B$, $A^T X = B$ or $A^H X = B$.

2 Specification

```
#include <nag.h>
#include <nagf07.h>

void nag_ztbrfs (Nag_OrderType order, Nag_UploType uplo,
                Nag_TransType trans, Nag_DiagType diag, Integer n, Integer kd,
                Integer nrhs, const Complex ab[], Integer pdab, const Complex b[],
                Integer pdb, const Complex x[], Integer pdx, double ferr[],
                double berr[], NagError *fail)
```

3 Description

nag_ztbrfs (f07vvc) returns the backward errors and estimated bounds on the forward errors for the solution of a complex triangular band system of linear equations with multiple right-hand sides $AX = B$, $A^T X = B$ or $A^H X = B$. The function handles each right-hand side vector (stored as a column of the matrix B) independently, so we describe the function of nag_ztbrfs (f07vvc) in terms of a single right-hand side b and solution x .

Given a computed solution x , the function computes the *component-wise backward error* β . This is the size of the smallest relative perturbation in each element of A and b such that x is the exact solution of a perturbed system

$$(A + \delta A)x = b + \delta b$$

$$|\delta a_{ij}| \leq \beta |a_{ij}| \quad \text{and} \quad |\delta b_i| \leq \beta |b_i|.$$

Then the function estimates a bound for the *component-wise forward error* in the computed solution, defined by:

$$\max_i |x_i - \hat{x}_i| / \max_i |x_i|$$

where \hat{x} is the true solution.

For details of the method, see the f07 Chapter Introduction.

4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

- 2: **uplo** – Nag_UploType *Input*
On entry: specifies whether A is upper or lower triangular.
uplo = Nag_Upper
 A is upper triangular.
uplo = Nag_Lower
 A is lower triangular.
Constraint: **uplo** = Nag_Upper or Nag_Lower.
- 3: **trans** – Nag_TransType *Input*
On entry: indicates the form of the equations.
trans = Nag_NoTrans
The equations are of the form $AX = B$.
trans = Nag_Trans
The equations are of the form $A^T X = B$.
trans = Nag_ConjTrans
The equations are of the form $A^H X = B$.
Constraint: **trans** = Nag_NoTrans, Nag_Trans or Nag_ConjTrans.
- 4: **diag** – Nag_DiagType *Input*
On entry: indicates whether A is a nonunit or unit triangular matrix.
diag = Nag_NonUnitDiag
 A is a nonunit triangular matrix.
diag = Nag_UnitDiag
 A is a unit triangular matrix; the diagonal elements are not referenced and are assumed to be 1.
Constraint: **diag** = Nag_NonUnitDiag or Nag_UnitDiag.
- 5: **n** – Integer *Input*
On entry: n , the order of the matrix A .
Constraint: $n \geq 0$.
- 6: **kd** – Integer *Input*
On entry: k_d , the number of superdiagonals of the matrix A if **uplo** = Nag_Upper, or the number of subdiagonals if **uplo** = Nag_Lower.
Constraint: $kd \geq 0$.
- 7: **nrhs** – Integer *Input*
On entry: r , the number of right-hand sides.
Constraint: **nrhs** ≥ 0 .
- 8: **ab**[*dim*] – const Complex *Input*
Note: the dimension, *dim*, of the array **ab** must be at least $\max(1, \text{pdab} \times n)$.
On entry: the n by n triangular band matrix A .
This is stored as a notional two-dimensional array with row elements or column elements stored contiguously. The storage of elements of A_{ij} , depends on the **order** and **uplo** arguments as follows:

if **order** = 'Nag_ColMajor' and **uplo** = 'Nag_Upper',
 A_{ij} is stored in **ab** $[k_d + i - j + (j - 1) \times \mathbf{pdab}]$, for $j = 1, \dots, n$ and
 $i = \max(1, j - k_d), \dots, j$;
if **order** = 'Nag_ColMajor' and **uplo** = 'Nag_Lower',
 A_{ij} is stored in **ab** $[i - j + (j - 1) \times \mathbf{pdab}]$, for $j = 1, \dots, n$ and
 $i = j, \dots, \min(n, j + k_d)$;
if **order** = 'Nag_RowMajor' and **uplo** = 'Nag_Upper',
 A_{ij} is stored in **ab** $[j - i + (i - 1) \times \mathbf{pdab}]$, for $i = 1, \dots, n$ and
 $j = i, \dots, \min(n, i + k_d)$;
if **order** = 'Nag_RowMajor' and **uplo** = 'Nag_Lower',
 A_{ij} is stored in **ab** $[k_d + j - i + (i - 1) \times \mathbf{pdab}]$, for $i = 1, \dots, n$ and
 $j = \max(1, i - k_d), \dots, i$.

If **diag** = 'Nag_UnitDiag', the diagonal elements of AB are assumed to be 1, and are not referenced.

9: **pdab** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) of the matrix A in the array **ab**.

Constraint: **pdab** \geq **kd** + 1.

10: **b** $[dim]$ – const Complex *Input*

Note: the dimension, dim , of the array **b** must be at least

$\max(1, \mathbf{pdb} \times \mathbf{nrhs})$ when **order** = Nag_ColMajor;
 $\max(1, \mathbf{n} \times \mathbf{pdb})$ when **order** = Nag_RowMajor.

The (i, j) th element of the matrix B is stored in

b $[(j - 1) \times \mathbf{pdb} + i - 1]$ when **order** = Nag_ColMajor;
b $[(i - 1) \times \mathbf{pdb} + j - 1]$ when **order** = Nag_RowMajor.

On entry: the n by r right-hand side matrix B .

11: **pdb** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **b**.

Constraints:

if **order** = Nag_ColMajor, **pdb** \geq $\max(1, \mathbf{n})$;
if **order** = Nag_RowMajor, **pdb** \geq $\max(1, \mathbf{nrhs})$.

12: **x** $[dim]$ – const Complex *Input*

Note: the dimension, dim , of the array **x** must be at least

$\max(1, \mathbf{pdx} \times \mathbf{nrhs})$ when **order** = Nag_ColMajor;
 $\max(1, \mathbf{n} \times \mathbf{pdx})$ when **order** = Nag_RowMajor.

The (i, j) th element of the matrix X is stored in

x $[(j - 1) \times \mathbf{pdx} + i - 1]$ when **order** = Nag_ColMajor;
x $[(i - 1) \times \mathbf{pdx} + j - 1]$ when **order** = Nag_RowMajor.

On entry: the n by r solution matrix X , as returned by nag_ztbttrs (f07vsc).

13: **pdx** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **x**.

Constraints:

if **order** = Nag_ColMajor, **pdx** \geq $\max(1, \mathbf{n})$;
 if **order** = Nag_RowMajor, **pdx** \geq $\max(1, \mathbf{nrhs})$.

- 14: **ferr**[**nrhs**] – double *Output*
On exit: **ferr**[$j - 1$] contains an estimated error bound for the j th solution vector, that is, the j th column of X , for $j = 1, 2, \dots, r$.
- 15: **berr**[**nrhs**] – double *Output*
On exit: **berr**[$j - 1$] contains the component-wise backward error bound β for the j th solution vector, that is, the j th column of X , for $j = 1, 2, \dots, r$.
- 16: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, **kd** = $\langle value \rangle$.
 Constraint: **kd** \geq 0.

On entry, **n** = $\langle value \rangle$.
 Constraint: **n** \geq 0.

On entry, **nrhs** = $\langle value \rangle$.
 Constraint: **nrhs** \geq 0.

On entry, **pdab** = $\langle value \rangle$.
 Constraint: **pdab** $>$ 0.

On entry, **pdb** = $\langle value \rangle$.
 Constraint: **pdb** $>$ 0.

On entry, **pdx** = $\langle value \rangle$.
 Constraint: **pdx** $>$ 0.

NE_INT_2

On entry, **pdab** = $\langle value \rangle$ and **kd** = $\langle value \rangle$.
 Constraint: **pdab** \geq **kd** + 1.

On entry, **pdb** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: **pdb** \geq $\max(1, \mathbf{n})$.

On entry, **pdb** = $\langle value \rangle$ and **nrhs** = $\langle value \rangle$.
 Constraint: **pdb** \geq $\max(1, \mathbf{nrhs})$.

On entry, **pdx** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: **pdx** \geq $\max(1, \mathbf{n})$.

On entry, **pdx** = $\langle value \rangle$ and **nrhs** = $\langle value \rangle$.
 Constraint: **pdx** \geq $\max(1, \mathbf{nrhs})$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

7 Accuracy

The bounds returned in **ferr** are not rigorous, because they are estimated, not computed exactly; but in practice they almost always overestimate the actual error.

8 Parallelism and Performance

nag_ztbrfs (f07vvc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

nag_ztbrfs (f07vvc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

A call to nag_ztbrfs (f07vvc), for each right-hand side, involves solving a number of systems of linear equations of the form $Ax = b$ or $A^Hx = b$; the number is usually 5 and never more than 11. Each solution involves approximately $8nk$ real floating-point operations (assuming $n \gg k$).

The real analogue of this function is nag_dtbrfs (f07vhc).

10 Example

This example solves the system of equations $AX = B$ and to compute forward and backward error bounds, where

$$A = \begin{pmatrix} -1.94 + 4.43i & 0.00 + 0.00i & 0.00 + 0.00i & 0.00 + 0.00i \\ -3.39 + 3.44i & 4.12 - 4.27i & 0.00 + 0.00i & 0.00 + 0.00i \\ 1.62 + 3.68i & -1.84 + 5.53i & 0.43 - 2.66i & 0.00 + 0.00i \\ 0.00 + 0.00i & -2.77 - 1.93i & 1.74 - 0.04i & 0.44 + 0.10i \end{pmatrix}$$

and

$$B = \begin{pmatrix} -8.86 - 3.88i & -24.09 - 5.27i \\ -15.57 - 23.41i & -57.97 + 8.14i \\ -7.63 + 22.78i & 19.09 - 29.51i \\ -14.74 - 2.40i & 19.17 + 21.33i \end{pmatrix}.$$

10.1 Program Text

```

/* nag_ztbrfs (f07vvc) Example Program.
 *
 * Copyright 2001 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf07.h>
#include <nagx04.h>

int main(void)
{

```

```

/* Scalars */
Integer      i, j, k, kd, n, nrhs, pdab, pdb, pdx;
Integer      ferr_len, berr_len;
Integer      exit_status = 0;
Nag_UploType uplo;
NagError     fail;
Nag_OrderType order;
/* Arrays */
char         nag_enum_arg[40];
Complex      *ab = 0, *b = 0, *x = 0;
double       *berr = 0, *ferr = 0;

#ifdef NAG_COLUMN_MAJOR
#define AB_UPPER(I, J) ab[(J-1)*pdab + k + I - J - 1]
#define AB_LOWER(I, J) ab[(J-1)*pdab + I - J]
#define B(I, J)      b[(J-1)*pdb + I - 1]
#define X(I, J)      x[(J-1)*pdx + I - 1]
    order = Nag_ColMajor;
#else
#define AB_UPPER(I, J) ab[(I-1)*pdab + J - I]
#define AB_LOWER(I, J) ab[(I-1)*pdab + k + J - I - 1]
#define B(I, J)      b[(I-1)*pdb + J - 1]
#define X(I, J)      x[(I-1)*pdx + J - 1]
    order = Nag_RowMajor;
#endif

INIT_FAIL(fail);

printf("nag_ztbrfs (f07vvc) Example Program Results\n\n");

/* Skip heading in data file */
scanf("%*[\n] ");
scanf("%ld%ld%ld%*[\n] ", &n, &kd, &nrhs);
pdab = kd + 1;
#ifdef NAG_COLUMN_MAJOR
    pdb = n;
    pdx = n;
#else
    pdb = nrhs;
    pdx = nrhs;
#endif

ferr_len = nrhs;
berr_len = nrhs;

/* Allocate memory */
if (!(berr = NAG_ALLOC(berr_len, double)) ||
    !(ferr = NAG_ALLOC(ferr_len, double)) ||
    !(ab = NAG_ALLOC((kd+1) * n, Complex)) ||
    !(b = NAG_ALLOC(n * nrhs, Complex)) ||
    !(x = NAG_ALLOC(n * nrhs, Complex)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

/* Read A and B from data file, and copy B to X */
scanf(" %39s%*[\n] ", nag_enum_arg);
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_arg);

k = kd + 1;
if (uplo == Nag_Upper)
{
    for (i = 1; i <= n; ++i)
    {
        for (j = i; j <= MIN(i+kd, n); ++j)
        {

```

```

                scanf(" ( %lf , %lf )", &AB_UPPER(i, j).re,
                    &AB_UPPER(i, j).im);
            }
        }
        scanf("%*[\n] ");
    }
else
    {
        for (i = 1; i <= n; ++i)
            {
                for (j = MAX(1, i-kd); j <= i; ++j)
                    {
                        scanf(" ( %lf , %lf )", &AB_LOWER(i, j).re,
                            &AB_LOWER(i, j).im);
                    }
            }
        scanf("%*[\n] ");
    }

for (i = 1; i <= n; ++i)
    {
        for (j = 1; j <= nrhs; ++j)
            scanf(" ( %lf , %lf )", &B(i, j).re, &B(i, j).im);
    }
scanf("%*[\n] ");
/* Copy B to X */
for (i = 1; i <= n; ++i)
    {
        for (j = 1; j <= nrhs; ++j)
            {
                X(i, j).re = B(i, j).re;
                X(i, j).im = B(i, j).im;
            }
    }
/* nag_ztbtrs (f07vsc).
 * Solution of complex band triangular system of linear
 * equations, multiple right-hand sides
 */
nag_ztbtrs(order, uplo, Nag_NoTrans, Nag_NonUnitDiag, n,
          kd, nrhs, ab, pdab, x, pdx, &fail);
if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_ztbtrs (f07vsc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
/* Improve solution, and compute backward errors and */
/* estimated bounds on the forward errors */
/* nag_ztbrfs (f07vvc).
 * Error bounds for solution of complex band triangular
 * system of linear equations, multiple right-hand sides
 */
nag_ztbrfs(order, uplo, Nag_NoTrans, Nag_NonUnitDiag, n,
          kd, nrhs, ab, pdab, b, pdb, x, pdx, ferr, berr,
          &fail);
if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_ztbrfs (f07vvc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
/* Print solution */

/* nag_gen_complx_mat_print_comp (x04dbc).
 * Print complex general matrix (comprehensive)
 */
fflush(stdout);
nag_gen_complx_mat_print_comp(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n,
                             nrhs, x, pdx, Nag_BracketForm, "%7.4f",
                             "Solution(s)", Nag_IntegerLabels, 0,
                             Nag_IntegerLabels, 0, 80, 0, 0, &fail);

```

```

if (fail.code != NE_NOERROR)
{
    printf("Error from nag_gen_complex_mat_print_comp (x04dbc).\n%s\n",
        fail.message);
    exit_status = 1;
    goto END;
}
printf("\nBackward errors (machine-dependent)\n");
for (j = 1; j <= nrhs; ++j)
    printf("%11.1e%s", berr[j-1], j%7 == 0?"\n":" ");
printf("\nEstimated forward error bounds (machine-dependent)\n");
for (j = 1; j <= nrhs; ++j)
    printf("%11.1e%s", ferr[j-1], j%7 == 0?"\n":" ");
printf("\n");
END:
    NAG_FREE(berr);
    NAG_FREE(ferr);
    NAG_FREE(ab);
    NAG_FREE(b);
    NAG_FREE(x);
    return exit_status;
}

```

10.2 Program Data

```

nag_ztbrfs (f07vvc) Example Program Data
  4  2  2                               :Values of n, kd and nrhs
  Nag_Lower                             :Value of uplo
(-1.94, 4.43)
(-3.39, 3.44) ( 4.12,-4.27)
( 1.62, 3.68) (-1.84, 5.53) ( 0.43,-2.66)
                (-2.77,-1.93) ( 1.74,-0.04) ( 0.44, 0.10) :End of matrix A
( -8.86, -3.88) (-24.09, -5.27)
(-15.57,-23.41) (-57.97,  8.14)
( -7.63, 22.78) ( 19.09,-29.51)
(-14.74, -2.40) ( 19.17, 21.33)           :End of matrix B

```

10.3 Program Results

```

nag_ztbrfs (f07vvc) Example Program Results

Solution(s)
                1                2
1 ( 0.0000, 2.0000) ( 1.0000, 5.0000)
2 ( 1.0000,-3.0000) (-7.0000,-2.0000)
3 (-4.0000,-5.0000) ( 3.0000, 4.0000)
4 ( 2.0000,-1.0000) (-6.0000,-9.0000)

Backward errors (machine-dependent)
  4.1e-17    4.2e-17
Estimated forward error bounds (machine-dependent)
  1.8e-14    2.2e-14

```
