

NAG Library Function Document

nag_ztgsen (f08yuc)

1 Purpose

nag_ztgsen (f08yuc) reorders the generalized Schur factorization of a complex matrix pair in generalized Schur form, so that a selected cluster of eigenvalues appears in the leading elements on the diagonal of the generalized Schur form. The function also, optionally, computes the reciprocal condition numbers of the cluster of eigenvalues and/or corresponding deflating subspaces.

2 Specification

```
#include <nag.h>
#include <nagf08.h>

void nag_ztgsen (Nag_OrderType order, Integer ijob, Nag_Boolean wantq,
                 Nag_Boolean wantz, const Nag_Boolean select[], Integer n, Complex a[],
                 Integer pda, Complex b[], Integer pdb, Complex alpha[], Complex beta[],
                 Complex q[], Integer pdq, Complex z[], Integer pdz, Integer *m,
                 double *pl, double *pr, double dif[], NagError *fail)
```

3 Description

nag_ztgsen (f08yuc) factorizes the generalized complex n by n matrix pair (S, T) in generalized Schur form, using a unitary equivalence transformation as

$$S = \hat{Q}\hat{S}\hat{Z}^H, \quad T = \hat{Q}\hat{T}\hat{Z}^H,$$

where (\hat{S}, \hat{T}) are also in generalized Schur form and have the selected eigenvalues as the leading diagonal elements. The leading columns of \hat{Q} and \hat{Z} are the generalized Schur vectors corresponding to the selected eigenvalues and form orthonormal subspaces for the left and right eigenspaces (deflating subspaces) of the pair (S, T) .

The pair (S, T) are in generalized Schur form if S and T are upper triangular as returned, for example, by nag_zgges (f08xnc), or nag_zhgeqz (f08xsc) with **job** = Nag_Schur. The diagonal elements define the generalized eigenvalues (α_i, β_i) , for $i = 1, 2, \dots, n$, of the pair (S, T) . The eigenvalues are given by

$$\lambda_i = \alpha_i / \beta_i,$$

but are returned as the pair (α_i, β_i) in order to avoid possible overflow in computing λ_i . Optionally, the function returns reciprocals of condition number estimates for the selected eigenvalue cluster, p and q , the right and left projection norms, and of deflating subspaces, Dif_u and Dif_l . For more information see Sections 2.4.8 and 4.11 of Anderson *et al.* (1999).

If S and T are the result of a generalized Schur factorization of a matrix pair (A, B)

$$A = QSZ^H, \quad B = QTZ^H$$

then, optionally, the matrices Q and Z can be updated as $Q\hat{Q}$ and $Z\hat{Z}$. Note that the condition numbers of the pair (S, T) are the same as those of the pair (A, B) .

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **ijob** – Integer *Input*

On entry: specifies whether condition numbers are required for the cluster of eigenvalues (p and q) or the deflating subspaces (Dif_u and Dif_l).

ijob = 0

Only reorder with respect to **select**. No extras.

ijob = 1

Reciprocal of norms of ‘projections’ onto left and right eigenspaces with respect to the selected cluster (p and q).

ijob = 2

The upper bounds on Dif_u and Dif_l . F -norm-based estimate (stored in **dif**[0] and **dif**[1] respectively).

ijob = 3

Estimate of Dif_u and Dif_l . 1-norm-based estimate (stored in **dif**[0] and **dif**[1] respectively). About five times as expensive as **ijob** = 2.

ijob = 4

Compute **pl**, **pr** and **dif** as in **ijob** = 0, 1 and 2. Economic version to get it all.

ijob = 5

Compute **pl**, **pr** and **dif** as in **ijob** = 0, 1 and 3.

Constraint: $0 \leq \text{ijob} \leq 5$.

3: **wantq** – Nag_Boolean *Input*

On entry: if **wantq** = Nag_TRUE, update the left transformation matrix Q .

If **wantq** = Nag_FALSE, do not update Q .

4: **wantz** – Nag_Boolean *Input*

On entry: if **wantz** = Nag_TRUE, update the right transformation matrix Z .

If **wantz** = Nag_FALSE, do not update Z .

5: **select[n]** – const Nag_Boolean *Input*

On entry: specifies the eigenvalues in the selected cluster. To select an eigenvalue λ_j , **select**[$j - 1$] must be set to Nag_TRUE.

6: **n** – Integer *Input*

On entry: n , the order of the matrices S and T .

Constraint: $n \geq 0$.

7: **a[dim]** – Complex *Input/Output*

Note: the dimension, dim , of the array **a** must be at least $\max(1, \text{pda} \times n)$.

The (i, j) th element of the matrix A is stored in

$$\begin{aligned} \mathbf{a}[(j-1) \times \mathbf{pda} + i - 1] &\text{ when } \mathbf{order} = \text{Nag_ColMajor}; \\ \mathbf{a}[(i-1) \times \mathbf{pda} + j - 1] &\text{ when } \mathbf{order} = \text{Nag_RowMajor}. \end{aligned}$$

On entry: the matrix S in the pair (S, T) .

On exit: the updated matrix \hat{S} .

8: **pda** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **a**.

Constraint: $\mathbf{pda} \geq \max(1, \mathbf{n})$.

9: **b[dim]** – Complex *Input/Output*

Note: the dimension, dim , of the array **b** must be at least $\max(1, \mathbf{pdb} \times \mathbf{n})$.

The (i, j) th element of the matrix B is stored in

$$\begin{aligned} \mathbf{b}[(j-1) \times \mathbf{pdb} + i - 1] &\text{ when } \mathbf{order} = \text{Nag_ColMajor}; \\ \mathbf{b}[(i-1) \times \mathbf{pdb} + j - 1] &\text{ when } \mathbf{order} = \text{Nag_RowMajor}. \end{aligned}$$

On entry: the matrix T , in the pair (S, T) .

On exit: the updated matrix \hat{T}

10: **pdb** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **b**.

Constraint: $\mathbf{pdb} \geq \max(1, \mathbf{n})$.

11: **alpha[n]** – Complex *Output*

12: **beta[n]** – Complex *Output*

On exit: **alpha** and **beta** contain diagonal elements of \hat{S} and \hat{T} , respectively, when the pair (S, T) has been reduced to generalized Schur form. $\mathbf{alpha}[i-1]/\mathbf{beta}[i-1]$, for $i = 1, 2, \dots, \mathbf{n}$, are the eigenvalues.

13: **q[dim]** – Complex *Input/Output*

Note: the dimension, dim , of the array **q** must be at least

$$\begin{aligned} \max(1, \mathbf{pdq} \times \mathbf{n}) &\text{ when } \mathbf{wantq} = \text{Nag_TRUE}; \\ 1 &\text{ otherwise.} \end{aligned}$$

The (i, j) th element of the matrix Q is stored in

$$\begin{aligned} \mathbf{q}[(j-1) \times \mathbf{pdq} + i - 1] &\text{ when } \mathbf{order} = \text{Nag_ColMajor}; \\ \mathbf{q}[(i-1) \times \mathbf{pdq} + j - 1] &\text{ when } \mathbf{order} = \text{Nag_RowMajor}. \end{aligned}$$

On entry: if **wantq** = Nag_TRUE, the n by n matrix Q .

On exit: if **wantq** = Nag_TRUE, the updated matrix $Q\hat{Q}$.

If **wantq** = Nag_FALSE, **q** is not referenced.

14: **pdq** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **q**.

Constraints:

if **wantq** = Nag_TRUE, **pdq** $\geq \max(1, n)$;
 otherwise **pdq** ≥ 1 .

15: **z**[*dim*] – Complex *Input/Output*

Note: the dimension, *dim*, of the array **z** must be at least

$\max(1, \mathbf{pdz} \times n)$ when **wantz** = Nag_TRUE;
 1 otherwise.

The (*i*, *j*)th element of the matrix *Z* is stored in

z[$(j - 1) \times \mathbf{pdz} + i - 1$] when **order** = Nag_ColMajor;
z[$(i - 1) \times \mathbf{pdz} + j - 1$] when **order** = Nag_RowMajor.

On entry: if **wantz** = Nag_TRUE, the *n* by *n* matrix *Z*.

On exit: if **wantz** = Nag_TRUE, the updated matrix *Z* \hat{Z} .

If **wantz** = Nag_FALSE, **z** is not referenced.

16: **pdz** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **z**.

Constraints:

if **wantz** = Nag_TRUE, **pdz** $\geq \max(1, n)$;
 otherwise **pdz** ≥ 1 .

17: **m** – Integer * *Output*

On exit: the dimension of the specified pair of left and right eigenspaces (deflating subspaces).

Constraint: $0 \leq m \leq n$.

18: **pl** – double * *Output*

19: **pr** – double * *Output*

On exit: if **ijob** = 1, 4 or 5, **pl** and **pr** are lower bounds on the reciprocal of the norm of ‘projections’ *p* and *q* onto left and right eigenspace with respect to the selected cluster. $0 < \mathbf{pl}, \mathbf{pr} \leq 1$.

If **m** = 0 or **m** = *n*, **pl** = **pr** = 1.

If **ijob** = 0, 2 or 3, **pl** and **pr** are not referenced.

20: **dif**[*dim*] – double *Output*

Note: the dimension, *dim*, of the array **dif** must be at least 2.

On exit: if **ijob** ≥ 2 , **dif**[0] and **dif**[1] store the estimates of Dif_u and Dif_l .

If **ijob** = 2 or 4, **dif**[0] and **dif**[1] are *F*-norm-based upper bounds on Dif_u and Dif_l .

If **ijob** = 3 or 5, **dif**[0] and **dif**[1] are 1-norm-based estimates of Dif_u and Dif_l .

If **m** = 0 or *n*, **dif**[0] and **dif**[1] = $\|(A, B)\|_F$.

If **ijob** = 0 or 1, **dif** is not referenced.

21: **fail** – NagError * *Input/Output*

The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_CONSTRAINT

On entry, **wantq** = $\langle value \rangle$, **pdq** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: if **wantq** = Nag_TRUE, **pdq** $\geq \max(1, n)$;
 otherwise **pdq** ≥ 1 .

On entry, **wantz** = $\langle value \rangle$, **pdz** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: if **wantz** = Nag_TRUE, **pdz** $\geq \max(1, n)$;
 otherwise **pdz** ≥ 1 .

NE_INT

On entry, **ijob** = $\langle value \rangle$.
 Constraint: $0 \leq \text{ijob} \leq 5$.

On entry, **n** = $\langle value \rangle$.
 Constraint: **n** ≥ 0 .

On entry, **pda** = $\langle value \rangle$.
 Constraint: **pda** > 0.

On entry, **pdb** = $\langle value \rangle$.
 Constraint: **pdb** > 0.

On entry, **pdq** = $\langle value \rangle$.
 Constraint: **pdq** > 0.

On entry, **pdz** = $\langle value \rangle$.
 Constraint: **pdz** > 0.

NE_INT_2

On entry, **pda** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: **pda** $\geq \max(1, n)$.

On entry, **pdb** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
 Constraint: **pdb** $\geq \max(1, n)$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_SCHUR

Reordering of (S, T) failed because the transformed matrix pair would be too far from generalized Schur form; the problem is very ill-conditioned. (S, T) may have been partially reordered. If requested, 0 is returned in **dif**[0] and **dif**[1], **pl** and **pr**.

7 Accuracy

The computed generalized Schur form is nearly the exact generalized Schur form for nearby matrices $(S + E)$ and $(T + F)$, where

$$\|E\|_2 = O\epsilon\|S\|_2 \quad \text{and} \quad \|F\|_2 = O\epsilon\|T\|_2,$$

and ϵ is the ***machine precision***. See Section 4.11 of Anderson *et al.* (1999) for further details of error bounds for the generalized nonsymmetric eigenproblem, and for information on the condition numbers returned.

8 Parallelism and Performance

nag_ztgsen (f08yuc) is not threaded by NAG in any implementation.

nag_ztgsen (f08yuc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The real analogue of this function is nag_dtgsen (f08ygc).

10 Example

This example reorders the generalized Schur factors S and T and update the matrices Q and Z given by

$$S = \begin{pmatrix} 4.0 + 4.0i & 1.0 + 1.0i & 1.0 + 1.0i & 2.0 - 1.0i \\ 0 & 2.0 + 1.0i & 1.0 + 1.0i & 1.0 + 1.0i \\ 0 & 0 & 2.0 - 1.0i & 1.0 + 1.0i \\ 0 & 0 & 0 & 6.0 - 2.0i \end{pmatrix},$$

$$T = \begin{pmatrix} 2.0 & 1.0 + 1.0i & 1.0 + 1.0i & 3.0 - 1.0i \\ 0 & 1.0 & 2.0 + 1.0i & 1.0 + 1.0i \\ 0 & 0 & 1.0 & 1.0 + 1.0i \\ 0 & 0 & 0 & 2.0 \end{pmatrix},$$

$$Q = \begin{pmatrix} 1.0 & 0 & 0 & 0 \\ 0 & 1.0 & 0 & 0 \\ 0 & 0 & 1.0 & 0 \\ 0 & 0 & 0 & 1.0 \end{pmatrix} \quad \text{and} \quad Z = \begin{pmatrix} 1.0 & 0 & 0 & 0 \\ 0 & 1.0 & 0 & 0 \\ 0 & 0 & 1.0 & 0 \\ 0 & 0 & 0 & 1.0 \end{pmatrix},$$

selecting the second and third generalized eigenvalues to be moved to the leading positions. Bases for the left and right deflating subspaces, and estimates of the condition numbers for the eigenvalues and Frobenius norm based bounds on the condition numbers for the deflating subspaces are also output.

10.1 Program Text

```
/* nag_ztgsen (f08yuc) Example Program.
*
* Copyright 2011 Numerical Algorithms Group.
*
* Mark 23, 2011.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <naga02.h>
#include <nagf08.h>
#include <nagx02.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    double      abs_a, abs_b, pl, pr, small;
```

```

Complex      eig;
Integer      i, ijob, j, m, n, pds, pdt, pdq, pdz;
Integer      exit_status = 0;

/* Arrays */
Complex      *alpha = 0, *beta = 0, *q = 0, *s = 0, *t = 0, *z = 0;
double       dif[2];
char         nag_enum_arg[40];

/* Nag Types */
NagError     fail;
Nag_OrderType order;
Nag_Boolean   wantq, wantz;
Nag_Boolean   *select = 0;

#define NAG_COLUMN_MAJOR
#define Q(I, J) q[(J-1)*pdq + I - 1]
#define Z(I, J) z[(J-1)*pdz + I - 1]
#define S(I, J) s[(J-1)*pds + I - 1]
#define T(I, J) t[(J-1)*pdt + I - 1]
    order = Nag_ColMajor;
#else
#define Q(I, J) q[(I-1)*pdq + J - 1]
#define Z(I, J) z[(I-1)*pdz + J - 1]
#define S(I, J) s[(I-1)*pds + J - 1]
#define T(I, J) t[(I-1)*pdt + J - 1]
    order = Nag_RowMajor;
#endif

INIT_FAIL(fail);

printf("nag_ztgse (f08yuc) Example Program Results\n\n");

/* Skip heading in data file */
scanf("%*[^\n]");
scanf("%ld%ld%*[^\n]", &n, &ijob);
if (n < 0 || ijob<0 || ijob>5)
{
    printf("Invalid n or ijob\n");
    exit_status = 1;
    goto END;
}
scanf(" %39s%*[^\n]", nag_enum_arg);
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
wantq = (Nag_Boolean) nag_enum_name_to_value(nag_enum_arg);
scanf(" %39s%*[^\n]", nag_enum_arg);
wantz = (Nag_Boolean) nag_enum_name_to_value(nag_enum_arg);

pds = n;
pdt = n;
pdq = (wantq?n:1);
pdz = (wantz?n:1);

/* Allocate memory */
if (!(s      = NAG_ALLOC(n*n, Complex)) ||
    !(t      = NAG_ALLOC(n*n, Complex)) ||
    !(alpha  = NAG_ALLOC(n, Complex)) ||
    !(beta   = NAG_ALLOC(n, Complex)) ||
    !(select = NAG_ALLOC(n, Nag_Boolean)) ||
    !(q      = NAG_ALLOC(pdq*pdq, Complex)) ||
    !(z      = NAG_ALLOC(pdz*pdz, Complex)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value

```

```

/*
for (i = 0; i < n; ++i)
{
    scanf("%39s", nag_enum_arg);
    select[i] = (Nag_Boolean) nag_enum_name_to_value(nag_enum_arg);
}
scanf("%*[^\n]");

/* Read S, T, Q, Z and the logical array select from data file */
for (i = 1; i <= n; ++i)
    for (j = 1; j <= n; ++j)
        scanf("( %lf , %lf )", &S(i, j).re, &S(i, j).im);
scanf("%*[^\n]");
for (i = 1; i <= n; ++i)
    for (j = 1; j <= n; ++j)
        scanf("( %lf , %lf )", &T(i, j).re, &T(i, j).im);
scanf("%*[^\n]");
if (wantq) {
    for (i = 1; i <= n; ++i)
        for (j = 1; j <= n; ++j)
            scanf("( %lf , %lf )", &Q(i, j).re, &Q(i, j).im);
    scanf("%*[^\n]");
}
if (wantz) {
    for (i = 1; i <= n; ++i)
        for (j = 1; j <= n; ++j)
            scanf("( %lf , %lf )", &Z(i, j).re, &Z(i, j).im);
    scanf("%*[^\n]");
}

/* Reorder the Schur factors S and T and update the matrices Q and Z. */
nag_ztgsen(order, ijob, wantq, wantz, select, n, s, pds, t, pdt, alpha, beta,
           q, pdq, z, pdz, &m, &pl, &pr, dif, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_ztgsen (f08yuc).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* nag_real_safe_small_number (x02amc). */
small = nag_real_safe_small_number;

/* Print the eigenvalues */
printf("Selected Eigenvalues\n");
for (j = 0; j < m; ++j)
{
    printf("%2ld ", j+1);
    abs_a = nag_complex_abs(alpha[j]);
    abs_b = nag_complex_abs(beta[j]);
    if (abs_a*small >= abs_b)
        printf(" infinite or undetermined, alpha = (%13.4e, %13.4e), "
               "|beta| = %13.4e\n", alpha[j].re, alpha[j].im, abs_b);
    else
        eig = nag_complex_divide(alpha[j],beta[j]);
        printf(" (%13.4e, %13.4e)\n", eig.re, eig.im);
}

/* Print deflating subspaces */
if (ijob==1 || ijob==4 || ijob == 5) {
    printf("\n");
    printf("For the selected eigenvalues,\nthe reciprocals of projection "
           "norms onto the deflating subspaces are\n");
    printf(" for left subspace, pl = %11.2e\n for right subspace, pr = "
           "%11.2e\n\n", pl, pr);
}
if (ijob>1) {
    printf(" upper bound on Difu     = %11.2e\n", dif[0]);
    printf(" upper bound on Difl     = %11.2e\n", dif[1]);
    if (ijob==2 || ijob==4) {
        printf("\nUpper bounds on Difl, Difu are based on the Frobenius norm\n");
}

```

```

    }
    if ( ijob==3 || ijob==5 ) {
        printf("\nUpper bounds on Difl, Difu are based on the one norm.\n");
    }
}

END:
NAG_FREE(s);
NAG_FREE(t);
NAG_FREE(alpha);
NAG_FREE(beta);
NAG_FREE(select);
NAG_FREE(q);
NAG_FREE(z);

return exit_status;
}

```

10.2 Program Data

nag_ztgse (f08yuc) Example Program Data

4	4	: n, ijob		
Nag_TRUE		: wantq		
Nag_TRUE		: wantz		
Nag_FALSE	Nag_TRUE	Nag_TRUE	Nag_FALSE	: select
(4.0, 4.0) (1.0, 1.0) (1.0, 1.0) (2.0,-1.0)				
(0.0, 0.0) (2.0, 1.0) (1.0, 1.0) (1.0, 1.0)				
(0.0, 0.0) (0.0, 0.0) (2.0,-1.0) (1.0, 1.0)				
(0.0, 0.0) (0.0, 0.0) (0.0, 0.0) (6.0,-2.0) : matrix S				
(2.0, 0.0) (1.0, 1.0) (1.0, 1.0) (3.0,-1.0)				
(0.0, 0.0) (1.0, 0.0) (2.0, 1.0) (1.0, 1.0)				
(0.0, 0.0) (0.0, 0.0) (1.0, 0.0) (1.0, 1.0)				
(0.0, 0.0) (0.0, 0.0) (0.0, 0.0) (2.0, 0.0) : matrix T				
(1.0, 0.0) (0.0, 0.0) (0.0, 0.0) (0.0, 0.0)				
(0.0, 0.0) (1.0, 0.0) (0.0, 0.0) (0.0, 0.0)				
(0.0, 0.0) (0.0, 0.0) (1.0, 0.0) (0.0, 0.0)				
(0.0, 0.0) (0.0, 0.0) (0.0, 0.0) (1.0, 0.0) : matrix Q				
(1.0, 0.0) (0.0, 0.0) (0.0, 0.0) (0.0, 0.0)				
(0.0, 0.0) (1.0, 0.0) (0.0, 0.0) (0.0, 0.0)				
(0.0, 0.0) (0.0, 0.0) (1.0, 0.0) (0.0, 0.0)				
(0.0, 0.0) (0.0, 0.0) (0.0, 0.0) (1.0, 0.0) : matrix Z				

10.3 Program Results

nag_ztgse (f08yuc) Example Program Results

```
Selected Eigenvalues
1  ( 2.0000e+00,    1.0000e+00)
2  ( 2.0000e+00,   -1.0000e+00)
```

```
For the selected eigenvalues,
the reciprocals of projection norms onto the deflating subspaces are
for left subspace, pl = 1.12e-01
for right subspace, pr = 1.42e-01
```

```
upper bound on Difu      = 2.18e-01
upper bound on Difl      = 2.62e-01
```

Upper bounds on Difl, Difu are based on the Frobenius norm
