

NAG Library Function Document

nag_ztpsv (f16slc)

1 Purpose

nag_ztpsv (f16slc) solves a system of equations given as a complex triangular matrix stored in packed form.

2 Specification

```
#include <nag.h>
#include <nagf16.h>
void nag_ztpsv (Nag_OrderType order, Nag_UptoType uplo, Nag_TransType trans,
    Nag_DiagType diag, Integer n, Complex alpha, const Complex ap[],
    Complex x[], Integer incx, NagError *fail)
```

3 Description

nag_ztpsv (f16slc) performs one of the matrix-vector operations

$$x \leftarrow \alpha A^{-1}x, \quad x \leftarrow \alpha A^{-T}x \quad \text{or} \quad x \leftarrow \alpha A^{-H}x,$$

where A is an n by n complex triangular matrix, stored in packed form, x is an n -element complex vector and α is a complex scalar. A^{-T} denotes A^{-T} or equivalently A^{-T} ; A^{-H} denotes $(A^H)^{-1}$ or equivalently $(A^{-1})^H$.

No test for singularity or near-singularity of A is included in this function. Such tests must be performed before calling this function.

4 References

Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001) *Basic Linear Algebra Subprograms Technical (BLAST) Forum Standard* University of Tennessee, Knoxville, Tennessee <http://www.netlib.org/blas/blast-forum/blas-report.pdf>

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **uplo** – Nag_UptoType *Input*

On entry: specifies whether A is upper or lower triangular.

uplo = Nag_Upper
 A is upper triangular.

uplo = Nag_Lower
 A is lower triangular.

Constraint: **uplo** = Nag_Upper or Nag_Lower.

| | | |
|--|---|---------------------|
| 3: | trans – Nag_TransType | <i>Input</i> |
| <i>On entry:</i> specifies the operation to be performed. | | |
| | trans = Nag_NoTrans | |
| | $x \leftarrow \alpha A^{-1}x.$ | |
| | trans = Nag_Trans | |
| | $x \leftarrow \alpha A^{-T}x.$ | |
| | trans = Nag_ConjTrans | |
| | $x \leftarrow \alpha A^{-H}x.$ | |
| <i>Constraint:</i> trans = Nag_NoTrans, Nag_Trans or Nag_ConjTrans. | | |
| 4: | diag – Nag_DiagType | <i>Input</i> |
| <i>On entry:</i> specifies whether A has nonunit or unit diagonal elements. | | |
| | diag = Nag_NonUnitDiag | |
| | The diagonal elements are stored explicitly. | |
| | diag = Nag_UnitDiag | |
| | The diagonal elements are assumed to be 1 and are not referenced. | |
| <i>Constraint:</i> diag = Nag_NonUnitDiag or Nag_UnitDiag. | | |
| 5: | n – Integer | <i>Input</i> |
| <i>On entry:</i> n , the order of the matrix A . | | |
| <i>Constraint:</i> $n \geq 0$. | | |
| 6: | alpha – Complex | <i>Input</i> |
| <i>On entry:</i> the scalar α . | | |
| 7: | ap [<i>dim</i>] – const Complex | <i>Input</i> |
| Note: the dimension, <i>dim</i> , of the array ap must be at least $\max(1, n \times (n + 1)/2)$. | | |
| <i>On entry:</i> the n by n triangular matrix A , packed by rows or columns. | | |
| The storage of elements A_{ij} depends on the order and uplo arguments as follows: | | |
| if order = 'Nag_ColMajor' and uplo = 'Nag_Upper', A_{ij} is stored in ap [($j - 1) \times j/2 + i - 1$], for $i \leq j$; | | |
| if order = 'Nag_ColMajor' and uplo = 'Nag_Lower', A_{ij} is stored in ap [($2n - j) \times (j - 1)/2 + i - 1$], for $i \geq j$; | | |
| if order = 'Nag_RowMajor' and uplo = 'Nag_Upper', A_{ij} is stored in ap [($2n - i) \times (i - 1)/2 + j - 1$], for $i \leq j$; | | |
| if order = 'Nag_RowMajor' and uplo = 'Nag_Lower', A_{ij} is stored in ap [($i - 1) \times i/2 + j - 1$], for $i \geq j$. | | |
| If diag = 'Nag_UnitDiag', the diagonal elements of AP are assumed to be 1, and are not referenced; the same storage scheme is used whether diag = 'Nag_NonUnitDiag' or diag = 'Nag_UnitDiag'. | | |
| 8: | x [<i>dim</i>] – Complex | <i>Input/Output</i> |
| Note: the dimension, <i>dim</i> , of the array x must be at least $\max(1, 1 + (n - 1) \mathbf{incx})$. | | |
| <i>On entry:</i> the vector x . | | |
| <i>On exit:</i> the solution vector x . | | |

| | | |
|--|--------------------------|---------------------|
| 9: | incx – Integer | <i>Input</i> |
| <i>On entry:</i> the increment in the subscripts of x between successive elements of <i>x</i> . | | |
| <i>Constraint:</i> incx ≠ 0. | | |
| 10: | fail – NagError * | <i>Input/Output</i> |
| The NAG error argument (see Section 3.6 in the Essential Introduction). | | |

6 Error Indicators and Warnings

NE_BAD_PARAM

On entry, argument $\langle\text{value}\rangle$ had an illegal value.

NE_INT

On entry, **incx** = $\langle\text{value}\rangle$.

Constraint: **incx** ≠ 0.

On entry, **n** = $\langle\text{value}\rangle$.

Constraint: **n** ≥ 0.

7 Accuracy

The BLAS standard requires accurate implementations which avoid unnecessary over/underflow (see Section 2.7 of Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001)).

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

Solves complex triangular system of linear equations, $Ax = y$, where *A* is a complex triangular 4 by 4 matrix, stored in packed storage format, given by

$$A = \begin{pmatrix} 4.78 + 4.56i & & & \\ 2.00 - 0.30i & -4.11 + 1.25i & & \\ 2.89 - 1.34i & 2.36 - 4.25i & 4.15 + 0.80i & \\ -1.89 + 1.15i & 0.04 - 3.69i & -0.02 + 0.46i & 0.33 - 0.26i \end{pmatrix},$$

and

$$y = \begin{pmatrix} -14.78 - 32.36i \\ 2.98 - 2.14i \\ -20.96 + 17.06i \\ 9.54 + 9.91i \end{pmatrix}.$$

10.1 Program Text

```
/* nag_ztpsv (f16slc) Example Program.
*
* Copyright 2005 Numerical Algorithms Group.
*
* Mark 8, 2005.
*/
```

```

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf16.h>

int main(void)
{
    /* Scalars */
    Complex      alpha;
    Integer      ap_len, exit_status, i, incx, j, n, xlen;

    /* Arrays */
    Complex      *ap = 0, *x = 0;
    char         nag_enum_arg[40];

    /* Nag Types */
    NagError      fail;
    Nag_OrderType order;
    Nag_TransType trans;
    Nag_UptoType  uplo;
    Nag_DiagType  diag;

#ifdef NAG_COLUMN_MAJOR
#define A_UPPER(I, J) ap[J*(J-1)/2 + I - 1]
#define A_LOWER(I, J) ap[(2*n-J)*(J-1)/2 + I - 1]
    order = Nag_ColMajor;
#else
#define A_LOWER(I, J) ap[I*(I-1)/2 + J - 1]
#define A_UPPER(I, J) ap[(2*n-I)*(I-1)/2 + J - 1]
    order = Nag_RowMajor;
#endif

    exit_status = 0;
    INIT_FAIL(fail);

    printf("nag_ztpsv (f16slc) Example Program Results\n\n");

    /* Skip heading in data file */
    scanf("%*[^\n] ");

    /* Read the problem dimensions */
    scanf("%ld%*[^\n] ", &n);

    /* Read the uplo storage parameter */
    scanf("%39s%*[^\n] ", nag_enum_arg);
    /* nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    uplo = (Nag_UptoType) nag_enum_name_to_value(nag_enum_arg);
    /* Read the transpose parameter */
    scanf("%39s%*[^\n] ", nag_enum_arg);
    /* nag_enum_name_to_value (x04nac), see above. */
    trans = (Nag_TransType) nag_enum_name_to_value(nag_enum_arg);
    /* Read the unit-diagonal parameter */
    scanf("%39s%*[^\n] ", nag_enum_arg);
    /* nag_enum_name_to_value (x04nac), see above. */
    diag = (Nag_DiagType) nag_enum_name_to_value(nag_enum_arg);

    /* Read scalar parameters */
    scanf("( %lf , %lf )%*[^\n] ", &alpha.re, &alpha.im);
    /* Read increment parameter */
    scanf("%ld%*[^\n] ", &incx);

    ap_len = n*(n+1)/2;
    xlen = MAX(1, 1 + (n - 1)*ABS(incx));

    if (n > 0)
    {
        /* Allocate memory */

```

```

if (! (ap = NAG_ALLOC(ap_len, Complex)) ||
    !(x = NAG_ALLOC(xlen, Complex)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}
else
{
    printf("Invalid n\n");
    exit_status = 1;
    return exit_status;
}

/* Input matrix A and vector x */

if (uplo == Nag_Upper)
{
    for (i = 1; i <= n; ++i)
    {
        if (diag == Nag_NonUnitDiag)
            scanf("( %lf , %lf )", &A_UPPER(i, i).re,
                  &A_UPPER(i, i).im);
        for (j = i+1; j <= n; ++j)
            scanf("( %lf , %lf )", &A_UPPER(i, j).re,
                  &A_UPPER(i, j).im);
    }
    scanf("%*[^\n] ");
}
else
{
    for (i = 1; i <= n; ++i)
    {
        for (j = 1; j < i; ++j)
            scanf("( %lf , %lf )", &A_LOWER(i, j).re,
                  &A_LOWER(i, j).im);
        if (diag == Nag_NonUnitDiag)
            scanf("( %lf , %lf )", &A_LOWER(i, i).re,
                  &A_LOWER(i, i).im);
    }
    scanf("%*[^\n] ");
}
for (i = 0; i < xlen; ++i)
    scanf("( %lf , %lf )%*[^\n] ", &x[i].re, &x[i].im);

/* nag_ztpsv (f16slc).
 * Solution of complex triangular system of linear equations,
 * using packed storage.
 */
nag_ztpsv(order, uplo, trans, diag, n, alpha, ap, x, incx, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_ztpsv.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print output vector x */
printf("%s\n", " Solution x:");
for (i = 0; i < xlen; ++i)
{
    printf("( %11f , %11f )\n", x[i].re, x[i].im);
}

END:
NAG_FREE(ap);
NAG_FREE(x);

return exit_status;
}

```

10.2 Program Data

```
nag_ztpsv (f16slc) Example Program Data
 4                               :Value of n
 Nag_Lower                      :Storage of A
 Nag_NoTrans                     :Transpose A?
 Nag_NonUnitDiag                :Unit diagonal elements?
 ( 1.0, 0.0)                    :Value of alpha
 1                               :Value of incx
( 4.78, 4.56)
( 2.00,-0.30) (-4.11, 1.25)
( 2.89,-1.34) ( 2.36,-4.25) ( 4.15, 0.80)
(-1.89, 1.15) ( 0.04,-3.69) (-0.02, 0.46) ( 0.33,-0.26) :End of matrix A
(-14.78,-32.36)
( 2.98, -2.14)
(-20.96, 17.06)
( 9.54, 9.91)                  :End of vector x
```

10.3 Program Results

```
nag_ztpsv (f16slc) Example Program Results
```

```
Solution x:
( -5.000000 , -2.000000 )
( -3.000000 , -1.000000 )
( 2.000000 , 1.000000 )
( 4.000000 , 3.000000 )
```
