

NAG Library Function Document

nag_bessel_y0 (s17acc)

1 Purpose

nag_bessel_y0 (s17acc) returns the value of the Bessel function $Y_0(x)$.

2 Specification

```
#include <nag.h>
#include <nags.h>
double nag_bessel_y0 (double x, NagError *fail)
```

3 Description

nag_bessel_y0 (s17acc) evaluates an approximation to the Bessel function of the second kind $Y_0(x)$.

Note: $Y_0(x)$ is undefined for $x \leq 0$ and the function will fail for such arguments.

The function is based on four Chebyshev expansions:

For $0 < x \leq 8$,

$$Y_0(x) = \frac{2}{\pi} \ln x \sum_{r=0}^l a_r T_r(t) + \sum_{r=0}^l b_r T_r(t), \quad \text{with } t = 2\left(\frac{x}{8}\right)^2 - 1.$$

For $x > 8$,

$$Y_0(x) = \sqrt{\frac{2}{\pi x}} \left\{ P_0(x) \sin\left(x - \frac{\pi}{4}\right) + Q_0(x) \cos\left(x - \frac{\pi}{4}\right) \right\}$$

where $P_0(x) = \sum_{r=0} c_r T_r(t)$,

and $Q_0(x) = \frac{8}{x} \sum_{r=0} d_r T_r(t)$, with $t = 2\left(\frac{8}{x}\right)^2 - 1$.

For x near zero, $Y_0(x) \simeq \frac{2}{\pi} \left(\ln\left(\frac{x}{2}\right) + \gamma \right)$, where γ denotes Euler's constant. This approximation is used when x is sufficiently small for the result to be correct to **machine precision**.

For very large x , it becomes impossible to provide results with any reasonable accuracy (see Section 7), hence the function fails. Such arguments contain insufficient information to determine the phase of oscillation of $Y_0(x)$; only the amplitude, $\sqrt{\frac{2}{\pi x}}$, can be determined and this is returned on failure. The range for which this occurs is roughly related to **machine precision**; the function will fail if $x \gtrsim 1/\text{machine precision}$ (see the Users' Note for your implementation for details).

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Clenshaw C W (1962) Chebyshev Series for Mathematical Functions *Mathematical tables* HMSO

5 Arguments

- 1: **x** – double *Input*
On entry: the argument x of the function.
Constraint: $x > 0.0$.
- 2: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_REAL_ARG_GT

On entry, $x = \langle value \rangle$.
Constraint: $x \leq \langle value \rangle$.

x is too large, the function returns the amplitude of the Y_0 oscillation, $\sqrt{\frac{2}{\pi x}}$.

NE_REAL_ARG_LE

On entry, $x = \langle value \rangle$.
Constraint: $x > 0.0$.

Y_0 is undefined, the function returns zero.

7 Accuracy

Let δ be the relative error in the argument and E be the absolute error in the result. (Since $Y_0(x)$ oscillates about zero, absolute error and not relative error is significant, except for very small x .)

If δ is somewhat larger than the machine representation error (e.g., if δ is due to data errors etc.), then E and δ are approximately related by

$$E \simeq |xY_1(x)|\delta$$

(provided E is also within machine bounds). Figure 1 displays the behaviour of the amplification factor $|xY_1(x)|$.

However, if δ is of the same order as the machine representation errors, then rounding errors could make E slightly larger than the above relation predicts.

For very small x , the errors are essentially independent of δ and the function should provide relative accuracy bounded by the *machine precision*.

For very large x , the above relation ceases to apply. In this region, $Y_0(x) \simeq \sqrt{\frac{2}{\pi x}} \sin\left(x - \frac{\pi}{4}\right)$. The amplitude $\sqrt{\frac{2}{\pi x}}$ can be calculated with reasonable accuracy for all x , but $\sin\left(x - \frac{\pi}{4}\right)$ cannot. If $x - \frac{\pi}{4}$ is written as $2N\pi + \theta$ where N is an integer and $0 \leq \theta < 2\pi$, then $\sin\left(x - \frac{\pi}{4}\right)$ is determined by θ only. If $x \gtrsim \delta^{-1}$, θ cannot be determined with any accuracy at all. Thus if x is greater than, or of the order of the inverse of *machine precision*, it is impossible to calculate the phase of $Y_0(x)$ and the function must fail.




Figure 1

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

This example reads values of the argument x from a file, evaluates the function at each value of x and prints the results.

10.1 Program Text

```

/* nag_bessel_y0 (s17acc) Example Program.
 *
 * Copyright 1990 Numerical Algorithms Group.
 *
 * Mark 2 revised, 1992.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Integer  exit_status = 0;
    double   x, y;
    NagError fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
    scanf("%*[\n]");
    printf("nag_bessel_y0 (s17acc) Example Program Results\n");

```

```

printf("      x          y\n");
while (scanf("%lf", &x) != EOF)
{
  /* nag_bessel_y0 (s17acc).
   * Bessel function Y_0(x)
   */
  y = nag_bessel_y0(x, &fail);
  if (fail.code != NE_NOERROR)
  {
    printf("Error from nag_bessel_y0 (s17acc).\n%s\n",
          fail.message);
    exit_status = 1;
    goto END;
  }
  printf("%12.3e%12.3e\n", x, y);
}

END:
return exit_status;
}

```

10.2 Program Data

nag_bessel_y0 (s17acc) Example Program Data

```

0.5
1.0
3.0
6.0
8.0
10.0
1000.0

```

10.3 Program Results

nag_bessel_y0 (s17acc) Example Program Results

x	Y
5.000e-01	-4.445e-01
1.000e+00	8.826e-02
3.000e+00	3.769e-01
6.000e+00	-2.882e-01
8.000e+00	2.235e-01
1.000e+01	5.567e-02
1.000e+03	4.716e-03

