

NAG Library Routine Document

F06YJF (DTRSM)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F06YJF (DTRSM) performs one of the matrix-matrix operations

$$\begin{aligned} B &\leftarrow \alpha A^{-1} B, & B &\leftarrow \alpha A^{-T} B, \\ B &\leftarrow \alpha B A^{-1} & \text{or } B &\leftarrow \alpha B A^{-T}, \end{aligned}$$

where A is a real triangular matrix, B is an m by n real matrix, and α is a real scalar. A^{-T} denotes $(A^T)^{-1}$ or equivalently $(A^{-1})^T$.

No test for singularity or near-singularity of A is included in this routine. Such tests must be performed before calling this routine.

2 Specification

SUBROUTINE F06YJF (SIDE, UPLO, TRANSA, DIAG, M, N, ALPHA, A, LDA, B, LDB)

INTEGER M, N, LDA, LDB
 REAL (KIND=nag_wp) ALPHA, A(LDA,*), B(LDB,*)
 CHARACTER(1) SIDE, UPLO, TRANSA, DIAG

The routine may be called by its BLAS name *dtrsm*.

3 Description

None.

4 References

None.

5 Parameters

- 1: SIDE – CHARACTER(1) *Input*
On entry: specifies whether B is operated on from the left or the right.
 SIDE = 'L'
 B is pre-multiplied from the left.
 SIDE = 'R'
 B is post-multiplied from the right.
Constraint: SIDE = 'L' or 'R'.
- 2: UPLO – CHARACTER(1) *Input*
On entry: specifies whether A is upper or lower triangular.
 UPLO = 'U'
 A is upper triangular.

- UPLO = 'L'
A is lower triangular.
Constraint: UPLO = 'U' or 'L'.
- 3: TRANSA – CHARACTER(1) *Input*
On entry: specifies whether the operation involves A^{-1} or A^{-T} .
 TRANSA = 'N'
 The operation involves A^{-1} .
 TRANSA = 'T' or 'C'
 The operation involves A^{-T} .
Constraint: TRANSA = 'N', 'T' or 'C'.
- 4: DIAG – CHARACTER(1) *Input*
On entry: specifies whether *A* has nonunit or unit diagonal elements.
 DIAG = 'N'
 The diagonal elements are stored explicitly.
 DIAG = 'U'
 The diagonal elements are assumed to be 1, and are not referenced.
Constraint: DIAG = 'N' or 'U'.
- 5: M – INTEGER *Input*
On entry: *m*, the number of rows of the matrix *B*; the order of *A* if SIDE = 'L'.
Constraint: $M \geq 0$.
- 6: N – INTEGER *Input*
On entry: *n*, the number of columns of the matrix *B*; the order of *A* if SIDE = 'R'.
Constraint: $N \geq 0$.
- 7: ALPHA – REAL (KIND=nag_wp) *Input*
On entry: the scalar α .
- 8: A(LDA,*) – REAL (KIND=nag_wp) array *Input*
Note: the second dimension of the array *A* must be at least $\max(1, M)$ if SIDE = 'L' and at least $\max(1, N)$ if SIDE = 'R'.
On entry: the triangular matrix *A*; *A* is *m* by *m* if SIDE = 'L', or *n* by *n* if SIDE = 'R'.
 If UPLO = 'U', *A* is upper triangular and the elements of the array below the diagonal are not referenced.
 If UPLO = 'L', *A* is lower triangular and the elements of the array above the diagonal are not referenced.
 If DIAG = 'U', the diagonal elements of *A* are assumed to be 1, and are not referenced.
- 9: LDA – INTEGER *Input*
On entry: the first dimension of the array *A* as declared in the (sub)program from which F06YJF (DTRSM) is called.
Constraints:
 if SIDE = 'L', $LDA \geq \max(1, M)$;
 if SIDE = 'R', $LDA \geq \max(1, N)$.

10: B(LDB,*) – REAL (KIND=nag_wp) array

Input/Output

Note: the second dimension of the array B must be at least $\max(1, N)$.

On entry: the m by n matrix B .

If ALPHA = 0, B need not be set.

On exit: the updated matrix B .

11: LDB – INTEGER

Input

On entry: the first dimension of the array B as declared in the (sub)program from which F06YJF (DTRSM) is called.

Constraint: $LDB \geq \max(1, M)$.

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

None.
