

NAG Library Routine Document

F07JUF (ZPTCON)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F07JUF (ZPTCON) computes the reciprocal condition number of a complex n by n Hermitian positive definite tridiagonal matrix A , using the LDL^H factorization returned by F07JRF (ZPTTRF).

2 Specification

```
SUBROUTINE F07JUF (N, D, E, ANORM, RCOND, RWORK, INFO)
INTEGER N, INFO
REAL (KIND=nag_wp) D(*), ANORM, RCOND, RWORK(N)
COMPLEX (KIND=nag_wp) E(*)
```

The routine may be called by its LAPACK name *zptcon*.

3 Description

F07JUF (ZPTCON) should be preceded by a call to F07JRF (ZPTTRF), which computes a modified Cholesky factorization of the matrix A as

$$A = LDL^H,$$

where L is a unit lower bidiagonal matrix and D is a diagonal matrix, with positive diagonal elements. F07JUF (ZPTCON) then utilizes the factorization to compute $\|A^{-1}\|_1$ by a direct method, from which the reciprocal of the condition number of A , $1/\kappa(A)$ is computed as

$$1/\kappa_1(A) = 1/\left(\|A\|_1\|A^{-1}\|_1\right).$$

$1/\kappa(A)$ is returned, rather than $\kappa(A)$, since when A is singular $\kappa(A)$ is infinite.

4 References

Higham N J (2002) *Accuracy and Stability of Numerical Algorithms* (2nd Edition) SIAM, Philadelphia

5 Parameters

- | | | |
|----|--|--------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the order of the matrix A . | |
| | <i>Constraint:</i> $N \geq 0$. | |
| 2: | D(*) – REAL (KIND=nag_wp) array | <i>Input</i> |
| | Note: the dimension of the array D must be at least $\max(1, N)$. | |
| | <i>On entry:</i> must contain the n diagonal elements of the diagonal matrix D from the LDL^H factorization of A . | |

3:	$E(*)$ – COMPLEX (KIND=nag_wp) array	<i>Input</i>
Note: the dimension of the array E must be at least $\max(1, N - 1)$.		
<i>On entry:</i> must contain the $(n - 1)$ subdiagonal elements of the unit lower bidiagonal matrix L . (E can also be regarded as the superdiagonal of the unit upper bidiagonal matrix U from the $U^H D U$ factorization of A .)		
4:	ANORM – REAL (KIND=nag_wp)	<i>Input</i>
<i>On entry:</i> the 1-norm of the original matrix A , which may be computed by calling F06UPF with its parameter NORM = '1'. ANORM must be computed either before calling F07JRF (ZPTTRF) or else from a copy of the original matrix A .		
<i>Constraint:</i> $\text{ANORM} \geq 0.0$.		
5:	RCOND – REAL (KIND=nag_wp)	<i>Output</i>
<i>On exit:</i> the reciprocal condition number, $1/\kappa_1(A) = 1/\left(\ A\ _1 \ A^{-1}\ _1\right)$.		
6:	RWORK(N) – REAL (KIND=nag_wp) array	<i>Workspace</i>
7:	INFO – INTEGER	<i>Output</i>
<i>On exit:</i> INFO = 0 unless the routine detects an error (see Section 6).		

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, the i th argument had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed condition number will be the exact condition number for a closely neighbouring matrix.

8 Further Comments

The condition number estimation requires $O(n)$ floating point operations.

See Section 15.6 of Higham (2002) for further details on computing the condition number of tridiagonal matrices.

The real analogue of this routine is F07JGF (DPTCON).

9 Example

This example computes the condition number of the Hermitian positive definite tridiagonal matrix A given by

$$A = \begin{pmatrix} 16.0 & 16.0 - 16.0i & 0 & 0 \\ 16.0 + 16.0i & 41.0 & 18.0 + 9.0i & 0 \\ 0 & 18.0 - 9.0i & 46.0 & 1.0 + 4.0i \\ 0 & 0 & 1.0 - 4.0i & 21.0 \end{pmatrix}.$$

9.1 Program Text

```

Program f07jufe

!     F07JUF Example Program Text

!     Mark 24 Release. NAG Copyright 2012.

!     .. Use Statements ..
Use nag_library, Only: nag_wp, x02ajf, zlanht => f06upf, zptcon, zpttrf
!     .. Implicit None Statement ..
Implicit None
!     .. Parameters ..
Integer, Parameter :: nin = 5, nout = 6
!     .. Local Scalars ..
Real (Kind=nag_wp) :: anorm, rcond
Integer :: info, n
!     .. Local Arrays ..
Complex (Kind=nag_wp), Allocatable :: e(:)
Real (Kind=nag_wp), Allocatable :: d(:, rwork(:))
!     .. Executable Statements ..
Write (nout,*) 'F07JUF Example Program Results'
Write (nout,*)
!     Skip heading in data file
Read (nin,*)
Read (nin,*) n

Allocate (e(n-1),d(n),rwork(n))

!     Read the lower bidiagonal part of the tridiagonal matrix A from
!     data file

Read (nin,*) d(1:n)
Read (nin,*) e(1:n-1)

!     Compute the 1-norm of A
!     f06upf is the NAG name equivalent of the LAPACK auxiliary zlanht
anorm = zlanht('1-norm',n,d,e)

!     Factorize the tridiagonal matrix A
!     The NAG name equivalent of zpttrf is f07jrf
Call zpttrf(n,d,e,info)

If (info==0) Then

    !     Estimate the condition number of A
    !     The NAG name equivalent of zptcon is f07juf
    Call zptcon(n,d,e,anorm,rcond,rwork,info)

    !     Print the estimated condition number

    If (rcond>=x02ajf()) Then
        Write (nout,99999) 'Estimate of condition number = ', &
        1.0E0_nag_wp/rcond
    Else
        Write (nout,99999) 'A is singular to working precision. RCOND = ', &
        rcond
    End If

    Else
        Write (nout,99998) 'The leading minor of order ', info, &
        ' is not positive definite'
    End If

99999 Format (1X,A,1P,E10.2)
99998 Format (1X,A,I3,A)
End Program f07jufe

```

9.2 Program Data

F07JUF Example Program Data

4					:Value of N
16.0	41.0	46.0	21.0		:End of diagonal D
(16.0, 16.0)	(18.0, -9.0)	(1.0, -4.0)			:End of sub-diagonal E

9.3 Program Results

F07JUF Example Program Results

Estimate of condition number = 9.21E+03
